

CMS-QCD-10-025

CERN-PH-EP/2011-042
2013/01/19

Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$

The CMS Collaboration^{*}

Abstract

A measurement of the double-differential inclusive dijet production cross section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ is presented as a function of the dijet invariant mass and jet rapidity. The data correspond to an integrated luminosity of 36 pb^{-1} , recorded with the CMS detector at the LHC. The measurement covers the dijet mass range 0.2 TeV to 3.5 TeV and jet rapidities up to $|y| = 2.5$. It is found to be in good agreement with next-to-leading-order QCD predictions.

Submitted to Physics Letters B

^{*}See Appendix A for the list of collaboration members

In Quantum Chromodynamics (QCD), events with two high transverse momentum jets (dijets) arise in proton-proton collisions from parton-parton scattering, where the outgoing scattered partons manifest themselves as hadronic jets. The invariant mass M_{JJ} of the two jets is related to the proton momentum fractions $x_{1,2}$ carried by the scattering partons: $M_{\text{JJ}}^2 = x_1 \cdot x_2 \cdot s$, where \sqrt{s} is the centre-of-mass energy of the colliding protons. The dijet cross section as a function of M_{JJ} can be precisely calculated in perturbative QCD and allows also a sensitive search for physics beyond the Standard Model, such as dijet resonances or contact interactions. In this Letter, the measurement of the double-differential inclusive dijet production cross section ($p + p \rightarrow \text{jet} + \text{jet} + X$) is reported as a function of the dijet invariant mass and jet rapidity at $\sqrt{s} = 7 \text{ TeV}$. The data were collected with the Compact Muon Solenoid (CMS) detector at the CERN Large Hadron Collider (LHC) during the 2010 run and correspond to an integrated luminosity of 36 pb^{-1} . The measured cross section is compared to the QCD predictions in an unexplored kinematic region, beyond the reach of previous measurements [1–3]. The parton momentum fractions probed in this measurement correspond to $8 \cdot 10^{-4} \leq x_1 \cdot x_2 \leq 0.25$. Dedicated searches for dijet resonances and contact interactions with the CMS detector have been reported elsewhere [4–6].

The CMS coordinate system has its origin at the centre of the detector, with the z -axis pointing along the direction of the counterclockwise beam. The azimuthal angle is denoted as ϕ , the polar angle as θ , and the pseudorapidity is defined as $\eta = -\ln [\tan(\theta/2)]$. The central feature of the CMS detector is a superconducting solenoid, of 6 m internal diameter, that produces an axial magnetic field of 3.8 T. Within the field volume are the silicon pixel and strip tracker, a lead-tungstate crystal electromagnetic calorimeter (ECAL) and a brass/scintillator hadronic calorimeter. Outside the field volume, in the forward region ($3 < |\eta| < 5$), is an iron/quartz-fiber hadronic calorimeter. Muons are measured in gas detectors embedded in the steel return yoke outside the solenoid, in the pseudorapidity range $|\eta| < 2.4$. A detailed description of the CMS experiment can be found in Ref. [7].

Jets are reconstructed using the anti- k_T clustering algorithm [8] with size parameter $R = 0.7$. The clustering is performed using four-momentum summation, where the chosen size parameter allows for the capture of most of the parton shower and improves the dijet mass resolution with respect to smaller sizes. The rapidity y and the transverse momentum p_T of a jet with energy E and momentum $\vec{p} = (p_x, p_y, p_z)$ are defined as $y = \frac{1}{2} \ln \left(\frac{E+p_z}{E-p_z} \right)$ and $p_T = \sqrt{p_x^2 + p_y^2}$, respectively. The inputs to the jet clustering algorithm are the four-momentum vectors of the reconstructed particles. Each such particle is reconstructed with the particle-flow technique [9] which combines the information from several subdetectors. The resulting jets require an additional energy correction to take into account the non-linear and non-uniform response of the CMS calorimetric system to the neutral-hadron component of the jet (the momentum of charged hadrons and photons is measured accurately by the tracker and the ECAL, respectively). The jet-energy corrections are derived using simulated events, generated by PYTHIA6.4.22 (PYTHIA6) [10] and processed through the CMS detector simulation based on GEANT4 [11], and *in situ* measurements with dijet and photon+jet events [12]. An offset correction is also applied to take into account the extra energy clustered in jets due to additional proton-proton interactions within the same bunch crossing (pile-up). The jet-energy correction depends on the η and p_T of the jet, and is applied as a multiplicative factor to the jet four-momentum vector. The multiplicative factor is in general smaller than 1.2. For a jet $p_T = 100 \text{ GeV}$ the typical factor is 1.1, decreasing towards 1.0 with increasing p_T . The dijet mass is calculated from the corrected four-momentum vectors of the two jets with the highest p_T (leading jets): $M_{\text{JJ}} = \sqrt{(E_1 + E_2)^2 - (\vec{p}_1 + \vec{p}_2)^2}$. The relative dijet-mass resolution, estimated

from the simulation, ranges from 7% at $M_{\text{JJ}} = 0.2 \text{ TeV}$ to 3% at $M_{\text{JJ}} = 3 \text{ TeV}$.

The data samples used for this measurement were collected with single-jet high level triggers (HLT) [13] which required at least one jet in the event to satisfy the condition $p_{\text{T}} > 30, 50, 70, 100$ and 140 GeV , respectively, in uncorrected jet transverse momentum. The lower- p_{T} triggers were prescaled and the corresponding integrated luminosity of each trigger sample, \mathcal{L}_{eff} , is listed in Table 1. In the offline analysis, events are further required to have at least one well reconstructed proton-proton interaction vertex [14] and at least two reconstructed particle-flow jets with $p_{\text{T}1} > 60 \text{ GeV}$ and $p_{\text{T}2} > 30 \text{ GeV}$ (corrected). In order to suppress nonphysical events, the two leading jets must satisfy loose identification criteria: each jet should contain at least two particles, one of which is a charged hadron. Furthermore, the jet energy fraction carried by neutral hadrons and photons should be less than 99%. If either of the leading jets fails the identification criteria, the event is discarded. The measurement is performed in five rapidity regions, defined by the maximum absolute rapidity $|y|_{\text{max}} = \max(|y_1|, |y_2|)$ of the two leading jets in the event. The use of the variable $|y|_{\text{max}}$ divides the phase space of the dijet system into exclusive rapidity bins, which correspond to different scattering angles at the centre-of-mass frame. Low values of $|y|_{\text{max}}$ probe the large-angle scattering (*s channel*), while large values of $|y|_{\text{max}}$ probe the small-angle scattering (*t channel*). For the construction of the invariant mass spectrum, each dijet-mass bin is populated by events collected only with the fully efficient trigger with the highest threshold. The efficiency for each trigger path was measured using events collected with a lower threshold single-jet trigger and cross-checked with events collected with single-muon triggers.

Table 1: The integrated luminosity for each of the minimum (uncorrected) jet- p_{T} data samples.

Minimum jet p_{T} (GeV)	30	50	70	100	140
$\mathcal{L}_{\text{eff}}(\text{pb}^{-1})$	0.32	3.2	8.6	19	36

The double-differential cross section is defined as

$$\frac{d^2\sigma}{dM_{\text{JJ}} d|y|_{\text{max}}} = \frac{\mathcal{C}}{\epsilon \mathcal{L}_{\text{eff}}} \frac{N}{\Delta M_{\text{JJ}} \Delta |y|_{\text{max}}}, \quad (1)$$

where N is the number of events in the bin, \mathcal{L}_{eff} is the integrated luminosity of the data sample from which the events are taken, \mathcal{C} is a correction factor for bin-to-bin migration, ϵ is the product of the trigger and event selection efficiencies (greater than 99%), and ΔM_{JJ} and $\Delta |y|_{\text{max}}$ are the invariant mass and rapidity bin widths, respectively. The width of the mass bins is progressively increased, proportional to the mass resolution. The correction factor \mathcal{C} is taken from the simulation, as follows. Jets reconstructed with the same clustering algorithm from generated particles are smeared according to the simulated energy resolution and the correction factor \mathcal{C} is defined as the ratio of the generated over the smeared numbers of events in a given dijet-mass bin. It ranges between 0.95 and 0.98, depending on the dijet mass and the rapidity region. Figure 1 shows the double-differential cross section as a function of the dijet mass in different bins of $|y|_{\text{max}}$. The exact mass ranges and the cross-section values are reported in Tables 2–6. The quoted reference mass for each bin is the mass value m_0 that satisfies the equation $f(m_0)(m_2 - m_1) = \int_{m_1}^{m_2} f(m) dm$, where m_1, m_2 are the bin boundaries and $f(m) = A \cdot (m/\sqrt{s})^{-a} \cdot (1 - m/\sqrt{s})^b$, with parameters obtained from a fit to the mass spectrum. The definition of the reference mass follows the approach described in [15].

The systematic uncertainty on the measured cross section is asymmetric and dominated by the uncertainty on the jet-energy scale. The latter varies between 3% and 5% [12] and introduces a 15% (60%) uncertainty on the cross section at $M_{\text{JJ}} = 0.2 \text{ TeV}$ (3 TeV). The uncertainty on the integrated luminosity is estimated to be 4% [16] and propagates directly to the cross section. The jet-energy resolution uncertainty of 10% [17] propagates to the dijet mass resolution, which affects the unsmeared correction, introducing a 1% uncertainty on the cross section. Other sources of experimental uncertainty, such as the jet angular resolution and the Monte Carlo p_T spectrum used to calculate the smearing effect, introduce negligible uncertainties on the cross section. The quoted experimental systematic uncertainties of the individual dijet-mass bins are almost 100% correlated.

The theoretical prediction for the double-differential cross sections consists of a next-to-leading-order QCD calculation and a nonperturbative correction to account for the multiparton interactions (MPI) and hadronisation effects. The NLO calculations are done using the NLOJet++ program (v2.0.1) [18] within the framework of the fastNLO package (v1.4) [19] at renormalization and factorization scales (μ_R and μ_F) equal to the average transverse momentum p_T^{ave} of the two jets. The NLO calculation is performed using the CT10 [20], MSTW2008NLO [21] and NNPDF2.0 [22] parton distribution functions (PDF) at the corresponding three default values of the strong coupling constant $\alpha_S(M_Z) = 0.1180, 0.1202$ and 0.1190 , respectively, recommended by the PDF4LHC working group [23]. The central value of the NLO calculation is taken as the average of the minimum and the maximum values predicted by the envelope of the 68% confidence level uncertainty of the three PDF. The non-perturbative effects are estimated from the simulation, using the event generators PYTHIA6 (tunes D6T [24] and Z2 [25]) and HERWIG++ 2.4.2 [26]. The non-perturbative correction is defined as the ratio of the cross section predicted with the nominal generator settings divided by the cross section predicted with the MPI and hadronisation switched off. The central value of the non-perturbative correction is calculated from the average of the three models considered, and ranges from 30% at the lowest dijet mass value in each rapidity region, to 5% at $M_{\text{JJ}} = 3 \text{ TeV}$. The PDF variation introduces a 5% (30%) uncertainty on the theoretical prediction at a dijet mass of 0.2 TeV (3 TeV), while the variation of $\alpha_S(M_Z)$ by 0.002 introduces an additional 2–4% uncertainty. The renormalization and factorization scale uncertainty is estimated as the maximum deviation at the six points $(\mu_F/p_T^{\text{ave}}, \mu_R/p_T^{\text{ave}}) = (0.5, 0.5), (2, 2), (1, 0.5), (1, 2), (0.5, 1), (2, 1)$, introducing a +2% (+8%), −5% (−13%) uncertainty at $M_{\text{JJ}} = 0.2 \text{ TeV}$ (3 TeV) in the central rapidity bin ($|y|_{\text{max}} < 0.5$), and +2% (+5%), −10% (−32%) uncertainty at $M_{\text{JJ}} = 0.7 \text{ TeV}$ (3 TeV) in the outermost rapidity bin ($2.0 < |y|_{\text{max}} < 2.5$). An additional uncertainty of 15% (2%) at $M_{\text{JJ}} = 0.2 \text{ TeV}$ (3 TeV) is caused by the non-perturbative correction. Overall, the PDF uncertainty dominates at high masses, while the non-perturbative correction uncertainty is dominant at low masses.

Figure 2 shows the comparison between the data and the theoretical prediction in the various bins of $|y|_{\text{max}}$. It also shows the components of the theoretical uncertainty. The agreement observed for the entire mass range and in all rapidity bins is good. The experimental uncertainty is comparable to the theoretical uncertainty and the data can be used to constrain the ingredients of the QCD calculations.

In summary, a measurement of the double-differential dijet cross section as a function of the dijet mass and $|y|_{\text{max}}$ has been presented. Using 36 pb^{-1} of data from proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ collected with the CMS detector, the measurement covers the dijet-mass range from 0.2 TeV to 3.5 TeV in five rapidity bins, up to $|y|_{\text{max}} = 2.5$. The data are in good agreement with the theoretical prediction, showing that QCD accurately describes the parton-parton scattering in this kinematic region.

We wish to congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC machine. We thank the technical and administrative staff at CERN and other CMS institutes, and acknowledge support from: FMSR (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); Academy of Sciences and NICPB (Estonia); Academy of Finland, ME, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); PAEC (Pakistan); SCSR (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MST and MAE (Russia); MSTD (Serbia); MICINN and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); TUBITAK and TAEK (Turkey); STFC (United Kingdom); DOE and NSF (USA).

References

- [1] D0 Collaboration, “Measurement of the Dijet Invariant Mass Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”, *Phys. Lett.* **B693** (2010) 531.
[doi:10.1016/j.physletb.2010.09.013](https://doi.org/10.1016/j.physletb.2010.09.013).
- [2] CDF Collaboration, “Search for new particles decaying into dijets in proton-antiproton collisions at $\sqrt{s} = 1.96 \text{ TeV}$ ”, *Phys. Rev.* **D79** (2009) 112002.
[doi:10.1103/PhysRevD.79.112002](https://doi.org/10.1103/PhysRevD.79.112002).
- [3] ATLAS Collaboration, “Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector”, *Eur. Phys. J.* **C71** (2011) 1512. [doi:10.1140/epjc/s10052-010-1512-2](https://doi.org/10.1140/epjc/s10052-010-1512-2).
- [4] CMS Collaboration, “Search for Dijet Resonances in 7 TeV pp Collisions at CMS”, *Phys. Rev. Lett.* **105** (2010) 211801. [doi:10.1103/PhysRevLett.105.211801](https://doi.org/10.1103/PhysRevLett.105.211801).
- [5] CMS Collaboration, “Search for Quark Compositeness with the Dijet Centrality Ratio in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$ ”, *Phys. Rev. Lett.* **105** (2010) 262001.
[doi:10.1103/PhysRevLett.105.262001](https://doi.org/10.1103/PhysRevLett.105.262001).
- [6] CMS Collaboration, “Measurement of Dijet Angular Distributions and Search for Quark Compositeness in pp Collisions at 7 TeV”, (2010). [arXiv:1102.2020v1](https://arxiv.org/abs/1102.2020v1). Submitted to *Physical Review Letters*.
- [7] CMS Collaboration, “The CMS experiment at the CERN LHC”, *JINST* **3** (2008) S08004.
[doi:10.1088/1748-0221/3/08/S08004](https://doi.org/10.1088/1748-0221/3/08/S08004).
- [8] M. Cacciari, G. P. Salam, and G. Soyez, “The anti- kt jet clustering algorithm”, *JHEP* **04** (2008) 063. [doi:10.1088/1126-6708/2008/04/063](https://doi.org/10.1088/1126-6708/2008/04/063).
- [9] CMS Collaboration, “Particle–Flow Event Reconstruction in CMS and Performance for Jets, Taus, and E_T^{miss} ”, *CMS Physics Analysis Summary CMS-PAS-PFT-09-001* (2009).
- [10] T. Sjöstrand, S. Mrenna, and P. Skands, “PYTHIA 6.4 physics and manual”, *JHEP* **05** (2006) 026. [doi:10.1088/1126-6708/2006/05/026](https://doi.org/10.1088/1126-6708/2006/05/026).
- [11] S. Agostinelli et al., “Geant 4 – A Simulation Toolkit”, *Nucl. Inst. Meth.* **A506** (2003) 250.
[doi:10.1016/S0168-9002\(03\)01368-8](https://doi.org/10.1016/S0168-9002(03)01368-8).

-
- [12] CMS Collaboration, “Determination of the Jet Energy Scale in CMS with pp Collisions at $\sqrt{s} = 7 \text{ TeV}$ ”, *CMS Physics Analysis Summary* **CMS-PAS-JME-10-010** (2010).
- [13] CMS Collaboration, “The CMS High Level Trigger”, *Eur. Phys. J.* **C46** (2006) 605.
doi:10.1140/epjc/s2006-02495-8.
- [14] CMS Collaboration, “Tracking and Primary Vertex Results in First 7 TeV Collisions”, *CMS Physics Analysis Summary* **CMS-PAS-TRK-10-005** (2010).
- [15] G. D.Lafferty and T. R.Wyatt, “Where to stick your data points: The treatment of measurements within wide bins”, *Nucl. Inst. Meth.* **A355** (1995) 541.
doi:10.1016/0168-9002(94)01112-5.
- [16] CMS Collaboration, “Absolute luminosity normalization”, *CERN Detector Performance Studies* **CMS-DP-2011-002** (2011).
- [17] CMS Collaboration, “Jet Energy Resolution in CMS at $\sqrt{s} = 7 \text{ TeV}$ ”, *CMS Physics Analysis Summary* **CMS-PAS-JME-10-014** (2010).
- [18] Z. Nagy, “Next-to-leading order calculation of three jet observables in hadron-hadron collision”, *Phys. Rev.* **D68** (2003) 094002. doi:10.1103/PhysRevD.68.094002.
- [19] T. Kluge, K. Rabbertz, and M. Wobisch, “fastNLO: Fast pQCD calculations for PDF fits”, arXiv:hep-ph/0609285v2.
- [20] H.-L. Lai et al., “New parton distributions for collider physics”, *Phys. Rev.* **D82** (2010) 074024. doi:10.1103/PhysRevD.82.074024.
- [21] A. D. Martin et al., “Parton distributions for the LHC”, *Eur. Phys. J.* **C63** (2009) 189.
doi:10.1140/epjc/s10052-009-1072-5.
- [22] R. D. Ball et al., “A first unbiased global NLO determination of parton distributions and their uncertainties”, *Nucl. Phys.* **B838** (2010) 136.
doi:10.1016/j.nuclphysb.2010.05.008.
- [23] S. Alekhin et al., “The PDF4LHC Working Group Interim Report.”, (2011).
arXiv:1101.0536v1.
- [24] R. Field, “Early LHC Underlying Event Data-Findings and Surprises”, (2010).
arXiv:1010.3558v1.
- [25] The PYTHIA6 z2 tune is identical to the z1 tune described in [24] except that z2 uses the CTEQ6L PDF while z1 uses CTEQ5L.
- [26] M. Bähr et al., “Herwig++ Physics and Manual”, *Eur. Phys. J.* **C58** (2008) 639.
doi:10.1140/epjc/s10052-008-0798-9.




Figure 1: Measured double-differential dijet production cross sections (points), scaled by the factors shown in the figure, as a function of the dijet invariant mass, in bins of the variable $|y|_{\text{max}}$, compared to the theoretical predictions (curves). The horizontal error bars represent the bin widths, while the vertical error bars represent the statistical uncertainties of the data.




Figure 2: Ratio of the measured double-differential dijet production cross section over the theoretical prediction in different rapidity bins. The solid band represents the experimental systematic uncertainty and is centered around the points. The error bars on the points represent the statistical uncertainties. The theoretical uncertainties due to PDF and the strong coupling constant $\alpha_S(M_Z)$ (solid blue), renormalization and factorization scales (dashed red), and non-perturbative effects (dashed-dotted green) are shown as curves centered around unity.

Table 2: Double-differential dijet mass cross section in the rapidity range $|y|_{\max} < 0.5$. The reference mass is the point at which the cross section is drawn in Figs. 1 and 2 and is calculated as described in the text. The experimental systematic uncertainties of the individual dijet-mass bins are almost 100% correlated.

Mass Range (TeV)	Reference Mass (TeV)	Measured Cross Section (pb/TeV)	Statistical Uncertainty %	Systematic Uncertainty %
[0.156, 0.176]	0.165	1.32×10^6	-1.1, +1.1	-10, +11
[0.176, 0.197]	0.186	7.26×10^5	-1.4, +1.4	-10, +12
[0.197, 0.220]	0.208	4.12×10^5	-1.8, +1.8	-11, +12
[0.220, 0.244]	0.231	2.35×10^5	-0.7, +0.7	-11, +12
[0.244, 0.270]	0.256	1.39×10^5	-0.9, +0.9	-11, +12
[0.270, 0.296]	0.282	8.18×10^4	-0.7, +0.7	-11, +13
[0.296, 0.325]	0.310	5.08×10^4	-0.9, +0.9	-11, +13
[0.325, 0.354]	0.339	3.18×10^4	-1.1, +1.1	-11, +13
[0.354, 0.386]	0.369	2.04×10^4	-1.3, +1.3	-12, +13
[0.386, 0.419]	0.402	1.28×10^4	-1.1, +1.1	-12, +14
[0.419, 0.453]	0.435	8.22×10^3	-1.4, +1.4	-12, +14
[0.453, 0.489]	0.470	5.42×10^3	-1.6, +1.6	-12, +14
[0.489, 0.526]	0.507	3.65×10^3	-1.4, +1.5	-13, +14
[0.526, 0.565]	0.545	2.44×10^3	-1.7, +1.7	-13, +15
[0.565, 0.606]	0.585	1.58×10^3	-2.1, +2.1	-13, +15
[0.606, 0.649]	0.627	1.05×10^3	-2.5, +2.5	-13, +16
[0.649, 0.693]	0.670	7.35×10^2	-2.9, +3.0	-14, +16
[0.693, 0.740]	0.716	5.05×10^2	-3.4, +3.5	-14, +16
[0.740, 0.788]	0.763	3.62×10^2	-4.0, +4.2	-14, +17
[0.788, 0.838]	0.812	2.45×10^2	-4.8, +5.0	-15, +17
[0.838, 0.890]	0.863	1.77×10^2	-5.5, +5.8	-15, +18
[0.890, 0.944]	0.916	1.13×10^2	-6.8, +7.2	-15, +18
[0.944, 1.000]	0.971	7.94×10^1	-7.9, +8.5	-16, +19
[1.000, 1.118]	1.055	4.76×10^1	-7.0, +7.5	-16, +20
[1.118, 1.246]	1.178	2.72×10^1	-8.9, +9.8	-17, +21
[1.246, 1.383]	1.310	1.14×10^1	-13, +15	-18, +22
[1.383, 1.530]	1.452	6.24	-17, +21	-19, +24
[1.530, 1.687]	1.604	2.48	-26, +35	-20, +26
[1.687, 1.856]	1.766	9.85×10^{-1}	-40, +60	-22, +28
[1.856, 2.037]	1.941	4.59×10^{-1}	-54, +97	-23, +31
[2.037, 2.332]	2.170	4.69×10^{-1}	-43, +68	-25, +34
[2.332, 2.659]	2.479	8.45×10^{-2}	-83, +230	-29, +40

Table 3: Double-differential dijet mass cross section in the rapidity range $0.5 < |y|_{\max} < 1.0$. The reference mass is the point at which the cross section is drawn in Figs. 1 and 2 and is calculated as described in the text. The experimental systematic uncertainties of the individual dijet-mass bins are almost 100% correlated.

Mass Range (TeV)	Reference Mass (TeV)	Measured Cross Section (pb/TeV)	Statistical Uncertainty %	Systematic Uncertainty %
[0.197, 0.220]	0.208	1.74×10^6	-0.8, +0.9	-11, +12
[0.220, 0.244]	0.231	1.02×10^6	-1.1, +1.1	-11, +12
[0.244, 0.270]	0.256	6.00×10^5	-1.4, +1.4	-11, +12
[0.270, 0.296]	0.282	3.64×10^5	-1.7, +1.8	-11, +12
[0.296, 0.325]	0.310	2.22×10^5	-0.7, +0.7	-11, +13
[0.325, 0.354]	0.339	1.38×10^5	-0.8, +0.9	-11, +13
[0.354, 0.386]	0.369	8.64×10^4	-1.0, +1.0	-12, +13
[0.386, 0.419]	0.402	5.42×10^4	-0.8, +0.8	-12, +13
[0.419, 0.453]	0.435	3.55×10^4	-1.0, +1.0	-12, +14
[0.453, 0.489]	0.470	2.34×10^4	-1.1, +1.2	-12, +14
[0.489, 0.526]	0.507	1.53×10^4	-0.9, +0.9	-12, +14
[0.526, 0.565]	0.545	1.01×10^4	-1.1, +1.1	-13, +15
[0.565, 0.606]	0.585	6.90×10^3	-1.3, +1.3	-13, +15
[0.606, 0.649]	0.627	4.60×10^3	-1.6, +1.6	-13, +15
[0.649, 0.693]	0.670	3.15×10^3	-1.4, +1.4	-13, +16
[0.693, 0.740]	0.716	2.14×10^3	-1.7, +1.7	-14, +16
[0.740, 0.788]	0.763	1.48×10^3	-2.0, +2.0	-14, +16
[0.788, 0.838]	0.812	1.04×10^3	-2.3, +2.4	-14, +17
[0.838, 0.890]	0.863	7.42×10^2	-2.7, +2.8	-15, +17
[0.890, 0.944]	0.916	5.01×10^2	-3.2, +3.3	-15, +18
[0.944, 1.000]	0.971	3.37×10^2	-3.8, +4.0	-15, +18
[1.000, 1.118]	1.055	2.08×10^2	-3.4, +3.5	-16, +19
[1.118, 1.246]	1.178	9.94×10^1	-4.7, +4.9	-17, +20
[1.246, 1.383]	1.310	5.38×10^1	-6.1, +6.5	-18, +22
[1.383, 1.530]	1.452	2.73×10^1	-8.3, +9.0	-19, +23
[1.530, 1.687]	1.604	9.70	-13, +15	-20, +25
[1.687, 1.856]	1.766	5.73	-17, +20	-21, +27
[1.856, 2.037]	1.941	3.66	-20, +25	-23, +30
[2.037, 2.332]	2.170	1.12	-28, +38	-25, +33
[2.332, 2.659]	2.479	2.52×10^{-1}	-54, +97	-28, +39
[2.659, 3.019]	2.819	7.62×10^{-2}	-83, +230	-32, +47

Table 4: Double-differential dijet mass cross section in the rapidity range $1.0 < |y|_{\max} < 1.5$. The reference mass is the point at which the cross section is drawn in Figs. 1 and 2 and is calculated as described in the text. The experimental systematic uncertainties of the individual dijet-mass bins are almost 100% correlated.

Mass Range (TeV)	Reference Mass (TeV)	Measured Cross Section (pb/TeV)	Statistical Uncertainty %	Systematic Uncertainty %
[0.386, 0.419]	0.402	1.84×10^5	-2.2, +2.3	-12, +13
[0.419, 0.453]	0.435	1.21×10^5	-2.7, +2.8	-12, +13
[0.453, 0.489]	0.470	7.77×10^4	-3.3, +3.4	-12, +14
[0.489, 0.526]	0.507	5.26×10^4	-1.2, +1.2	-12, +14
[0.526, 0.565]	0.545	3.56×10^4	-1.5, +1.5	-12, +14
[0.565, 0.606]	0.585	2.31×10^4	-1.8, +1.8	-13, +15
[0.606, 0.649]	0.627	1.60×10^4	-2.1, +2.1	-13, +15
[0.649, 0.693]	0.670	1.04×10^4	-1.6, +1.6	-13, +15
[0.693, 0.740]	0.716	7.20×10^3	-1.8, +1.9	-13, +16
[0.740, 0.788]	0.763	4.98×10^3	-2.2, +2.2	-14, +16
[0.788, 0.838]	0.812	3.35×10^3	-2.6, +2.7	-14, +16
[0.838, 0.890]	0.863	2.34×10^3	-2.0, +2.1	-14, +17
[0.890, 0.944]	0.916	1.65×10^3	-2.4, +2.5	-15, +17
[0.944, 1.000]	0.971	1.18×10^3	-2.8, +2.9	-15, +18
[1.000, 1.118]	1.055	6.61×10^2	-2.6, +2.6	-16, +19
[1.118, 1.246]	1.178	3.22×10^2	-2.6, +2.7	-16, +20
[1.246, 1.383]	1.310	1.57×10^2	-3.6, +3.7	-17, +21
[1.383, 1.530]	1.452	7.86×10^1	-4.9, +5.1	-18, +22
[1.530, 1.687]	1.603	3.80×10^1	-6.8, +7.3	-19, +24
[1.687, 1.856]	1.766	1.75×10^1	-9.6, +11	-20, +26
[1.856, 2.037]	1.941	8.32	-13, +15	-22, +28
[2.037, 2.332]	2.170	3.33	-17, +20	-23, +31
[2.332, 2.659]	2.478	1.83	-21, +26	-26, +35
[2.659, 3.019]	2.819	4.51×10^{-1}	-40, +60	-29, +41

Table 5: Double-differential dijet mass cross section in the rapidity range $1.5 < |y|_{\max} < 2.0$. The reference mass is the point at which the cross section is drawn in Figs. 1 and 2 and is calculated as described in the text. The experimental systematic uncertainties of the individual dijet-mass bins are almost 100% correlated.

Mass Range (TeV)	Reference Mass (TeV)	Measured Cross Section (pb/TeV)	Statistical Uncertainty %	Systematic Uncertainty %
[0.565, 0.606]	0.585	6.68×10^4	-3.1, +3.2	-12, +14
[0.606, 0.649]	0.627	4.52×10^4	-3.7, +3.9	-12, +14
[0.649, 0.693]	0.670	3.05×10^4	-4.5, +4.7	-12, +14
[0.693, 0.740]	0.716	2.02×10^4	-1.7, +1.7	-13, +15
[0.740, 0.788]	0.763	1.47×10^4	-2.0, +2.0	-13, +15
[0.788, 0.838]	0.812	1.04×10^4	-2.3, +2.4	-13, +15
[0.838, 0.890]	0.863	6.92×10^3	-2.8, +2.8	-13, +16
[0.890, 0.944]	0.916	4.77×10^3	-2.1, +2.1	-14, +16
[0.944, 1.000]	0.971	3.41×10^3	-2.4, +2.4	-14, +16
[1.000, 1.118]	1.055	2.04×10^3	-2.1, +2.2	-14, +17
[1.118, 1.246]	1.178	1.04×10^3	-2.0, +2.0	-15, +18
[1.246, 1.383]	1.310	5.20×10^2	-2.7, +2.7	-16, +19
[1.383, 1.530]	1.452	2.60×10^2	-3.6, +3.8	-17, +21
[1.530, 1.687]	1.604	1.45×10^2	-4.7, +5.0	-18, +22
[1.687, 1.856]	1.766	6.31×10^1	-5.1, +5.3	-19, +24
[1.856, 2.037]	1.941	3.24×10^1	-6.8, +7.3	-21, +26
[2.037, 2.332]	2.170	1.18×10^1	-8.9, +9.7	-23, +29
[2.332, 2.659]	2.479	4.37	-14, +16	-26, +34
[2.659, 3.019]	2.820	1.52	-22, +28	-29, +41
[3.019, 3.854]	3.344	1.31×10^{-1}	-48, +79	-35, +54

Table 6: Double-differential dijet mass cross section in the rapidity range $2.0 < |y|_{\max} < 2.5$. The reference mass is the point at which the cross section is drawn in Figs. 1 and 2 and is calculated as described in the text. The experimental systematic uncertainties of the individual dijet-mass bins are almost 100% correlated.

Mass Range (TeV)	Reference Mass (TeV)	Measured Cross Section (pb/TeV)	Statistical Uncertainty %	Systematic Uncertainty %
[0.649, 0.693]	0.670	1.00×10^5	-2.5, +2.5	-13, +15
[0.693, 0.740]	0.716	6.70×10^4	-2.9, +3.0	-13, +15
[0.740, 0.788]	0.763	4.63×10^4	-3.5, +3.6	-13, +15
[0.788, 0.838]	0.812	3.29×10^4	-4.1, +4.2	-13, +15
[0.838, 0.890]	0.863	2.31×10^4	-4.8, +5.0	-13, +16
[0.890, 0.944]	0.916	1.52×10^4	-1.8, +1.9	-14, +16
[0.944, 1.000]	0.971	1.11×10^4	-2.1, +2.2	-14, +16
[1.000, 1.118]	1.055	6.41×10^3	-1.9, +1.9	-14, +16
[1.118, 1.246]	1.178	3.26×10^3	-2.6, +2.6	-14, +17
[1.246, 1.383]	1.310	1.59×10^3	-2.2, +2.3	-15, +18
[1.383, 1.530]	1.452	8.39×10^2	-3.0, +3.1	-16, +18
[1.530, 1.687]	1.604	4.01×10^2	-4.2, +4.4	-16, +19
[1.687, 1.856]	1.766	1.80×10^2	-4.1, +4.2	-17, +21
[1.856, 2.037]	1.941	8.96×10^1	-5.6, +5.9	-18, +22
[2.037, 2.332]	2.170	3.75×10^1	-6.8, +7.2	-19, +24
[2.332, 2.659]	2.479	9.44	-9.4, +10	-22, +27
[2.659, 3.019]	2.819	3.52	-15, +17	-25, +32
[3.019, 3.854]	3.338	3.29×10^{-1}	-31, +43	-30, +41

A The CMS Collaboration

Yerevan Physics Institute, Yerevan, Armenia

S. Chatrchyan, V. Khachatryan, A.M. Sirunyan, A. Tumasyan

Institut für Hochenergiephysik der OeAW, Wien, Austria

W. Adam, T. Bergauer, M. Dragicevic, J. Erö, C. Fabjan, M. Friedl, R. Frühwirth, V.M. Ghete, J. Hammer¹, S. Hänsel, M. Hoch, N. Hörmann, J. Hrubec, M. Jeitler, G. Kasieczka, W. Kiesenhofer, M. Krammer, D. Liko, I. Mikulec, M. Pernicka, H. Rohringer, R. Schöfbeck, J. Strauss, F. Teischinger, P. Wagner, W. Waltenberger, G. Walzel, E. Widl, C.-E. Wulz

National Centre for Particle and High Energy Physics, Minsk, Belarus

V. Mossolov, N. Shumeiko, J. Suarez Gonzalez

Universiteit Antwerpen, Antwerpen, Belgium

L. Benucci, E.A. De Wolf, X. Janssen, T. Maes, L. Mucibello, S. Ochesanu, B. Roland, R. Rougny, M. Selvaggi, H. Van Haevermaet, P. Van Mechelen, N. Van Remortel

Vrije Universiteit Brussel, Brussel, Belgium

F. Blekman, S. Blyweert, J. D'Hondt, O. Devroede, R. Gonzalez Suarez, A. Kalogeropoulos, J. Maes, M. Maes, W. Van Doninck, P. Van Mulders, G.P. Van Onsem, I. Villella

Université Libre de Bruxelles, Bruxelles, Belgium

O. Charaf, B. Clerbaux, G. De Lentdecker, V. Dero, A.P.R. Gay, G.H. Hammad, T. Hreus, P.E. Marage, L. Thomas, C. Vander Velde, P. Vanlaer

Ghent University, Ghent, Belgium

V. Adler, A. Cimmino, S. Costantini, M. Grunewald, B. Klein, J. Lellouch, A. Marinov, J. Mccartin, D. Ryckbosch, F. Thyssen, M. Tytgat, L. Vanelderen, P. Verwilligen, S. Walsh, N. Zaganidis

Université Catholique de Louvain, Louvain-la-Neuve, Belgium

S. Basegmez, G. Bruno, J. Caudron, L. Ceard, E. Cortina Gil, J. De Favereau De Jeneret, C. Delaere¹, D. Favart, A. Giammanco, G. Grégoire, J. Hollar, V. Lemaitre, J. Liao, O. Militaru, S. Ovyn, D. Pagano, A. Pin, K. Piotrkowski, N. Schul

Université de Mons, Mons, Belgium

N. Beliy, T. Caebergs, E. Daubie

Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil

G.A. Alves, D. De Jesus Damiao, M.E. Pol, M.H.G. Souza

Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

W. Carvalho, E.M. Da Costa, C. De Oliveira Martins, S. Fonseca De Souza, L. Mundim, H. Nogima, V. Oguri, W.L. Prado Da Silva, A. Santoro, S.M. Silva Do Amaral, A. Sznajder, F. Torres Da Silva De Araujo

Instituto de Fisica Teorica, Universidade Estadual Paulista, Sao Paulo, Brazil

F.A. Dias, T.R. Fernandez Perez Tomei, E. M. Gregores², C. Lagana, F. Marinho, P.G. Mercadante², S.F. Novaes, Sandra S. Padula

Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria

N. Darmenov¹, L. Dimitrov, V. Genchev¹, P. Iaydjiev¹, S. Piperov, M. Rodozov, S. Stoykova, G. Sultanov, V. Tcholakov, R. Trayanov, I. Vankov

University of Sofia, Sofia, Bulgaria

A. Dimitrov, R. Hadjiiska, A. Karadzhinova, V. Kozuharov, L. Litov, M. Mateev, B. Pavlov, P. Petkov

Institute of High Energy Physics, Beijing, China

J.G. Bian, G.M. Chen, H.S. Chen, C.H. Jiang, D. Liang, S. Liang, X. Meng, J. Tao, J. Wang, J. Wang, X. Wang, Z. Wang, H. Xiao, M. Xu, J. Zang, Z. Zhang

State Key Lab. of Nucl. Phys. and Tech., Peking University, Beijing, China

Y. Ban, S. Guo, Y. Guo, W. Li, Y. Mao, S.J. Qian, H. Teng, L. Zhang, B. Zhu, W. Zou

Universidad de Los Andes, Bogota, Colombia

A. Cabrera, B. Gomez Moreno, A.A. Ocampo Rios, A.F. Osorio Oliveros, J.C. Sanabria

Technical University of Split, Split, Croatia

N. Godinovic, D. Lelas, K. Lelas, R. Plestina³, D. Polic, I. Puljak

University of Split, Split, Croatia

Z. Antunovic, M. Dzelalija

Institute Rudjer Boskovic, Zagreb, Croatia

V. Brigljevic, S. Duric, K. Kadija, S. Morovic

University of Cyprus, Nicosia, Cyprus

A. Attikis, M. Galanti, J. Mousa, C. Nicolaou, F. Ptochos, P.A. Razis

Charles University, Prague, Czech Republic

M. Finger, M. Finger Jr.

Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt

Y. Assran⁴, S. Khalil⁵, M.A. Mahmoud⁶

National Institute of Chemical Physics and Biophysics, Tallinn, Estonia

A. Hektor, M. Kadastik, M. Müntel, M. Raidal, L. Rebane

Department of Physics, University of Helsinki, Helsinki, Finland

V. Azzolini, P. Eerola, G. Fedi

Helsinki Institute of Physics, Helsinki, Finland

S. Czellar, J. Hätkönen, A. Heikkinen, V. Karimäki, R. Kinnunen, M.J. Kortelainen, T. Lampén, K. Lassila-Perini, S. Lehti, T. Lindén, P. Luukka, T. Mäenpää, E. Tuominen, J. Tuominiemi, E. Tuovinen, D. Ungaro, L. Wendland

Lappeenranta University of Technology, Lappeenranta, Finland

K. Banzuzi, A. Korppela, T. Tuuva

Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France

D. Sillou

DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France

M. Besancon, S. Choudhury, M. Dejardin, D. Denegri, B. Fabbro, J.L. Faure, F. Ferri, S. Ganjour, F.X. Gentit, A. Givernaud, P. Gras, G. Hamel de Monchenault, P. Jarry, E. Locci, J. Malcles, M. Marionneau, L. Millischer, J. Rander, A. Rosowsky, I. Shreyber, M. Titov, P. Verrecchia

Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France

S. Baffioni, F. Beaudette, L. Benhabib, L. Bianchini, M. Bluj⁷, C. Broutin, P. Busson, C. Charlot, T. Dahms, L. Dobrzynski, S. Elgammal, R. Granier de Cassagnac, M. Haguenauer, P. Miné, C. Mironov, C. Ochando, P. Paganini, D. Sabes, R. Salerno, Y. Sirois, C. Thiebaux, B. Wyslouch⁸, A. Zabi

Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France

J.-L. Agram⁹, J. Andrea, D. Bloch, D. Bodin, J.-M. Brom, M. Cardaci, E.C. Chabert, C. Collard, E. Conte⁹, F. Drouhin⁹, C. Ferro, J.-C. Fontaine⁹, D. Gelé, U. Goerlach, S. Greder, P. Juillot, M. Karim⁹, A.-C. Le Bihan, Y. Mikami, P. Van Hove

Centre de Calcul de l’Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

F. Fassi, D. Mercier

Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France

C. Baty, S. Beauceron, N. Beaupere, M. Bedjidian, O. Bondu, G. Boudoul, D. Boumediene, H. Brun, R. Chierici, D. Contardo, P. Depasse, H. El Mamouni, J. Fay, S. Gascon, B. Ille, T. Kurca, T. Le Grand, M. Lethuillier, L. Mirabito, S. Perries, V. Sordini, S. Tosi, Y. Tschudi, P. Verdier

Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia

D. Lomidze

RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany

G. Anagnostou, M. Edelhoff, L. Feld, N. Heracleous, O. Hindrichs, R. Jussen, K. Klein, J. Merz, N. Mohr, A. Ostapchuk, A. Perieanu, F. Raupach, J. Sammet, S. Schael, D. Sprenger, H. Weber, M. Weber, B. Wittmer

RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany

M. Ata, W. Bender, E. Dietz-Laursonn, M. Erdmann, J. Frangenheim, T. Hebbeker, A. Hinzmann, K. Hoepfner, T. Klimkovich, D. Klingebiel, P. Kreuzer, D. Lanske[†], C. Magass, M. Merschmeyer, A. Meyer, P. Papacz, H. Pieta, H. Reithler, S.A. Schmitz, L. Sonnenschein, J. Steggemann, D. Teyssier, M. Tonutti

RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany

M. Bontenackels, M. Davids, M. Duda, G. Flügge, H. Geenen, M. Giffels, W. Haj Ahmad, D. Heydhausen, T. Kress, Y. Kuessel, A. Linn, A. Nowack, L. Perchalla, O. Pooth, J. Rennefeld, P. Sauerland, A. Stahl, M. Thomas, D. Tornier, M.H. Zoeller

Deutsches Elektronen-Synchrotron, Hamburg, Germany

M. Aldaya Martin, W. Behrenhoff, U. Behrens, M. Bergholz¹⁰, A. Bethani, K. Borras, A. Cakir, A. Campbell, E. Castro, D. Dammann, G. Eckerlin, D. Eckstein, A. Flossdorf, G. Flucke, A. Geiser, J. Hauk, H. Jung¹, M. Kasemann, I. Katkov¹¹, P. Katsas, C. Kleinwort, H. Kluge, A. Knutsson, M. Krämer, D. Krücker, E. Kuznetsova, W. Lange, W. Lohmann¹⁰, R. Mankel, M. Marienfeld, I.-A. Melzer-Pellmann, A.B. Meyer, J. Mnich, A. Mussgiller, J. Olzem, D. Pitzl, A. Raspereza, A. Raval, M. Rosin, R. Schmidt¹⁰, T. Schoerner-Sadenius, N. Sen, A. Spiridonov, M. Stein, J. Tomaszewska, R. Walsh, C. Wissing

University of Hamburg, Hamburg, Germany

C. Autermann, V. Blobel, S. Bobrovskyi, J. Draeger, H. Enderle, U. Gebbert, K. Kaschube, G. Kaussen, R. Klanner, J. Lange, B. Mura, S. Naumann-Emme, F. Nowak, N. Pietsch, C. Sander,

H. Schettler, P. Schleper, M. Schröder, T. Schum, J. Schwandt, H. Stadie, G. Steinbrück, J. Thomsen

Institut für Experimentelle Kernphysik, Karlsruhe, Germany

C. Barth, J. Bauer, V. Buege, T. Chwalek, W. De Boer, A. Dierlamm, G. Dirkes, M. Feindt, J. Gruschke, C. Hackstein, F. Hartmann, M. Heinrich, H. Held, K.H. Hoffmann, S. Honc, J.R. Komaragiri, T. Kuhr, D. Martschei, S. Mueller, Th. Müller, M. Niegel, O. Oberst, A. Oehler, J. Ott, T. Peiffer, D. Piparo, G. Quast, K. Rabbertz, F. Ratnikov, N. Ratnikova, M. Renz, C. Saout, A. Scheurer, P. Schieferdecker, F.-P. Schilling, M. Schmanau, G. Schott, H.J. Simonis, F.M. Stober, D. Troendle, J. Wagner-Kuhr, T. Weiler, M. Zeise, V. Zhukov¹¹, E.B. Ziebarth

Institute of Nuclear Physics "Demokritos", Aghia Paraskevi, Greece

G. Daskalakis, T. Geralis, K. Karafasoulis, S. Kesisoglou, A. Kyriakis, D. Loukas, I. Manolakos, A. Markou, C. Markou, C. Mavrommatis, E. Ntomari, E. Petrakou

University of Athens, Athens, Greece

L. Gouskos, T.J. Mertzimekis, A. Panagiotou, E. Stiliaris

University of Ioánnina, Ioánnina, Greece

I. Evangelou, C. Foudas, P. Kokkas, N. Manthos, I. Papadopoulos, V. Patras, F.A. Triantis

KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary

A. Aranyi, G. Bencze, L. Boldizsar, C. Hajdu¹, P. Hidas, D. Horvath¹², A. Kapusi, K. Krajczar¹³, F. Sikler¹, G.I. Veres¹³, G. Vesztergombi¹³

Institute of Nuclear Research ATOMKI, Debrecen, Hungary

N. Beni, J. Molnar, J. Palinkas, Z. Szillasi, V. Vespremi

University of Debrecen, Debrecen, Hungary

P. Raics, Z.L. Trocsanyi, B. Ujvari

Panjab University, Chandigarh, India

S. Bansal, S.B. Beri, V. Bhatnagar, N. Dhingra, R. Gupta, M. Jindal, M. Kaur, J.M. Kohli, M.Z. Mehta, N. Nishu, L.K. Saini, A. Sharma, A.P. Singh, J.B. Singh, S.P. Singh

University of Delhi, Delhi, India

S. Ahuja, S. Bhattacharya, B.C. Choudhary, P. Gupta, S. Jain, S. Jain, A. Kumar, K. Ranjan, R.K. Shivpuri

Bhabha Atomic Research Centre, Mumbai, India

R.K. Choudhury, D. Dutta, S. Kailas, V. Kumar, A.K. Mohanty¹, L.M. Pant, P. Shukla

Tata Institute of Fundamental Research - EHEP, Mumbai, India

T. Aziz, M. Guchait¹⁴, A. Gurtu, M. Maity¹⁵, D. Majumder, G. Majumder, K. Mazumdar, G.B. Mohanty, A. Saha, K. Sudhakar, N. Wickramage

Tata Institute of Fundamental Research - HEGR, Mumbai, India

S. Banerjee, S. Dugad, N.K. Mondal

Institute for Research and Fundamental Sciences (IPM), Tehran, Iran

H. Arfaei, H. Bakhshiansohi¹⁶, S.M. Etesami, A. Fahim¹⁶, M. Hashemi, A. Jafari¹⁶, M. Khakzad, A. Mohammadi¹⁷, M. Mohammadi Najafabadi, S. Paktnat Mehdiabadi, B. Safarzadeh, M. Zeinali¹⁸

INFN Sezione di Bari ^a, Università di Bari ^b, Politecnico di Bari ^c, Bari, Italy

M. Abbrescia^{a,b}, L. Barbone^{a,b}, C. Calabria^{a,b}, A. Colaleo^a, D. Creanza^{a,c}, N. De Filippis^{a,c,1},

M. De Palma^{a,b}, L. Fiore^a, G. Iaselli^{a,c}, L. Lusito^{a,b}, G. Maggi^{a,c}, M. Maggi^a, N. Manna^{a,b}, B. Marangelli^{a,b}, S. My^{a,c}, S. Nuzzo^{a,b}, N. Pacifico^{a,b}, G.A. Pierro^a, A. Pompili^{a,b}, G. Pugliese^{a,c}, F. Romano^{a,c}, G. Roselli^{a,b}, G. Selvaggi^{a,b}, L. Silvestris^a, R. Trentadue^a, S. Tupputi^{a,b}, G. Zito^a

INFN Sezione di Bologna ^a, Università di Bologna ^b, Bologna, Italy

G. Abbiendi^a, A.C. Benvenuti^a, D. Bonacorsi^a, S. Braibant-Giacomelli^{a,b}, L. Brigliadori^a, P. Capiluppi^{a,b}, A. Castro^{a,b}, F.R. Cavallo^a, M. Cuffiani^{a,b}, G.M. Dallavalle^a, F. Fabbri^a, A. Fanfani^{a,b}, D. Fasanella^a, P. Giacomelli^a, M. Giunta^a, C. Grandi^a, S. Marcellini^a, G. Masetti, M. Meneghelli^{a,b}, A. Montanari^a, F.L. Navarria^{a,b}, F. Odorici^a, A. Perrotta^a, F. Primavera^a, A.M. Rossi^{a,b}, T. Rovelli^{a,b}, G. Siroli^{a,b}

INFN Sezione di Catania ^a, Università di Catania ^b, Catania, Italy

S. Albergo^{a,b}, G. Cappello^{a,b}, M. Chiorboli^{a,b,1}, S. Costa^{a,b}, A. Tricomi^{a,b}, C. Tuve^a

INFN Sezione di Firenze ^a, Università di Firenze ^b, Firenze, Italy

G. Barbagli^a, V. Ciulli^{a,b}, C. Civinini^a, R. D'Alessandro^{a,b}, E. Focardi^{a,b}, S. Frosali^{a,b}, E. Gallo^a, S. Gonzi^{a,b}, P. Lenzi^{a,b}, M. Meschini^a, S. Paoletti^a, G. Sguazzoni^a, A. Tropiano^{a,1}

INFN Laboratori Nazionali di Frascati, Frascati, Italy

L. Benussi, S. Bianco, S. Colafranceschi¹⁹, F. Fabbri, D. Piccolo

INFN Sezione di Genova, Genova, Italy

P. Fabbricatore, R. Musenich

INFN Sezione di Milano-Biccoca ^a, Università di Milano-Bicocca ^b, Milano, Italy

A. Benaglia^{a,b}, F. De Guio^{a,b,1}, L. Di Matteo^{a,b}, A. Ghezzi^{a,b}, S. Malvezzi^a, A. Martelli^{a,b}, A. Massironi^{a,b}, D. Menasce^a, L. Moroni^a, M. Paganoni^{a,b}, D. Pedrini^a, S. Ragazzi^{a,b}, N. Redaelli^a, S. Sala^a, T. Tabarelli de Fatis^{a,b}, V. Tancini^{a,b}

INFN Sezione di Napoli ^a, Università di Napoli "Federico II" ^b, Napoli, Italy

S. Buontempo^a, C.A. Carrillo Montoya^{a,1}, N. Cavallo^{a,20}, A. De Cosa^{a,b}, F. Fabozzi^{a,20}, A.O.M. Iorio^{a,1}, L. Lista^a, M. Merola^{a,b}, P. Paolucci^a

INFN Sezione di Padova ^a, Università di Padova ^b, Università di Trento (Trento) ^c, Padova, Italy

P. Azzi^a, N. Bacchetta^a, P. Bellan^{a,b}, D. Bisello^{a,b}, A. Branca^a, R. Carlin^{a,b}, P. Checchia^a, M. De Mattia^{a,b}, T. Dorigo^a, U. Dosselli^a, F. Fanzago^a, F. Gasparini^{a,b}, U. Gasparini^{a,b}, S. Lacaprara^{a,21}, I. Lazzizzeri^{a,c}, M. Margoni^{a,b}, M. Mazzucato^a, A.T. Meneguzzo^{a,b}, M. Nespolo^{a,1}, L. Perrozzi^{a,1}, N. Pozzobon^{a,b}, P. Ronchese^{a,b}, F. Simonetto^{a,b}, E. Torassa^a, M. Tosi^{a,b}, S. Vanini^{a,b}, P. Zotto^{a,b}, G. Zumerle^{a,b}

INFN Sezione di Pavia ^a, Università di Pavia ^b, Pavia, Italy

P. Baesso^{a,b}, U. Berzano^a, S.P. Ratti^{a,b}, C. Riccardi^{a,b}, P. Torre^{a,b}, P. Vitulo^{a,b}, C. Viviani^{a,b}

INFN Sezione di Perugia ^a, Università di Perugia ^b, Perugia, Italy

M. Biasini^{a,b}, G.M. Bilei^a, B. Caponeri^{a,b}, L. Fanò^{a,b}, P. Lariccia^{a,b}, A. Lucaroni^{a,b,1}, G. Mantovani^{a,b}, M. Menichelli^a, A. Nappi^{a,b}, F. Romeo^{a,b}, A. Santocchia^{a,b}, S. Taroni^{a,b,1}, M. Valdata^{a,b}

INFN Sezione di Pisa ^a, Università di Pisa ^b, Scuola Normale Superiore di Pisa ^c, Pisa, Italy

P. Azzurri^{a,c}, G. Bagliesi^a, J. Bernardini^{a,b}, T. Boccali^{a,1}, G. Broccolo^{a,c}, R. Castaldi^a, R.T. D'Agnolo^{a,c}, R. Dell'Orso^a, F. Fiori^{a,b}, L. Foà^{a,c}, A. Giassi^a, A. Kraan^a, F. Ligabue^{a,c}, T. Lomtadze^a, L. Martini^{a,22}, A. Messineo^{a,b}, F. Palla^a, G. Segneri^a, A.T. Serban^a, P. Spagnolo^a, R. Tenchini^a, G. Tonelli^{a,b,1}, A. Venturi^{a,1}, P.G. Verdini^a

INFN Sezione di Roma ^a, Università di Roma "La Sapienza" ^b, Roma, Italy

L. Barone^{a,b}, F. Cavallari^a, D. Del Re^{a,b}, E. Di Marco^{a,b}, M. Diemoz^a, D. Franci^{a,b}, M. Grassi^{a,1}, E. Longo^{a,b}, S. Nourbakhsh^a, G. Organtini^{a,b}, F. Pandolfi^{a,b,1}, R. Paramatti^a, S. Rahatlou^{a,b}

INFN Sezione di Torino ^a, Università di Torino ^b, Università del Piemonte Orientale (Novara) ^c, Torino, Italy

N. Amapane^{a,b}, R. Arcidiacono^{a,c}, S. Argiro^{a,b}, M. Arneodo^{a,c}, C. Biino^a, C. Botta^{a,b,1}, N. Cartiglia^a, R. Castello^{a,b}, M. Costa^{a,b}, N. Demaria^a, A. Graziano^{a,b,1}, C. Mariotti^a, M. Marone^{a,b}, S. Maselli^a, E. Migliore^{a,b}, G. Mila^{a,b}, V. Monaco^{a,b}, M. Musich^{a,b}, M.M. Obertino^{a,c}, N. Pastrone^a, M. Pelliccioni^{a,b}, A. Romero^{a,b}, M. Ruspa^{a,c}, R. Sacchi^{a,b}, V. Sola^{a,b}, A. Solano^{a,b}, A. Staiano^a, A. Vilela Pereira^{a,b}

INFN Sezione di Trieste ^a, Università di Trieste ^b, Trieste, Italy

S. Belforte^a, F. Cossutti^a, G. Della Ricca^{a,b}, B. Gobbo^a, D. Montanino^{a,b}, A. Penzo^a

Kangwon National University, Chunchon, Korea

S.G. Heo, S.K. Nam

Kyungpook National University, Daegu, Korea

S. Chang, J. Chung, D.H. Kim, G.N. Kim, J.E. Kim, D.J. Kong, H. Park, S.R. Ro, D. Son, D.C. Son, T. Son

Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea

Zero Kim, J.Y. Kim, S. Song

Korea University, Seoul, Korea

S. Choi, B. Hong, M.S. Jeong, M. Jo, H. Kim, J.H. Kim, T.J. Kim, K.S. Lee, D.H. Moon, S.K. Park, H.B. Rhee, E. Seo, S. Shin, K.S. Sim

University of Seoul, Seoul, Korea

M. Choi, S. Kang, H. Kim, C. Park, I.C. Park, S. Park, G. Ryu

Sungkyunkwan University, Suwon, Korea

Y. Choi, Y.K. Choi, J. Goh, M.S. Kim, E. Kwon, J. Lee, S. Lee, H. Seo, I. Yu

Vilnius University, Vilnius, Lithuania

M.J. Bilinskas, I. Grigelionis, M. Janulis, D. Martisiute, P. Petrov, T. Sabonis

Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico

H. Castilla-Valdez, E. De La Cruz-Burelo, R. Lopez-Fernandez, R. Magaña Villalba, A. Sánchez-Hernández, L.M. Villasenor-Cendejas

Universidad Iberoamericana, Mexico City, Mexico

S. Carrillo Moreno, F. Vazquez Valencia

Benemerita Universidad Autonoma de Puebla, Puebla, Mexico

H.A. Salazar Ibarguen

Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico

E. Casimiro Linares, A. Morelos Pineda, M.A. Reyes-Santos

University of Auckland, Auckland, New Zealand

D. Kofcheck, J. Tam

University of Canterbury, Christchurch, New Zealand

P.H. Butler, R. Doesburg, H. Silverwood

National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan

M. Ahmad, I. Ahmed, M.I. Asghar, H.R. Hoorani, W.A. Khan, T. Khurshid, S. Qazi

Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland

G. Brona, M. Cwiok, W. Dominik, K. Doroba, A. Kalinowski, M. Konecki, J. Krolikowski

Soltan Institute for Nuclear Studies, Warsaw, Poland

T. Frueboes, R. Gokieli, M. Górska, M. Kazana, K. Nawrocki, K. Romanowska-Rybinska, M. Szleper, G. Wrochna, P. Zalewski

Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal

N. Almeida, P. Bargassa, A. David, P. Faccioli, P.G. Ferreira Parracho, M. Gallinaro, P. Musella, A. Nayak, P.Q. Ribeiro, J. Seixas, J. Varela

Joint Institute for Nuclear Research, Dubna, Russia

I. Belotelov, P. Bunin, I. Golutvin, A. Kamenev, V. Karjavin, V. Konoplyanikov, G. Kozlov, A. Lanev, P. Moisenz, V. Palichik, V. Perelygin, S. Shmatov, V. Smirnov, A. Volodko, A. Zarubin

Petersburg Nuclear Physics Institute, Gatchina (St Petersburg), Russia

V. Golovtsov, Y. Ivanov, V. Kim, P. Levchenko, V. Murzin, V. Oreshkin, I. Smirnov, V. Sulimov, L. Uvarov, S. Vavilov, A. Vorobyev, A. Vorobyev

Institute for Nuclear Research, Moscow, Russia

Yu. Andreev, A. Dermenev, S. Gninenko, N. Golubev, M. Kirsanov, N. Krasnikov, V. Matveev, A. Pashenkov, A. Toropin, S. Troitsky

Institute for Theoretical and Experimental Physics, Moscow, Russia

V. Epshteyn, V. Gavrilov, V. Kaftanov[†], M. Kossov¹, A. Krokhotin, N. Lychkovskaya, V. Popov, G. Safronov, S. Semenov, V. Stolin, E. Vlasov, A. Zhokin

Moscow State University, Moscow, Russia

E. Boos, M. Dubinin²³, L. Dudko, A. Ershov, A. Gribushin, O. Kodolova, I. Loktin, A. Markina, S. Obraztsov, M. Perfilov, S. Petrushanko, L. Sarycheva, V. Savrin, A. Snigirev

P.N. Lebedev Physical Institute, Moscow, Russia

V. Andreev, M. Azarkin, I. Dremin, M. Kirakosyan, A. Leonidov, S.V. Rusakov, A. Vinogradov

State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia

I. Azhgirey, S. Bitioukov, V. Grishin¹, V. Kachanov, D. Konstantinov, A. Korablev, V. Krychkine, V. Petrov, R. Ryutin, S. Slabospitsky, A. Sobol, L. Tourtchanovitch, S. Troshin, N. Tyurin, A. Uzunian, A. Volkov

University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia

P. Adzic²⁴, M. Djordjevic, D. Krpic²⁴, J. Milosevic

Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain

M. Aguilar-Benitez, J. Alcaraz Maestre, P. Arce, C. Battilana, E. Calvo, M. Cepeda, M. Cerrada, M. Chamizo Llatas, N. Colino, B. De La Cruz, A. Delgado Peris, C. Diez Pardos, D. Domínguez Vázquez, C. Fernández Bedoya, J.P. Fernández Ramos, A. Ferrando, J. Flix, M.C. Fouz, P. García-Abia, O. González Lopez, S. Goy Lopez, J.M. Hernandez, M.I. Josa, G. Merino, J. Puerta Pelayo, I. Redondo, L. Romero, J. Santaolalla, M.S. Soares, C. Willmott

Universidad Autónoma de Madrid, Madrid, Spain

C. Albajar, G. Codispoti, J.F. de Trocóniz

Universidad de Oviedo, Oviedo, Spain

J. Cuevas, J. Fernandez Menendez, S. Folgueras, I. Gonzalez Caballero, L. Lloret Iglesias, J.M. Vizan Garcia

Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, SpainJ.A. Brochero Cifuentes, I.J. Cabrillo, A. Calderon, S.H. Chuang, J. Duarte Campderros, M. Felcini²⁵, M. Fernandez, G. Gomez, J. Gonzalez Sanchez, C. Jorda, P. Lobelle Pardo, A. Lopez Virto, J. Marco, R. Marco, C. Martinez Rivero, F. Matorras, F.J. Munoz Sanchez, J. Piedra Gomez²⁶, T. Rodrigo, A.Y. Rodriguez-Marrero, A. Ruiz-Jimeno, L. Scodellaro, M. Sobron Sanudo, I. Vila, R. Vilar Cortabitarte**CERN, European Organization for Nuclear Research, Geneva, Switzerland**D. Abbaneo, E. Auffray, G. Auzinger, P. Baillon, A.H. Ball, D. Barney, A.J. Bell²⁷, D. Benedetti, C. Bernet³, W. Bialas, P. Bloch, A. Bocci, S. Bolognesi, M. Bona, H. Breuker, K. Bunkowski, T. Camporesi, G. Cerminara, J.A. Coarasa Perez, B. Curé, D. D'Enterria, A. De Roeck, S. Di Guida, A. Elliott-Peisert, B. Frisch, W. Funk, A. Gaddi, S. Gennai, G. Georgiou, H. Gerwig, D. Gigi, K. Gill, D. Giordano, F. Gleje, R. Gomez-Reino Garrido, M. Gouzevitch, P. Govoni, S. Gowdy, L. Guiducci, M. Hansen, C. Hartl, J. Harvey, J. Hegeman, B. Hegner, H.F. Hoffmann, A. Honma, V. Innocente, P. Janot, K. Kaadze, E. Karavakis, P. Lecoq, C. Lourenço, T. Mäki, M. Malberti, L. Malgeri, M. Mannelli, L. Masetti, A. Maurisset, F. Meijers, S. Mersi, E. Meschi, R. Moser, M.U. Mozer, M. Mulders, E. Nesvold¹, M. Nguyen, T. Orimoto, L. Orsini, E. Perez, A. Petrilli, A. Pfeiffer, M. Pierini, M. Pimiä, G. Polese, A. Racz, J. Rodrigues Antunes, G. Rolandi²⁸, T. Rommerskirchen, C. Rovelli, M. Rovere, H. Sakulin, C. Schäfer, C. Schwick, I. Segoni, A. Sharma, P. Siegrist, M. Simon, P. Sphicas²⁹, M. Spiropulu²³, M. Stoye, M. Tadel, P. Tropea, A. Tsirou, P. Vichoudis, M. Voutilainen, W.D. Zeuner**Paul Scherrer Institut, Villigen, Switzerland**W. Bertl, K. Deiters, W. Erdmann, K. Gabathuler, R. Horisberger, Q. Ingram, H.C. Kaestli, S. König, D. Kotlinski, U. Langenegger, F. Meier, D. Renker, T. Rohe, J. Sibille³⁰, A. Starodumov³¹**Institute for Particle Physics, ETH Zurich, Zurich, Switzerland**P. Bortignon, L. Caminada³², N. Chanon, Z. Chen, S. Cittolin, G. Dissertori, M. Dittmar, J. Eugster, K. Freudenreich, C. Grab, A. Hervé, W. Hintz, P. Lecomte, W. Lustermann, C. Marchica³², P. Martinez Ruiz del Arbol, P. Meridiani, P. Milenovic³³, F. Moortgat, C. Nägeli³², P. Nef, F. Nessi-Tedaldi, L. Pape, F. Pauss, T. Punz, A. Rizzi, F.J. Ronga, M. Rossini, L. Sala, A.K. Sanchez, M.-C. Sawley, B. Stieger, L. Tauscher[†], A. Thea, K. Theofilatos, D. Treille, C. Urscheler, R. Wallny, M. Weber, L. Wehrli, J. Weng**Universität Zürich, Zurich, Switzerland**

E. Aguiló, C. Amsler, V. Chiochia, S. De Visscher, C. Favaro, M. Ivova Rikova, B. Millan Mejias, P. Otiougova, C. Regenfus, P. Robmann, A. Schmidt, H. Snoek

National Central University, Chung-Li, Taiwan

Y.H. Chang, K.H. Chen, C.M. Kuo, S.W. Li, W. Lin, Z.K. Liu, Y.J. Lu, D. Mekterovic, R. Volpe, J.H. Wu, S.S. Yu

National Taiwan University (NTU), Taipei, Taiwan

P. Bartalini, P. Chang, Y.H. Chang, Y.W. Chang, Y. Chao, K.F. Chen, W.-S. Hou, Y. Hsiung, K.Y. Kao, Y.J. Lei, R.-S. Lu, J.G. Shiu, Y.M. Tzeng, M. Wang

Cukurova University, Adana, Turkey

A. Adiguzel, M.N. Bakirci³⁴, S. Cerci³⁵, C. Dozen, I. Dumanoglu, E. Eskut, S. Girgis, G. Gokbulut, Y. Guler, E. Gurpinar, I. Hos, E.E. Kangal, T. Karaman, A. Kayis Topaksu, A. Nart, G. Onengut, K. Ozdemir, S. Ozturk, A. Polatoz, K. Sogut³⁶, D. Sunar Cerci³⁵, B. Tali, H. Topaklı³⁴, D. Uzun, L.N. Vergili, M. Vergili, C. Zorbilmez

Middle East Technical University, Physics Department, Ankara, Turkey

I.V. Akin, T. Aliev, S. Bilmis, M. Deniz, H. Gamsizkan, A.M. Guler, K. Ocalan, A. Ozpineci, M. Serin, R. Sever, U.E. Surat, E. Yildirim, M. Zeyrek

Bogazici University, Istanbul, Turkey

M. Deliomeroglu, D. Demir³⁷, E. Gülmek, B. Isildak, M. Kaya³⁸, O. Kaya³⁸, S. Ozkorucuklu³⁹, N. Sonmez⁴⁰

National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine

L. Levchuk

University of Bristol, Bristol, United Kingdom

F. Bostock, J.J. Brooke, T.L. Cheng, E. Clement, D. Cussans, R. Frazier, J. Goldstein, M. Grimes, M. Hansen, D. Hartley, G.P. Heath, H.F. Heath, J. Jackson, L. Kreczko, S. Metson, D.M. Newbold⁴¹, K. Nirunpong, A. Poll, S. Senkin, V.J. Smith, S. Ward

Rutherford Appleton Laboratory, Didcot, United Kingdom

L. Basso⁴², K.W. Bell, A. Belyaev⁴², C. Brew, R.M. Brown, B. Camanzi, D.J.A. Cockerill, J.A. Coughlan, K. Harder, S. Harper, B.W. Kennedy, E. Olaiya, D. Petyt, B.C. Radburn-Smith, C.H. Shepherd-Themistocleous, I.R. Tomalin, W.J. Womersley, S.D. Worm

Imperial College, London, United Kingdom

R. Bainbridge, G. Ball, J. Ballin, R. Beuselinck, O. Buchmuller, D. Colling, N. Cripps, M. Cutajar, G. Davies, M. Della Negra, W. Ferguson, J. Fulcher, D. Futyan, A. Gilbert, A. Guneratne Bryer, G. Hall, Z. Hatherell, J. Hays, G. Iles, M. Jarvis, G. Karapostoli, L. Lyons, B.C. MacEvoy, A.-M. Magnan, J. Marrouche, B. Mathias, R. Nandi, J. Nash, A. Nikitenko³¹, A. Papageorgiou, M. Pesaresi, K. Petridis, M. Pioppi⁴³, D.M. Raymond, S. Rogerson, N. Rompotis, A. Rose, M.J. Ryan, C. Seez, P. Sharp, A. Sparrow, A. Tapper, S. Tourneur, M. Vazquez Acosta, T. Virdee, S. Wakefield, N. Wardle, D. Wardope, T. Whyntie

Brunel University, Uxbridge, United Kingdom

M. Barrett, M. Chadwick, J.E. Cole, P.R. Hobson, A. Khan, P. Kyberd, D. Leslie, W. Martin, I.D. Reid, L. Teodorescu

Baylor University, Waco, USA

K. Hatakeyama

Boston University, Boston, USA

T. Bose, E. Carrera Jarrin, C. Fantasia, A. Heister, J. St. John, P. Lawson, D. Lazic, J. Rohlf, D. Sperka, L. Sulak

Brown University, Providence, USA

A. Avetisyan, S. Bhattacharya, J.P. Chou, D. Cutts, A. Ferapontov, U. Heintz, S. Jabeen, G. Kukartsev, G. Landsberg, M. Narain, D. Nguyen, M. Segala, T. Sinthuprasith, T. Speer, K.V. Tsang

University of California, Davis, Davis, USA

R. Breedon, M. Calderon De La Barca Sanchez, S. Chauhan, M. Chertok, J. Conway, P.T. Cox, J. Dolen, R. Erbacher, E. Friis, W. Ko, A. Kopecky, R. Lander, H. Liu, S. Maruyama, T. Miceli,

M. Nikolic, D. Pellett, J. Robles, S. Salur, T. Schwarz, M. Searle, J. Smith, M. Squires, M. Tripathi, R. Vasquez Sierra, C. Veelken

University of California, Los Angeles, Los Angeles, USA

V. Andreev, K. Arisaka, D. Cline, R. Cousins, A. Deisher, J. Duris, S. Erhan, C. Farrell, J. Hauser, M. Ignatenko, C. Jarvis, C. Plager, G. Rakness, P. Schlein[†], J. Tucker, V. Valuev

University of California, Riverside, Riverside, USA

J. Babb, A. Chandra, R. Clare, J. Ellison, J.W. Gary, F. Giordano, G. Hanson, G.Y. Jeng, S.C. Kao, F. Liu, H. Liu, O.R. Long, A. Luthra, H. Nguyen, B.C. Shen[†], R. Stringer, J. Sturdy, S. Sumowidagdo, R. Wilken, S. Wimpenny

University of California, San Diego, La Jolla, USA

W. Andrews, J.G. Branson, G.B. Cerati, E. Dusinberre, D. Evans, F. Golf, A. Holzner, R. Kelley, M. Lebourgeois, J. Letts, B. Mangano, S. Padhi, C. Palmer, G. Petrucciani, H. Pi, M. Pieri, R. Ranieri, M. Sani, V. Sharma, S. Simon, Y. Tu, A. Vartak, S. Wasserbaech⁴⁴, F. Würthwein, A. Yagil, J. Yoo

University of California, Santa Barbara, Santa Barbara, USA

D. Barge, R. Bellan, C. Campagnari, M. D'Alfonso, T. Danielson, K. Flowers, P. Geffert, J. Incandela, C. Justus, P. Kalavase, S.A. Koay, D. Kovalev, V. Krutelyov, S. Lowette, N. Mccoll, V. Pavlunin, F. Rebassoo, J. Ribnik, J. Richman, R. Rossin, D. Stuart, W. To, J.R. Vlimant

California Institute of Technology, Pasadena, USA

A. Apresyan, A. Bornheim, J. Bunn, Y. Chen, M. Gataullin, Y. Ma, A. Mott, H.B. Newman, C. Rogan, K. Shin, V. Timciuc, P. Traczyk, J. Veverka, R. Wilkinson, Y. Yang, R.Y. Zhu

Carnegie Mellon University, Pittsburgh, USA

B. Akgun, R. Carroll, T. Ferguson, Y. Iiyama, D.W. Jang, S.Y. Jun, Y.F. Liu, M. Paulini, J. Russ, H. Vogel, I. Vorobiev

University of Colorado at Boulder, Boulder, USA

J.P. Cumalat, M.E. Dinardo, B.R. Drell, C.J. Edelmaier, W.T. Ford, A. Gaz, B. Heyburn, E. Luiggi Lopez, U. Nauenberg, J.G. Smith, K. Stenson, K.A. Ulmer, S.R. Wagner, S.L. Zang

Cornell University, Ithaca, USA

L. Agostino, J. Alexander, D. Cassel, A. Chatterjee, S. Das, N. Eggert, L.K. Gibbons, B. Heltsley, W. Hopkins, A. Khukhunaishvili, B. Kreis, G. Nicolas Kaufman, J.R. Patterson, D. Puigh, A. Ryd, E. Salvati, X. Shi, W. Sun, W.D. Teo, J. Thom, J. Thompson, J. Vaughan, Y. Weng, L. Winstrom, P. Wittich

Fairfield University, Fairfield, USA

A. Biselli, G. Cirino, D. Winn

Fermi National Accelerator Laboratory, Batavia, USA

S. Abdullin, M. Albrow, J. Anderson, G. Apolinari, M. Atac, J.A. Bakken, S. Banerjee, L.A.T. Bauerdtick, A. Beretvas, J. Berryhill, P.C. Bhat, I. Bloch, F. Borcherding, K. Burkett, J.N. Butler, V. Chetluru, H.W.K. Cheung, F. Chlebana, S. Cihangir, W. Cooper, D.P. Eartly, V.D. Elvira, S. Esen, I. Fisk, J. Freeman, Y. Gao, E. Gottschalk, D. Green, K. Gunthot, O. Gutsche, J. Hanlon, R.M. Harris, J. Hirschauer, B. Hooberman, H. Jensen, M. Johnson, U. Joshi, R. Khatiwada, B. Klima, K. Kousouris, S. Kunori, S. Kwan, C. Leonidopoulos, P. Limon, D. Lincoln, R. Lipton, J. Lykken, K. Maeshima, J.M. Marraffino, D. Mason, P. McBride, T. Miao, K. Mishra, S. Mrenna, Y. Musienko⁴⁵, C. Newman-Holmes, V. O'Dell, R. Pordes, O. Prokofyev, N. Saoulidou, E. Sexton-Kennedy, S. Sharma, W.J. Spalding, L. Spiegel, P. Tan,

L. Taylor, S. Tkaczyk, L. Uplegger, E.W. Vaandering, R. Vidal, J. Whitmore, W. Wu, F. Yang, F. Yumiceva, J.C. Yun

University of Florida, Gainesville, USA

D. Acosta, P. Avery, D. Bourilkov, M. Chen, M. De Gruttola, G.P. Di Giovanni, D. Dobur, A. Drozdetskiy, R.D. Field, M. Fisher, Y. Fu, I.K. Furic, J. Gartner, B. Kim, J. Konigsberg, A. Korytov, A. Kropivnitskaya, T. Kypreos, K. Matchev, G. Mitselmakher, L. Muniz, C. Prescott, R. Remington, M. Schmitt, B. Scurlock, P. Sellers, N. Skhirtladze, M. Snowball, D. Wang, J. Yelton, M. Zakaria

Florida International University, Miami, USA

C. Ceron, V. Gaultney, L. Kramer, L.M. Lebolo, S. Linn, P. Markowitz, G. Martinez, D. Mesa, J.L. Rodriguez

Florida State University, Tallahassee, USA

T. Adams, A. Askew, J. Bochenek, J. Chen, B. Diamond, S.V. Gleyzer, J. Haas, S. Hagopian, V. Hagopian, M. Jenkins, K.F. Johnson, H. Prosper, L. Quertenmont, S. Sekmen, V. Veeraraghavan

Florida Institute of Technology, Melbourne, USA

M.M. Baarmand, B. Dorney, S. Guragain, M. Hohlmann, H. Kalakhety, R. Ralich, I. Vodopiyanov

University of Illinois at Chicago (UIC), Chicago, USA

M.R. Adams, I.M. Anghel, L. Apanasevich, Y. Bai, V.E. Bazterra, R.R. Betts, J. Callner, R. Cavanaugh, C. Dragoiu, L. Gauthier, C.E. Gerber, D.J. Hofman, S. Khalatyan, G.J. Kunde⁴⁶, F. Lacroix, M. Malek, C. O'Brien, C. Silvestre, A. Smoron, D. Strom, N. Varelas

The University of Iowa, Iowa City, USA

U. Akgun, E.A. Albayrak, B. Bilki, W. Clarida, F. Duru, C.K. Lae, E. McCliment, J.-P. Merlo, H. Mermerkaya⁴⁷, A. Mestvirishvili, A. Moeller, J. Nachtman, C.R. Newsom, E. Norbeck, J. Olson, Y. Onel, F. Ozok, S. Sen, J. Wetzel, T. Yetkin, K. Yi

Johns Hopkins University, Baltimore, USA

B.A. Barnett, B. Blumenfeld, A. Bonato, C. Eskew, D. Fehling, G. Giurgiu, A.V. Gritsan, Z.J. Guo, G. Hu, P. Maksimovic, S. Rappoccio, M. Swartz, N.V. Tran, A. Whitbeck

The University of Kansas, Lawrence, USA

P. Baringer, A. Bean, G. Benelli, O. Grachov, R.P. Kenny Iii, M. Murray, D. Noonan, S. Sanders, J.S. Wood, V. Zhukova

Kansas State University, Manhattan, USA

A.f. Barfuss, T. Bolton, I. Chakaberia, A. Ivanov, S. Khalil, M. Makouski, Y. Maravin, S. Shrestha, I. Svintradze, Z. Wan

Lawrence Livermore National Laboratory, Livermore, USA

J. Gronberg, D. Lange, D. Wright

University of Maryland, College Park, USA

A. Baden, M. Boutemeur, S.C. Eno, D. Ferencek, J.A. Gomez, N.J. Hadley, R.G. Kellogg, M. Kirn, Y. Lu, A.C. Mignerey, K. Rossato, P. Rumerio, F. Santanastasio, A. Skuja, J. Temple, M.B. Tonjes, S.C. Tonwar, E. Twedt

Massachusetts Institute of Technology, Cambridge, USA

B. Alver, G. Bauer, J. Bendavid, W. Busza, E. Butz, I.A. Cali, M. Chan, V. Dutta, P. Everaerts,

G. Gomez Ceballos, M. Goncharov, K.A. Hahn, P. Harris, Y. Kim, M. Klute, Y.-J. Lee, W. Li, C. Loizides, P.D. Luckey, T. Ma, S. Nahn, C. Paus, D. Ralph, C. Roland, G. Roland, M. Rudolph, G.S.F. Stephans, F. Stöckli, K. Sumorok, K. Sung, E.A. Wenger, S. Xie, M. Yang, Y. Yilmaz, A.S. Yoon, M. Zanetti

University of Minnesota, Minneapolis, USA

S.I. Cooper, P. Cushman, B. Dahmes, A. De Benedetti, P.R. Dudero, G. Franzoni, J. Haupt, K. Klapoetke, Y. Kubota, J. Mans, V. Rekovic, R. Rusack, M. Sasseville, A. Singovsky

University of Mississippi, University, USA

L.M. Cremaldi, R. Godang, R. Kroeger, L. Perera, R. Rahmat, D.A. Sanders, D. Summers

University of Nebraska-Lincoln, Lincoln, USA

K. Bloom, S. Bose, J. Butt, D.R. Claes, A. Dominguez, M. Eads, J. Keller, T. Kelly, I. Kravchenko, J. Lazo-Flores, H. Malbouisson, S. Malik, G.R. Snow

State University of New York at Buffalo, Buffalo, USA

U. Baur, A. Godshalk, I. Iashvili, S. Jain, A. Kharchilava, A. Kumar, S.P. Shipkowski, K. Smith

Northeastern University, Boston, USA

G. Alverson, E. Barberis, D. Baumgartel, O. Boeriu, M. Chasco, S. Reucroft, J. Swain, D. Trocino, D. Wood, J. Zhang

Northwestern University, Evanston, USA

A. Anastassov, A. Kubik, N. Odell, R.A. Ofierzynski, B. Pollack, A. Pozdnyakov, M. Schmitt, S. Stoynev, M. Velasco, S. Won

University of Notre Dame, Notre Dame, USA

L. Antonelli, D. Berry, M. Hildreth, C. Jessop, D.J. Karmgard, J. Kolb, T. Kolberg, K. Lannon, W. Luo, S. Lynch, N. Marinelli, D.M. Morse, T. Pearson, R. Ruchti, J. Slaunwhite, N. Valls, M. Wayne, J. Ziegler

The Ohio State University, Columbus, USA

B. Bylsma, L.S. Durkin, J. Gu, C. Hill, P. Killewald, K. Kotov, T.Y. Ling, M. Rodenburg, G. Williams

Princeton University, Princeton, USA

N. Adam, E. Berry, P. Elmer, D. Gerbaudo, V. Halyo, P. Hebda, A. Hunt, J. Jones, E. Laird, D. Lopes Pegna, D. Marlow, T. Medvedeva, M. Mooney, J. Olsen, P. Piroué, X. Quan, H. Saka, D. Stickland, C. Tully, J.S. Werner, A. Zuranski

University of Puerto Rico, Mayaguez, USA

J.G. Acosta, X.T. Huang, A. Lopez, H. Mendez, S. Oliveros, J.E. Ramirez Vargas, A. Zatserklyaniy

Purdue University, West Lafayette, USA

E. Alagoz, V.E. Barnes, G. Bolla, L. Borrello, D. Bortoletto, A. Everett, A.F. Garfinkel, L. Gutay, Z. Hu, M. Jones, O. Koybasi, M. Kress, A.T. Laasanen, N. Leonardo, C. Liu, V. Maroussov, P. Merkel, D.H. Miller, N. Neumeister, I. Shipsey, D. Silvers, A. Svyatkovskiy, H.D. Yoo, J. Zablocki, Y. Zheng

Purdue University Calumet, Hammond, USA

P. Jindal, N. Parashar

Rice University, Houston, USA

C. Boulahouache, V. Cuplov, K.M. Ecklund, F.J.M. Geurts, B.P. Padley, R. Redjimi, J. Roberts, J. Zabel

University of Rochester, Rochester, USA

B. Betchart, A. Bodek, Y.S. Chung, R. Covarelli, P. de Barbaro, R. Demina, Y. Eshaq, H. Flacher, A. Garcia-Bellido, P. Goldenzweig, Y. Gotra, J. Han, A. Harel, D.C. Miner, D. Orbaker, G. Petrillo, D. Vishnevskiy, M. Zielinski

The Rockefeller University, New York, USA

A. Bhatti, R. Ciesielski, L. Demortier, K. Goulianatos, G. Lungu, S. Malik, C. Mesropian, M. Yan

Rutgers, the State University of New Jersey, Piscataway, USA

O. Atramentov, A. Barker, D. Duggan, Y. Gershtein, R. Gray, E. Halkiadakis, D. Hidas, D. Hits, A. Lath, S. Panwalkar, R. Patel, A. Richards, K. Rose, S. Schnetzer, S. Somalwar, R. Stone, S. Thomas

University of Tennessee, Knoxville, USA

G. Cerizza, M. Hollingsworth, S. Spanier, Z.C. Yang, A. York

Texas A&M University, College Station, USA

J. Asaadi, R. Eusebi, J. Gilmore, A. Gurrola, T. Kamon, V. Khotilovich, R. Montalvo, C.N. Nguyen, I. Osipenkov, Y. Pakhotin, J. Pivarski, A. Safonov, S. Sengupta, A. Tatarinov, D. Toback, M. Weinberger

Texas Tech University, Lubbock, USA

N. Akchurin, C. Bardak, J. Damgov, C. Jeong, K. Kovitanggoon, S.W. Lee, Y. Roh, A. Sill, I. Volobouev, R. Wigmans, E. Yazgan

Vanderbilt University, Nashville, USA

E. Appelt, E. Brownson, D. Engh, C. Florez, W. Gabella, M. Issah, W. Johns, P. Kurt, C. Maguire, A. Melo, P. Sheldon, B. Snook, S. Tuo, J. Velkovska

University of Virginia, Charlottesville, USA

M.W. Arenton, M. Balazs, S. Boutle, B. Cox, B. Francis, R. Hirosky, A. Ledovskoy, C. Lin, C. Neu, R. Yohay

Wayne State University, Detroit, USA

S. Gollapinni, R. Harr, P.E. Karchin, P. Lamichhane, M. Mattson, C. Milstène, A. Sakharov

University of Wisconsin, Madison, USA

M. Anderson, M. Bachtis, J.N. Bellinger, D. Carlsmith, S. Dasu, J. Efron, K. Flood, L. Gray, K.S. Grogg, M. Grothe, R. Hall-Wilton, M. Herndon, P. Klabbers, J. Klukas, A. Lanaro, C. Lazaridis, J. Leonard, R. Loveless, A. Mohapatra, F. Palmonari, D. Reeder, I. Ross, A. Savin, W.H. Smith, J. Swanson, M. Weinberg

†: Deceased

- 1: Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland
- 2: Also at Universidade Federal do ABC, Santo Andre, Brazil
- 3: Also at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France
- 4: Also at Suez Canal University, Suez, Egypt
- 5: Also at British University, Cairo, Egypt
- 6: Also at Fayoum University, El-Fayoum, Egypt
- 7: Also at Soltan Institute for Nuclear Studies, Warsaw, Poland
- 8: Also at Massachusetts Institute of Technology, Cambridge, USA

- 9: Also at Université de Haute-Alsace, Mulhouse, France
- 10: Also at Brandenburg University of Technology, Cottbus, Germany
- 11: Also at Moscow State University, Moscow, Russia
- 12: Also at Institute of Nuclear Research ATOMKI, Debrecen, Hungary
- 13: Also at Eötvös Loránd University, Budapest, Hungary
- 14: Also at Tata Institute of Fundamental Research - HECR, Mumbai, India
- 15: Also at University of Visva-Bharati, Santiniketan, India
- 16: Also at Sharif University of Technology, Tehran, Iran
- 17: Also at Shiraz University, Shiraz, Iran
- 18: Also at Isfahan University of Technology, Isfahan, Iran
- 19: Also at Facoltà Ingegneria Università di Roma "La Sapienza", Roma, Italy
- 20: Also at Università della Basilicata, Potenza, Italy
- 21: Also at Laboratori Nazionali di Legnaro dell' INFN, Legnaro, Italy
- 22: Also at Università degli studi di Siena, Siena, Italy
- 23: Also at California Institute of Technology, Pasadena, USA
- 24: Also at Faculty of Physics of University of Belgrade, Belgrade, Serbia
- 25: Also at University of California, Los Angeles, Los Angeles, USA
- 26: Also at University of Florida, Gainesville, USA
- 27: Also at Université de Genève, Geneva, Switzerland
- 28: Also at Scuola Normale e Sezione dell' INFN, Pisa, Italy
- 29: Also at University of Athens, Athens, Greece
- 30: Also at The University of Kansas, Lawrence, USA
- 31: Also at Institute for Theoretical and Experimental Physics, Moscow, Russia
- 32: Also at Paul Scherrer Institut, Villigen, Switzerland
- 33: Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia
- 34: Also at Gaziosmanpasa University, Tokat, Turkey
- 35: Also at Adiyaman University, Adiyaman, Turkey
- 36: Also at Mersin University, Mersin, Turkey
- 37: Also at Izmir Institute of Technology, Izmir, Turkey
- 38: Also at Kafkas University, Kars, Turkey
- 39: Also at Suleyman Demirel University, Isparta, Turkey
- 40: Also at Ege University, Izmir, Turkey
- 41: Also at Rutherford Appleton Laboratory, Didcot, United Kingdom
- 42: Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom
- 43: Also at INFN Sezione di Perugia; Università di Perugia, Perugia, Italy
- 44: Also at Utah Valley University, Orem, USA
- 45: Also at Institute for Nuclear Research, Moscow, Russia
- 46: Also at Los Alamos National Laboratory, Los Alamos, USA
- 47: Also at Erzincan University, Erzincan, Turkey