



CERN-PH-EP-2014-298

Submitted to: Eur. Phys. J. C

Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector

The ATLAS Collaboration

Abstract

A search is presented for the direct pair production of a chargino and a neutralino $pp \rightarrow \tilde{\chi}_1^\pm \tilde{\chi}_2^0$, where the chargino decays to the lightest neutralino and the W boson, $\tilde{\chi}_1^\pm \rightarrow \tilde{\chi}_1^0 (W^\pm \rightarrow \ell^\pm \nu)$, while the neutralino decays to the lightest neutralino and the 125 GeV Higgs boson, $\tilde{\chi}_2^0 \rightarrow \tilde{\chi}_1^0 (h \rightarrow bb/\gamma\gamma/\ell^\pm \nu qq)$. The final states considered for the search have large missing transverse momentum, an isolated electron or muon, and one of the following: either two jets identified as originating from bottom quarks, or two photons, or a second electron or muon with the same electric charge. The analysis is based on 20.3 fb^{-1} of $\sqrt{s} = 8$ TeV proton–proton collision data delivered by the Large Hadron Collider and recorded with the ATLAS detector. Observations are consistent with the Standard Model expectations, and limits are set in the context of a simplified supersymmetric model.

Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector

The ATLAS Collaboration

¹CERN, 1211 Geneva 23, Switzerland, E-mail: atlas.publications@cern.ch

the date of receipt and acceptance should be inserted later

Abstract A search is presented for the direct pair production of a chargino and a neutralino $pp \rightarrow \tilde{\chi}_1^\pm \tilde{\chi}_2^0$, where the chargino decays to the lightest neutralino and the W boson, $\tilde{\chi}_1^\pm \rightarrow \tilde{\chi}_1^0 (W^\pm \rightarrow \ell^\pm \nu)$, while the neutralino decays to the lightest neutralino and the 125 GeV Higgs boson, $\tilde{\chi}_2^0 \rightarrow \tilde{\chi}_1^0 (h \rightarrow bb/\gamma\gamma/\ell^\pm \nu qq)$. The final states considered for the search have large missing transverse momentum, an isolated electron or muon, and one of the following: either two jets identified as originating from bottom quarks, or two photons, or a second electron or muon with the same electric charge. The analysis is based on 20.3 fb^{-1} of $\sqrt{s} = 8$ TeV proton–proton collision data delivered by the Large Hadron Collider and recorded with the ATLAS detector. Observations are consistent with the Standard Model expectations, and limits are set in the context of a simplified supersymmetric model.

1 Introduction

Supersymmetry (SUSY) [1–9] proposes the existence of new particles with spin differing by one half unit from that of their Standard Model (SM) partners. In the Minimal Supersymmetric Standard Model (MSSM) [10–14], charginos, $\tilde{\chi}_{1,2}^\pm$, and neutralinos, $\tilde{\chi}_{1,2,3,4}^0$, are the mass-ordered eigenstates formed from the linear superposition of the SUSY partners of the Higgs and electroweak gauge bosons (higgsinos, winos and bino). In R -parity-conserving models, SUSY particles are pair-produced in colliders and the lightest SUSY particle (LSP) is stable. In many models the LSP is assumed to be a bino-like $\tilde{\chi}_1^0$, which is weakly interacting. Naturalness arguments [15, 16] suggest that the lightest of the charginos and neutralinos may have masses at the electroweak scale, and may be accessible

at the Large Hadron Collider (LHC) [17]. Furthermore, direct pair production of charginos and neutralinos may be the dominant production of supersymmetric particles if the superpartners of the gluon and quarks are heavier than a few TeV.

In SUSY scenarios where the masses of the pseudoscalar Higgs boson and the superpartners of the leptons are larger than those of the produced chargino and neutralino, the chargino decays to the lightest neutralino and the W boson, while the next-to-lightest neutralino decays to the lightest neutralino and the SM-like Higgs or Z boson. This paper focuses on SUSY scenarios where the decay to the Higgs boson is the dominant one. This happens when the mass splitting between the two lightest neutralinos is larger than the Higgs boson mass and the higgsinos are much heavier than the winos, causing the composition of the lightest chargino and next-to-lightest neutralino to be wino-like and nearly mass degenerate.

A simplified SUSY model [18, 19] is considered for the optimisation of the search and the interpretation of results. It describes the direct production of $\tilde{\chi}_1^\pm$ and $\tilde{\chi}_2^0$, where the masses and the decay modes of the relevant particles ($\tilde{\chi}_1^\pm$, $\tilde{\chi}_1^0$, $\tilde{\chi}_2^0$) are the only free parameters. It is assumed that the $\tilde{\chi}_1^\pm$ and $\tilde{\chi}_2^0$ are pure wino states and degenerate in mass, while the $\tilde{\chi}_1^0$ is a pure bino state. The prompt decays $\tilde{\chi}_1^\pm \rightarrow W^\pm \tilde{\chi}_1^0$ and $\tilde{\chi}_2^0 \rightarrow h \tilde{\chi}_1^0$ are assumed to have 100% branching fractions. The Higgs boson mass is set to 125 GeV, which is consistent with the measured value [20], and its branching fractions are assumed to be the same as in the SM. The latter assumption is motivated by those SUSY models in which the mass of the pseudoscalar Higgs boson is much larger than the Z boson mass.

The search presented in this paper targets leptonic decays of the W boson and three Higgs boson decay




Fig. 1 Diagrams for the direct pair production of $\tilde{\chi}_1^\pm \tilde{\chi}_2^0$ and the three decay modes studied in this paper. For the same-sign dilepton channel (c), only the dominant decay mode is shown.

modes as illustrated in Fig. 1. The Higgs boson decays into a pair of b -quarks, or a pair of photons, or a pair of W bosons where at least one of the bosons decays leptonically. The final states therefore contain missing transverse momentum from neutrinos and neutralinos, one lepton ($\ell = e$ or μ), and one of the following: two b -quarks (ℓbb), or two photons ($\ell\gamma\gamma$), or an additional lepton with the same electric charge ($\ell^\pm\ell^\pm$). The Higgs boson candidate can be fully reconstructed with the ℓbb and $\ell\gamma\gamma$ signatures. The $\ell^\pm\ell^\pm$ signature does not allow for such reconstruction and it is considered because of its small SM background. Its main signal contribution is due to $h \rightarrow WW$, with smaller contributions from $h \rightarrow ZZ$ and $h \rightarrow \tau\tau$ when some of the visible decay products are missed during the event reconstruction.

The analysis is based on 20.3 fb^{-1} of $\sqrt{s} = 8\text{ TeV}$ proton–proton collision data delivered by the LHC and recorded with the ATLAS detector. Previous searches for charginos and neutralinos at the LHC have been reported by the ATLAS [21–23] and CMS [24, 25] collaborations. Similar searches were conducted at the Tevatron [26, 27] and LEP [28–32].

The results of this paper are combined with those of the ATLAS search using the three-lepton and missing transverse momentum final state, performed with the same dataset [21]. The three-lepton selections may contain up to two hadronically decaying τ leptons, providing sensitivity to the $h \rightarrow \tau\tau/WW/ZZ$ Higgs boson decay modes. The statistical combination of the results is facilitated by the fact that all event selections were constructed not to overlap.

This paper is organised in the following way: the ATLAS detector is briefly described in Sect. 2, followed by a description of the Monte Carlo simulation in Sect. 3. In Sect. 4 the common aspects of the event reconstruction are illustrated; Sects. 5, 6, and 7 describe the channel-specific features; Sect. 8 discusses the systematic uncertainties; the results and conclusions are presented in Sects. 9 and 10.

2 The ATLAS detector

ATLAS is a multipurpose particle physics experiment [33]. It consists of detectors forming a forward-backward symmetric cylindrical geometry.¹ The inner detector (ID) covers $|\eta| < 2.5$ and consists of a silicon pixel detector, a semiconductor microstrip tracker, and a transition radiation tracker. The ID is surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field. A high-granularity lead/liquid-argon (LAr) sampling calorimeter measures the energy and the position of electromagnetic showers within $|\eta| < 3.2$. Sampling calorimeters with LAr are also used to measure hadronic showers in the endcap ($1.5 < |\eta| < 3.2$) and forward ($3.1 < |\eta| < 4.9$) regions, while a steel/scintillator tile calorimeter measures hadronic showers in the central region ($|\eta| < 1.7$). The muon spectrometer (MS) surrounds the calorimeters and consists of three large superconducting air-core toroid magnets, each with eight coils, precision tracking chambers ($|\eta| < 2.7$), and fast trigger chambers ($|\eta| < 2.4$). A three-level trigger system selects events to be recorded for permanent storage.

3 Monte Carlo simulation

The event generators, the accuracy of theoretical cross sections, the underlying-event parameter tunes, and the parton distribution function (PDF) sets used for simulating the SM background processes are summarised in Table 1.

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam line. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

Table 1 Simulated samples used for background estimates. “Tune” refers to the choice of parameters used for the underlying-event generation.

Process	Generator	Cross section	Tune	PDF set
Single top, t -channel	ACERMC [34]+PYTHIA6 [35]	NNLO+NNLL [36]	AUET2B [37]	CTEQ6L1 [38]
Single top, s -channel	POWHEG [39, 40]+PYTHIA6	NNLO+NNLL [41]	PERUGIA2011C [42]	CT10 [43]
tW	POWHEG+PYTHIA6	NNLO+NNLL [44]	PERUGIA2011C	CT10
$t\bar{t}$	POWHEG+PYTHIA6	NNLO+NNLL [45–50]	PERUGIA2011C	CT10
$t\bar{t}W, t\bar{t}Z$	MADGRAPH [51]+PYTHIA6	NLO	AUET2B	CTEQ6L1
W, Z ($\ell b\bar{b}$ channel)	SHERPA [52]	NLO	—	CT10
W, Z ($\ell^\pm\ell^\pm$ channel)	ALPGEN [53]+PYTHIA6	NLO	PERUGIA2011C	CTEQ6L1
WW, WZ, ZZ	SHERPA	NLO	—	CT10
$W\gamma W\gamma$	ALPGEN+PYTHIA6	NLO	AUET2B	CTEQ6L1
$Z\gamma, Z\gamma$	SHERPA	NLO	—	CT10
Wh, Zh	PYTHIA8 [54]	NNLO(QCD)+NLO(EW) [55]	AU2 [56]	CTEQ6L1
$t\bar{t}h$	PYTHIA8	NLO(QCD) [55]	AU2	CTEQ6L1

The SUSY signal samples are produced with HERWIG++ [57] using the CTEQ6L1 PDF set. Signal cross sections are calculated at next-to-leading order (NLO) in the strong coupling constant using PROSPINO2 [58]. These agree with the NLO calculations matched to resummation at next-to-leading-logarithmic (NLL) accuracy within $\sim 2\%$ [59, 60]. For each cross section, the nominal value and its uncertainty are taken respectively from the centre and the spread of the cross-section predictions using different PDF sets and their associated uncertainties, as well as from variations of factorisation and renormalisation scales, as described in Ref. [61].

The propagation of particles through the ATLAS detector is modelled with GEANT4 [62] using the full ATLAS detector simulation [63] for all Monte Carlo (MC) simulated samples, except for $t\bar{t}$ production and the SUSY signal samples in which the Higgs boson decays to two b -quarks, for which a fast simulation based on a parametric response of the electromagnetic and hadronic calorimeters is used [64]. The effect of multiple proton–proton collisions in the same or nearby beam bunch crossings (in-time or out-of-time pile-up) is incorporated into the simulation by overlaying additional minimum-bias events generated with PYTHIA6 onto hard-scatter events. Simulated events are weighted so that the distribution of the average number of interactions per bunch crossing matches that observed in data, but are otherwise reconstructed in the same manner as data.

4 Event reconstruction

The data sample considered in this analysis was collected with a combination of single-lepton, dilepton, and diphoton triggers. After applying beam, detector, and data-quality requirements, the dataset corresponds to an integrated luminosity of 20.3 fb^{-1} , with an uncer-

tainty of 2.8% derived following the methodology detailed in Ref. [65].

Vertices compatible with the proton-proton interactions are reconstructed using tracks from the ID. Events are analysed if the primary vertex has five or more tracks, each with transverse momentum $p_T > 400 \text{ MeV}$, unless stated otherwise. The primary vertex of an event is identified as the vertex with the largest $\sum p_T^2$ of the associated tracks.

Electron candidates are reconstructed from calibrated clustered energy deposits in the electromagnetic calorimeter and a matched ID track, which in turn determine the p_T and η of the candidates respectively. Electrons must satisfy “medium” cut-based identification criteria, following Ref. [66], and are required to have $p_T > 10 \text{ GeV}$ and $|\eta| < 2.47$.

Muon candidates are reconstructed by combining tracks in the ID and tracks or segments in the MS [67] and are required to have $p_T > 10 \text{ GeV}$ and $|\eta| < 2.5$. To suppress cosmic-ray muon background, events are rejected if they contain a muon having transverse impact parameter with respect to the primary vertex $|d_0| > 0.2 \text{ mm}$ or longitudinal impact parameter with respect to the primary vertex $|z_0| > 1 \text{ mm}$.

Photon candidates are reconstructed from clusters of energy deposits in the electromagnetic calorimeter. Clusters without matching tracks as well as those matching one or two tracks consistent with a photon conversion are considered. The shape of the cluster must match that expected for an electromagnetic shower, using criteria tuned for robustness under the pile-up conditions of 2012 [68]. The cluster energy is calibrated separately for converted and unconverted photon candidates using simulation. In addition, η -dependent correction factors determined from $Z \rightarrow e^+e^-$ events are applied to the cluster energy, as described in Ref. [68]. The photon candidates must have $p_T > 20 \text{ GeV}$ and $|\eta| < 2.37$, excluding the transition region $1.37 < |\eta| <$

1.56 between the central and endcap electromagnetic calorimeters. The tighter η requirement on photons, as compared to electrons, reflects the poorer photon resolution in the transition region and for $2.37 \leq |\eta| < 2.47$.

Jets are reconstructed with the anti- k_t algorithm [69] with a radius parameter of 0.4 using three-dimensional clusters of energy in the calorimeter [70] as input. The clusters are calibrated, weighting differently the energy deposits arising from the electromagnetic and hadronic components of the showers. The final jet energy calibration corrects the calorimeter response to the particle-level jet energy [71, 72]; the correction factors are obtained from simulation and then refined and validated using data. Corrections for in-time and out-of-time pile-up are also applied, as described in Ref. [73]. Events containing jets failing to meet the quality criteria described in Ref. [71] are rejected to suppress non-collision background and events with large noise in the calorimeters.

Jets with $p_T > 20$ GeV are considered in the central pseudorapidity ($|\eta| < 2.4$) region, and jet $p_T > 30$ GeV is required in the forward ($2.4 < |\eta| < 4.5$) region. For central jets, the p_T threshold is lower since it is possible to suppress pile-up using information from the ID, the “jet vertex fraction” (JVF). This is defined as the p_T -weighted fraction of tracks within the jet that originate from the primary vertex of the event, and is -1 if there are no tracks within the jet. Central jets can also be tagged as originating from bottom quarks (referred to as b -jets) using the MV1 multivariate b -tagging algorithm based on quantities related to impact parameters of tracks and reconstructed secondary vertices [74]. The efficiency of the b -tagging algorithm depends on the operating point chosen for each channel, and is reported in Sects. 5 and 7.

Hadronically decaying τ leptons are reconstructed as 1- or 3-prong hadronic jets within $|\eta| < 2.47$, and are required to have $p_T > 20$ GeV after being calibrated to the τ energy scale [75]. Final states with hadronically decaying τ leptons are not considered here; however, identified τ leptons are used in the overlap removal procedure described below, as well as to ensure that the same-sign lepton channel does not overlap with the three-lepton search [21] that is included in the combined result.

Potential ambiguities between candidate leptons, photons and jets are resolved by removing one or both objects if they are separated by $\Delta R \equiv \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2}$ below a threshold. This process eliminates duplicate objects reconstructed from a single particle, and suppresses leptons and photons contained inside hadronic jets. The thresholds and the order in which overlapping objects are removed are summarised in Table 2.

Table 2 Summary of the overlap removal procedure. Potential ambiguities are resolved by removing nearby objects in the indicated order, from top to bottom. Different ΔR separation requirements are used in the three channels.

Candidates	ΔR threshold			Candidate removed
	$\ell b b$	$\ell \gamma \gamma$	$\ell^\pm \ell^\pm$	
$e-e$	0.1	—	0.05	lowest- p_T e
$e-\gamma$	—	0.4	—	e
jet- γ	—	0.4	—	jet
jet- e	0.2	0.2	0.2	jet
$\tau-e$ or $\tau-\mu$	—	—	0.2	τ
$\mu-\gamma$	—	0.4	—	μ
e -jet or μ -jet	0.4	0.4	0.4	e or μ
$e-\mu$	0.1	—	0.1	both
$\mu-\mu$	0.05	—	0.05	both
jet- τ	—	—	0.2	jet

In the same-sign channel, e^+e^- and $\mu^+\mu^-$ pairs with $m_{\ell^+\ell^-} < 12$ GeV are also removed. The remaining leptons and photons are referred to as “preselected” objects.

Isolation criteria are applied to improve the purity of reconstructed objects. The criteria are based on the scalar sum of the transverse energies E_T of the calorimeter cell clusters within a radius ΔR of the object ($E_T^{\text{cone}\Delta R}$), and on the scalar sum of the p_T of the tracks within ΔR and associated with the primary vertex ($p_T^{\text{cone}\Delta R}$). The contribution due to the object itself is not included in either sum. The values used in the isolation criteria depend on the channel; they are specified in Sects. 5, 6 and 7.

The missing transverse momentum, $\mathbf{p}_T^{\text{miss}}$ (with magnitude E_T^{miss}), is the negative vector sum of the transverse momenta of all preselected electrons, muons, and photons, as well as jets and calorimeter energy clusters with $|\eta| < 4.9$ not associated with these objects. Clusters that are associated with electrons, photons and jets are calibrated to the scale of the corresponding objects [76, 77].

The efficiencies for electrons, muons, and photons to satisfy the reconstruction and identification criteria are measured in control samples, and corrections are applied to the simulated samples to reproduce the efficiencies in data. Similar corrections are also applied to the trigger efficiencies, as well as to the jet b -tagging efficiency and misidentification probability.

5 One lepton and two b -jets channel

5.1 Event selection

The events considered in the one lepton and two b -jets channel are recorded with a combination of single-

Table 3 Selection requirements for the signal, control and validation regions of the one lepton and two b -jets channel. The number of leptons, jets, and b -jets is labelled with n_{lepton} , n_{jet} , and $n_{b\text{-jet}}$ respectively.

	SR ℓbb -1	SR ℓbb -2	CR ℓbb -T	CR ℓbb -W	VR ℓbb -1	VR ℓbb -2
n_{lepton}	1	1	1	1	1	1
n_{jet}	2–3	2–3	2–3	2	2–3	2–3
$n_{b\text{-jet}}$	2	2	2	1	2	2
$E_{\text{T}}^{\text{miss}}$ [GeV]	> 100	> 100	> 100	> 100	> 100	> 100
m_{CT} [GeV]	> 160	> 160	100–160	> 160	100–160	> 160
m_{T}^W [GeV]	100–130	> 130	> 100	> 40	40–100	40–100

lepton triggers with a p_{T} threshold of 24 GeV. To ensure that the event is triggered with a constant high efficiency, the offline event selection requires exactly one signal lepton (e or μ) with $p_{\text{T}} > 25$ GeV. The signal electrons must satisfy the “tight” identification criteria of Ref. [66], as well as $|d_0|/\sigma_{d_0} < 5$, where σ_{d_0} is the error on d_0 , and $|z_0 \sin \theta| < 0.4$ mm. The signal muons must satisfy $|\eta| < 2.4$, $|d_0|/\sigma_{d_0} < 3$, and $|z_0 \sin \theta| < 0.4$ mm. The signal electrons (muons) are required to satisfy the isolation criteria $E_{\text{T}}^{\text{cone}0.3}/p_{\text{T}} < 0.18$ (0.12) and $p_{\text{T}}^{\text{cone}0.3}/p_{\text{T}} < 0.16$ (0.12).

Events with two or three jets are selected, and the jets can be either central ($|\eta| < 2.4$) or forward ($2.4 < |\eta| < 4.9$). Central jets have $p_{\text{T}} > 25$ GeV, and forward jets have $p_{\text{T}} > 30$ GeV. For central jets with $p_{\text{T}} < 50$ GeV, the JVF must be > 0.5 . Events must contain exactly two b -jets and these must be the highest- p_{T} central jets. The chosen operating point of the b -tagging algorithm identifies b -jets in simulated $t\bar{t}$ events with an efficiency of 70%; it misidentifies charm jets 20% of the time and light-flavour (including gluon-induced) jets less than 1% of the time.

After the requirement of $E_{\text{T}}^{\text{miss}} > 100$ GeV, the dominant background contributions in the ℓbb channel are $t\bar{t}$, $W + \text{jets}$, and single-top Wt production. Their contributions are suppressed using the kinematic selections described below, which define the two signal regions (SR) SR ℓbb -1 and SR ℓbb -2 summarised in Table 3.

The contransverse mass m_{CT} [78, 79] is defined as

$$m_{\text{CT}} = \sqrt{(E_{\text{T}}^{b_1} + E_{\text{T}}^{b_2})^2 - |\mathbf{p}_{\text{T}}^{b_1} - \mathbf{p}_{\text{T}}^{b_2}|^2}, \quad (1)$$

where $E_{\text{T}}^{b_i}$ and $\mathbf{p}_{\text{T}}^{b_i}$ are the transverse energy and momentum of the i -th b -jet. The SM $t\bar{t}$ background has an upper endpoint at m_{CT} of approximately m_t , and is efficiently suppressed by requiring $m_{\text{CT}} > 160$ GeV.

The transverse mass m_{T}^W , describing W candidates in background events, is defined as

$$m_{\text{T}}^W = \sqrt{2E_{\text{T}}^{\ell}E_{\text{T}}^{\text{miss}} - 2\mathbf{p}_{\text{T}}^{\ell} \cdot \mathbf{p}_{\text{T}}^{\text{miss}}}, \quad (2)$$

where E_{T}^{ℓ} and $\mathbf{p}_{\text{T}}^{\ell}$ are the transverse energy and momentum of the lepton. Requiring $m_{\text{T}}^W > 100$ GeV efficiently

suppresses the $W + \text{jets}$ background. The two SRs are distinguished by requiring $100 < m_{\text{T}}^W < 130$ GeV for SR ℓbb -1 and $m_{\text{T}}^W > 130$ GeV for SR ℓbb -2. The first signal region provides sensitivity to signal models with a mass splitting between $\tilde{\chi}_1^0$ and $\tilde{\chi}_2^0$ similar to the Higgs boson mass, while the second one targets larger mass splittings.

In each SR, events are classified into five bins of the invariant mass m_{bb} of the two b -jets as 45–75–105–135–165–195 GeV. In the SRs, about 70% of the signal events due to $h \rightarrow b\bar{b}$ populate the central bin of 105–135 GeV. The other four bins (sidebands) are used to constrain the background normalisation, as described below.

5.2 Background estimation

The contributions from the $t\bar{t}$ and $W + \text{jets}$ background sources are estimated from simulation, and normalised to data in dedicated control regions defined in the following paragraphs. The contribution from multi-jet production, where the signal lepton is a misidentified jet or comes from a heavy-flavour hadron decay or photon conversion, is estimated using the “matrix method” described in Ref. [22], and is found to be less than 3% of the total background in all regions and is thus neglected. The remaining sources of background (single top, $Z + \text{jets}$, WW , WZ , ZZ , Zh and Wh production) are estimated from simulation.

Two control regions (CR), CR ℓbb -T and CR ℓbb -W, are designed to constrain the normalisations of the $t\bar{t}$ and $W + \text{jets}$ backgrounds respectively. The acceptance for $t\bar{t}$ events is increased in CR ℓbb -T by modifying the requirement on m_{CT} to $100 < m_{\text{CT}} < 160$ GeV. The acceptance of $W + \text{jets}$ events is increased in CR ℓbb -W by requiring $m_{\text{T}}^W > 40$ GeV and exactly two jets, of which only one is b -tagged. These two control regions are summarised in Table 3. The control regions are defined to be similar to the signal regions in order to reduce systematic uncertainties on the extrapolation to the signal regions; at the same time they are dominated by the




Fig. 2 Distributions of contrransverse mass m_{CT} , transverse mass of the W -candidate m_{T}^W , number of b -jets, and invariant mass of the b -jets m_{bb} for the one lepton and two b -jets channel in the indicated regions. The stacked background histograms are obtained from the background-only fit. The hashed areas represent the total uncertainties on the background estimates after the fit. The rightmost bins in (a)–(d) include overflow. The distributions of a signal hypothesis are also shown without stacking on the background histograms. The vertical arrows indicate the boundaries of the signal regions. The lower panels show the ratio of the data to the SM background prediction.

Table 4 Event yields and SM expectation in the one lepton and two b -jets channel obtained with the background-only fit. “Other” includes $Z + \text{jets}$, WW , WZ , ZZ , Zh and Wh processes. The errors shown include statistical and systematic uncertainties.

	SR ℓbb -1 $105 < m_{bb} < 135 \text{ GeV}$	SR ℓbb -2 m_{bb} sidebands	SR ℓbb -1 m_{bb} sidebands	SR ℓbb -2 m_{bb} sidebands	CR ℓbb -T	CR ℓbb -W	VR ℓbb -1	VR ℓbb -2
Observed events	4	3	14	10	651	1547	885	235
SM expectation	6.0 ± 1.3	2.8 ± 0.8	13.1 ± 2.4	8.8 ± 1.7	642 ± 25	1560 ± 40	880 ± 90	245 ± 17
$t\bar{t}$	3.8 ± 1.2	1.4 ± 0.7	8.0 ± 2.4	3.1 ± 1.4	607 ± 25	680 ± 60	680 ± 90	141 ± 18
$W + \text{jets}$	0.6 ± 0.3	0.2 ± 0.1	2.7 ± 0.5	1.7 ± 0.3	11 ± 2	690 ± 60	99 ± 12	62 ± 8
Single top	1.3 ± 0.4	0.7 ± 0.4	1.9 ± 0.6	2.5 ± 1.1	20 ± 4	111 ± 14	80 ± 10	27 ± 4
Other	0.3 ± 0.1	0.5 ± 0.1	0.5 ± 0.1	1.5 ± 0.2	4 ± 1	76 ± 8	16 ± 2	15 ± 1

targeted background processes and the expected contamination by signal is small.

As in the signal regions, the control regions are binned in m_{bb} (m_{bj} in the case of CR ℓbb -W). A “background-only” likelihood fit is performed, in which the predictions of the simulated background processes without any signal hypothesis are fit simultaneously to the data yields in eight m_{bb} sideband bins of the SRs and the ten m_{bb} bins of the CRs. This fit, as well as the limit-setting procedure, is performed using the HISTFITTER package described in Ref. [80]. The two free parameters of the fit, namely the normalisations of the $t\bar{t}$ and $W + \text{jets}$ background components, are constrained by the number of events observed in the control regions and signal region sidebands, where the number of events is described by a Poisson probability density function. The remaining nuisance parameters correspond to the sources of systematic uncertainty described in Sect. 8. They are taken into account with their uncertainties, and adjusted to maximise the likelihood. The yields estimated with the background-only fit are reported in Table 4, as well as the resulting predictions in SR ℓbb -1 and SR ℓbb -2 for $105 < m_{bb} < 135 \text{ GeV}$. While CR ℓbb -T is dominated by $t\bar{t}$ events, CR ℓbb -W is populated evenly by $t\bar{t}$ and $W + \text{jets}$ events, which causes the normalisations of the $t\bar{t}$ and $W + \text{jets}$ contributions to be negatively correlated after the fit. As a result, the uncertainties on individual background sources do not add up quadratically to the uncertainty on the total SM expectation. The normalisation factors are found to be 1.03 ± 0.15 for $t\bar{t}$ and 0.79 ± 0.07 for $W + \text{jets}$, where the errors include statistical and systematic uncertainties.

To validate the background modelling, two validation regions (VR) are defined similarly to the SRs except for requiring $40 < m_T^W < 100 \text{ GeV}$, and requiring $100 < m_{CT} < 160 \text{ GeV}$ for VR ℓbb -1 and $m_{CT} > 160 \text{ GeV}$ for VR ℓbb -2 as summarised in Table 3. The yields in the VRs are shown in Table 4 after the background-only fit, which does not use the data in the VRs to constrain the background. The data event yields are found to be consistent with background expectations.

Figure 2 shows the data distributions of m_{CT} , m_T^W , $n_{b\text{-jet}}$ and m_{bb} compared to the SM expectations in various regions. The data agree well with the SM expectations in all distributions.

6 One lepton and two photons channel

6.1 Event Selection

Events recorded with diphoton or single-lepton triggers are used in the one lepton and two photons channel. For the diphoton trigger, the transverse momentum thresholds at trigger level for the highest- p_T (leading) and second highest- p_T (sub-leading) photons are 35 GeV and 25 GeV respectively. For these events, the event selection requires exactly one signal lepton (e or μ) and exactly two signal photons, with p_T thresholds of 15 GeV for electrons, 10 GeV for muons, and 40 (27) GeV for leading (sub-leading) photons. In addition, events recorded with single-lepton triggers, which have transverse momentum thresholds at trigger level of 24 GeV, are used. For these events, the selection requires p_T thresholds of 25 GeV for electrons and muons, and 40 (20) GeV for leading (sub-leading) photons.

In this channel, a neural network algorithm, based on the momenta of the tracks associated with each vertex and the direction of flight of the photons, is

Table 5 Selection requirements for the signal and validation regions of the one lepton and two photons channel. The number of leptons and photons is labelled with n_{lepton} and n_γ respectively.

	SR $\ell\gamma\gamma$ -1	SR $\ell\gamma\gamma$ -2	VR $\ell\gamma\gamma$ -1	VR $\ell\gamma\gamma$ -2
n_{lepton}	1	1	1	1
n_γ	2	2	2	2
$E_T^{\text{miss}} [\text{GeV}]$	> 40	> 40	< 40	—
$\Delta\phi(W, h)$	> 2.25	> 2.25	—	< 2.25
$m_T^{W\gamma_1} [\text{GeV}]$	> 150	< 150	or	—
$m_T^{W\gamma_2} [\text{GeV}]$	> 80	< 80	—	—




Fig. 3 Distributions of missing transverse momentum E_T^{miss} , azimuth difference between the W and Higgs boson candidates $\Delta\phi(W, h)$, transverse mass of the W and photon system $m_T^{W\gamma_1}$ and $m_T^{W\gamma_2}$ in the one lepton and two photons signal regions for the Higgs-mass window ($120 < m_{\gamma\gamma} < 130$ GeV). The vertical arrows indicate the boundaries of the signal regions. The filled and hashed areas represent the stacked histograms of the simulation-based background cross check and the total uncertainties. The contributions from non-Higgs backgrounds are scaled by $10 \text{ GeV} / 50 \text{ GeV} = 0.2$ from the $m_{\gamma\gamma}$ sideband ($100 < m_{\gamma\gamma} < 120$ GeV and $130 < m_{\gamma\gamma} < 160$ GeV) into the Higgs-mass window. The rightmost bins in (a), (c), and (d) include overflow. Scaled data in the sideband are shown as squares, while events in the Higgs-mass window are shown as circles. The distributions of a signal hypothesis are also shown without stacking on the background histograms.

used to select the primary vertex, similarly to the ATLAS SM $h \rightarrow \gamma\gamma$ analysis described in Ref. [81]. Signal muons must satisfy $|d_0| < 1 \text{ mm}$ and $|z_0| < 10 \text{ mm}$. The isolation criteria for both the electrons and muons are $E_T^{\text{cone}0.4}/p_T < 0.2$ and $p_T^{\text{cone}0.2}/p_T < 0.15$. Signal photons are required to satisfy $E_T^{\text{cone}0.4} < 6 \text{ GeV}$ and $p_T^{\text{cone}0.2} < 2.6 \text{ GeV}$.

The two largest background contributions are due to multi-jet and $Z\gamma$ production, with leptons or jets misreconstructed as photons. These background contributions are suppressed by requiring $E_T^{\text{miss}} > 40 \text{ GeV}$.

The \mathbf{p}_T of the $W \rightarrow \ell\nu$ system, reconstructed assuming background events with neutrino $\mathbf{p}_T = \mathbf{p}_T^{\text{miss}}$, is required to be back-to-back with the \mathbf{p}_T of the

$h \rightarrow \gamma\gamma$ candidate ($\Delta\phi(W, h) > 2.25$). Only events with a diphoton invariant mass, $m_{\gamma\gamma}$, between 100 and 160 GeV are considered. Events in the sideband, outside the Higgs-mass window between 120 and 130 GeV, are included to constrain the non-Higgs background as described in Sect. 6.2.

Selected events are split into two SRs with different expected signal sensitivities based on two variables $m_T^{W\gamma_1}$ and $m_T^{W\gamma_2}$, which are defined as

$$m_T^{W\gamma_i} = \sqrt{(m_T^W)^2 + 2E_T^W E_T^{\gamma_i} - 2\mathbf{p}_T^W \cdot \mathbf{p}_T^{\gamma_i}}, \quad (3)$$

where m_T^W , E_T^W and \mathbf{p}_T^W are the transverse mass, energy and momentum of the W candidate, and $E_T^{\gamma_i}$ and $\mathbf{p}_T^{\gamma_i}$




Fig. 4 Results of the background-only fit to the diphoton invariant mass, $m_{\gamma\gamma}$, distribution in the one lepton and two photons signal and validation regions. The contributions from SM Higgs boson production are constrained to the MC prediction and associated systematic uncertainties. The band shows the systematic uncertainty on the fit. The fit is performed on events with $100 \text{ GeV} < m_{\gamma\gamma} < 160 \text{ GeV}$, with events in $\text{SR}\ell\gamma\gamma-1$ or $\text{SR}\ell\gamma\gamma-2$ in the Higgs-mass window ($120 \text{ GeV} \leq m_{\gamma\gamma} \leq 130 \text{ GeV}$), indicated by the arrows, excluded from the fit.

are the transverse energy and momentum of the i -th, p_T -ordered, photon. Including a photon in the transverse mass calculation provides a means to identify leptonically decaying W bosons in the presence of a final-state radiation photon. Events with $m_T^{W\gamma_1} > 150 \text{ GeV}$ and $m_T^{W\gamma_2} > 80 \text{ GeV}$ are classified into $\text{SR}\ell\gamma\gamma-1$, and those with either $m_T^{W\gamma_1} < 150 \text{ GeV}$ or $m_T^{W\gamma_2} < 80 \text{ GeV}$ into $\text{SR}\ell\gamma\gamma-2$. Most of the sensitivity to the signal is provided by $\text{SR}\ell\gamma\gamma-1$, while $\text{SR}\ell\gamma\gamma-2$ assists in constraining systematic uncertainties.

Two overlapping validation regions are defined by inverting and modifying the E_T^{miss} and $\Delta\phi(W, h)$ criteria relative to those of the signal regions. The first region $\text{VR}\ell\gamma\gamma-1$ requires $E_T^{\text{miss}} < 40 \text{ GeV}$ and has no requirement on $\Delta\phi(W, h)$, and the second region $\text{VR}\ell\gamma\gamma-2$ requires $\Delta\phi(W, h) < 2.25$ and has no requirement on

E_T^{miss} . The signal and validation regions are summarised in Table 5.

Distributions in the Higgs-mass window of the four kinematic variables used to define the SRs are shown in Fig. 3. For illustration purposes, the observed yield in the sideband region is shown for each distribution, scaled into the corresponding Higgs-mass window by the relative widths of the Higgs-mass window and the sideband region, $10 \text{ GeV} / 50 \text{ GeV} = 0.2$. Also shown, for each distribution, is a simulation-based cross-check of the background estimate. To reduce statistical uncertainties originating from the limited number of simulated events, the non-Higgs contributions are obtained in the sideband and scaled into the Higgs-mass window by 0.2. The simulation-based prediction of the non-Higgs background is estimated from the $W/Z(\gamma, \gamma\gamma)$

Table 6 Event yields and SM expectation in the Higgs-mass window of the lepton plus two photon channel ($120 < m_{\gamma\gamma} < 130$ GeV) after the background-only fit. The Higgs-mass window is excluded from the fit in the two signal regions. The errors shown include statistical and systematic uncertainties.

	SR $\ell\gamma\gamma$ -1	SR $\ell\gamma\gamma$ -2	VR $\ell\gamma\gamma$ -1	VR $\ell\gamma\gamma$ -2
Observed events	1	5	30	26
SM expectation	1.6 ± 0.4	3.3 ± 0.8	30.2 ± 2.3	20.4 ± 1.9
Non-Higgs	0.6 ± 0.3	3.0 ± 0.8	29.2 ± 2.3	19.8 ± 1.9
Wh	0.85 ± 0.02	0.23 ± 0.01	0.71 ± 0.02	0.29 ± 0.01
Zh	0.04 ± 0.01	0.02 ± 0.01	0.14 ± 0.02	0.05 ± 0.01
$t\bar{t}h$	0.14 ± 0.01	0.02 ± 0.01	0.11 ± 0.01	0.25 ± 0.01

+jets samples, after applying a data-driven correction for the probability of electrons or jets to be reconstructed as photons. The contribution from backgrounds with jets reconstructed as leptons is determined by using the “fake factor” method described in Ref. [82]. This simulation-based background estimate is only used as a cross-check of the sideband-data-based background estimate described above. It gives results consistent with the data estimate, but it is not used for limit setting.

6.2 Background estimation

The contribution from background sources that do not contain a $h \rightarrow \gamma\gamma$ decay can be statistically separated by a template fit to the full $m_{\gamma\gamma}$ distribution, from 100 GeV to 160 GeV. The approach followed is similar to the one in Ref. [81]: the non-Higgs background is modelled as $\exp(-\alpha m_{\gamma\gamma})$, with the constant α as a free, positive parameter in the fit. Alternative functional models are used to evaluate the systematic uncertainty due to the choice of background modelling function. The $h \rightarrow \gamma\gamma$ template, used for the Higgs background and signal, is formed by the sum of a Crystal Ball function [83] for the core of the distribution and a Gaussian function for the tails. This functional form follows the one used in the SM $h \rightarrow \gamma\gamma$ analysis [81], with the nominal values and uncertainties on the fit parameters determined by fits to the simulation in SR $\ell\gamma\gamma$ -1 and SR $\ell\gamma\gamma$ -2. The results of the fit to the simulation are used as an external constraint on the template during the fit to data. The width of the Gaussian core of the Crystal Ball function quantifies the detector resolution and is determined in simulation to be 1.7 GeV in SR $\ell\gamma\gamma$ -1 and 1.8 GeV in SR $\ell\gamma\gamma$ -2. This is comparable to the resolution found in the SM $h \rightarrow \gamma\gamma$ analysis [81].

Contributions from SM processes with a real Higgs boson decay are estimated by simulation and come primarily from Wh associated production, with smaller amounts from $t\bar{t}h$ and Zh . The contributions from SM Higgs boson production via gluon fusion or vector boson

fusion are found to be negligible. Systematic uncertainties on the yields of these SM processes are discussed in Sect. 8. Figure 4 shows the background-only fits to the observed $m_{\gamma\gamma}$ distributions in the signal and validation regions, with the signal region Higgs-mass window ($120 < m_{\gamma\gamma} < 130$ GeV) excluded from the fit. Table 6 summarises the observed event yields in the Higgs-mass window and the background estimates, from the background-only fits, in the signal and validation regions. The errors are dominated by the statistical uncertainty due to the number of events in the $m_{\gamma\gamma}$ sidebands.

7 Same-sign dilepton channel

7.1 Event Selection

Events recorded with a combination of dilepton triggers are used in the same-sign dilepton channel. The p_T thresholds of the dilepton triggers depend on the flavour of the leptons. The triggers reach their maximum efficiency at p_T values of about 14–25 GeV for the leading lepton and 8–14 GeV for the sub-leading lepton.

The offline event selection requires two same-sign signal leptons (ee , $e\mu$ or $\mu\mu$) with $p_T > 30$ GeV or 20 GeV as shown in Table 7 and no additional preselected lepton. The signal electrons must satisfy the “tight” identification criteria from Ref. [66], $|d_0|/\sigma_{d_0} < 3$, and $|z_0 \sin \theta| < 0.4$ mm. The signal muons must satisfy $|\eta| < 2.4$, $|d_0|/\sigma_{d_0} < 3$, and $|z_0 \sin \theta| < 1$ mm. The isolation criteria for electrons (muons) are $E_T^{\text{cone}0.3}/\text{min}(p_T, 60 \text{ GeV}) < 0.13$ (0.14) and $p_T^{\text{cone}0.3}/\text{min}(p_T, 60 \text{ GeV}) < 0.07$ (0.06). Events containing a hadronically decaying preselected τ lepton are rejected in order to avoid statistical overlap with the three-lepton final states [21].

Events are required to contain one, two, or three central ($|\eta| < 2.4$) jets with $p_T > 20$ GeV. If a central jet has $p_T < 50$ GeV and has tracks associated to it, at least one of the tracks must originate from the event primary vertex. To reduce background contribu-

Table 7 Selection requirements for the signal regions of the same-sign dilepton channel.

	SRee-1	SRee-2	SR $\mu\mu$ -1	SR $\mu\mu$ -2	SRe μ -1	SRe μ -2
Lepton flavours	ee	ee	$\mu\mu$	$\mu\mu$	$e\mu$	$e\mu$
n_{jet}	1	2 or 3	1	2 or 3	1	2 or 3
Leading lepton p_T [GeV]	> 30	> 30	> 30	> 30	> 30	> 30
Sub-leading lepton p_T [GeV]	> 20	> 20	> 20	> 30	> 30	> 30
$ m_{\ell\ell} - m_Z $ [GeV]	> 10	> 10	–	–	–	–
$\Delta\eta_{ee}$	–	–	< 1.5	< 1.5	< 1.5	< 1.5
$E_T^{\text{miss,rel}}$ [GeV]	> 55	> 30	–	–	–	–
m_{eff} [GeV]	> 200	–	> 200	> 200	> 200	> 200
m_T^{\max} [GeV]	–	> 110	> 110	–	> 110	> 110
$m_{\ell j}$ or $m_{\ell jj}$ [GeV]	< 90	< 120	< 90	< 120	< 90	< 120

tions with heavy-flavour decays, all the jets must fail to meet the b -tagging criterion at the 80% efficiency operating point. There must be no forward ($2.4 < |\eta| < 4.9$) jet with $p_T > 30$ GeV.

The dominant background contributions in the $\ell^\pm\ell^\pm$ channel are due to SM diboson production (WZ and ZZ) leading to two “prompt” leptons and due to events with “non-prompt” leptons (heavy-flavour decays, photon conversions and misidentified jets). These background contributions are suppressed with the tight identification criteria described above, and with the kinematic requirements summarised in Table 7. The requirements were optimised separately for each lepton flavour combination (ee , $\mu\mu$, and $e\mu$), and for different numbers of reconstructed jets, leading to six signal regions.

The dilepton invariant mass $m_{\ell\ell}$ is required to differ by at least 10 GeV from the Z -boson mass for the ee channel, in which contamination due to electron charge misidentification is significant.

The visible mass of the Higgs boson candidate is defined for the one jet signal regions as the invariant mass ($m_{\ell j}$) of the jet and the lepton that is closest to it in terms of ΔR , and for the two or three jet signal regions as the invariant mass ($m_{\ell jj}$) of the two highest- p_T jets and the lepton that is closest to the dijet system. In the signal regions, $m_{\ell j} < 90$ GeV is required for SR $\ell\ell$ -1 and $m_{\ell jj} < 120$ GeV for SR $\ell\ell$ -2.

Depending on the final state, additional kinematic variables are used to further reduce the background. Requiring the pseudorapidity difference between the two leptons $\Delta\eta_{ee} < 1.5$ decreases the WZ and ZZ background. Requirements on $E_T^{\text{miss,rel}}$, defined as

$$E_T^{\text{miss,rel}} = \begin{cases} E_T^{\text{miss}} & \text{if } \Delta\phi > \pi/2, \\ E_T^{\text{miss}} \sin(\Delta\phi) & \text{if } \Delta\phi < \pi/2, \end{cases} \quad (4)$$

where $\Delta\phi$ is the azimuthal angle difference between $\mathbf{p}_T^{\text{miss}}$ and the nearest lepton or jet, reduce the $Z + \text{jets}$ and non-prompt lepton background in the ee channel. The $E_T^{\text{miss,rel}}$ is defined so as to reduce the impact on

E_T^{miss} of any potential mismeasurement, either from jets or from leptons. The scalar sum m_{eff} of the transverse momenta of the leptons, jets and the missing transverse momentum is used to suppress the diboson background. Requiring $m_T^{\max} > 110$ GeV, where m_T^{\max} is the larger of the two m_T^W values computed with one of the leptons and the missing transverse momentum, suppresses background events with one leptonically decaying W boson, whose transverse mass distribution has an endpoint at m_W .

To test the non-prompt lepton and charge mismeasurement backgrounds, validation regions are defined by applying only the number of jets n_{jet} and lepton p_T




Fig. 5 Distribution of effective mass m_{eff} in the validation region of the same-sign $e\mu$ channel. This validation region is defined by requiring one, two, or three jets, and reversing the $m_{\ell j}$, $m_{\ell jj}$ criteria. The hashed areas represent the total uncertainties on the background estimates that are depicted with stacked histograms. The distribution of a signal hypothesis is also shown without stacking on the background histograms. The lower panel shows the ratio of the data to the SM background prediction.




Fig. 6 Distributions of effective mass m_{eff} , largest transverse mass $m_{\text{T}}^{\text{max}}$, invariant mass of lepton and jets $m_{\ell j}$ and $m_{\ell jj}$ for the same-sign dilepton channel in the signal regions with one jet (left) and two or three jets (right). SR $\ell\ell$ -1 is the sum of SRee-1, SRe μ -1, and SR $\mu\mu$ -1; SR $\ell\ell$ -2 is the sum of SRee-2, SRe μ -2, and SR $\mu\mu$ -2. All selection criteria are applied, except for the one on the variable being shown. The vertical arrows indicate the boundaries of the signal regions, which may not apply to all flavour channels. The hashed areas represent the total uncertainties on the background estimates that are depicted with stacked histograms. The distributions of a signal hypothesis are also shown without stacking on the background histograms. The rightmost bins of each distribution include overflow.

Table 8 Event yields and SM expectation in the same-sign dilepton channel signal regions. The WW background includes both $W^\pm W^\pm$ and $W^\pm W^\mp$ production, the latter due to electron charge mis-measurement. ‘‘Other’’ background includes $t\bar{t}$, single top, $Z + \text{jets}$, Zh and Wh production. The errors shown include statistical and systematic uncertainties.

	SRee-1	SRee-2	SR $\mu\mu$ -1	SR $\mu\mu$ -2	SRe μ -1	SRe μ -2
Observed events	2	1	6	4	8	4
SM expectation	6.0 ± 1.2	2.8 ± 0.8	3.8 ± 0.9	2.6 ± 1.1	7.0 ± 1.3	1.9 ± 0.7
Non-prompt	3.4 ± 1.0	1.6 ± 0.5	0.00 ± 0.20	0.3 ± 0.4	3.0 ± 0.9	0.48 ± 0.28
WZ, ZZ	2.2 ± 0.6	0.7 ± 0.4	3.4 ± 0.8	1.8 ± 0.9	3.3 ± 0.8	1.1 ± 0.5
WW	0.33 ± 0.31	0.22 ± 0.23	0.24 ± 0.29	0.4 ± 0.5	0.4 ± 0.4	0.23 ± 0.26
Other	0.13 ± 0.13	0.31 ± 0.31	0.14 ± 0.14	0.06 ± 0.06	0.19 ± 0.17	0.09 ± 0.08

requirements from Table 7 and requiring $m_{\ell j} > 90$ GeV or $m_{\ell jj} > 120$ GeV.

7.2 Background estimation

The irreducible background in the same-sign dilepton channel is dominated by WZ and ZZ diboson production, in which both vector bosons decay leptonically and one or two leptons do not satisfy the selection requirements, mostly the kinematic ones. These contributions are estimated from the simulation.

Background contributions due to non-prompt leptons are estimated with the matrix method described in Ref. [22]. It takes advantage of the difference between the efficiencies for prompt and non-prompt leptons, defined as the fractions of prompt and non-prompt pre-selected leptons respectively, that pass the signal-lepton requirements. The number of events containing non-prompt leptons is obtained from these efficiencies and the observed number of events using four categories of selection with preselected or signal leptons. The efficiencies for prompt and non-prompt leptons are derived, as a function of p_T and η , for each process leading to either prompt or non-prompt leptons using the generator-level information from simulated events. They are then corrected for potential differences between simulation and data with correction factors measured in control regions, as described in Ref. [22]. The contributions from each process leading to either prompt or non-prompt leptons are then used to compute a weighted-average efficiency, where the weight for each process is determined as its relative contribution to the number of pre-selected leptons in the region of interest.

Same-sign background events where the lepton charge is mismeasured are usually due to a hard bremsstrahlung photon with subsequent asymmetric pair production. The charge mismeasurement probability, which is negligible for muons, is measured in data as a function of electron p_T and $|\eta|$ using $Z \rightarrow e^+e^-$ events where the two electrons are reconstructed with the same charge. The probability, which is below 1%

for most of the p_T and η values, is then applied to the simulated opposite-sign ee and $e\mu$ pairs to estimate this background [84]. Although any process with the $e^\pm e^\mp$ or $e^\pm \mu^\mp$ final state can mimic the same-sign signature with charge mismeasurement, most of this background contribution is due to the production of $Z + \text{jets}$ events, amounting to less than 10% of the background yield in each of the $\ell^\pm \ell^\pm$ signal regions.

Estimates of non-prompt lepton and charge mismeasurement background are tested in the validation regions; the number of observed events agrees with the expected background in all validation regions. Figure 5 shows the distribution of m_{eff} in the validation region of the same-sign $e\mu$ channel.

The number of observed and expected events in each signal region is reported in Table 8. Figure 6 shows the data distributions of m_{eff} , m_T^{\max} , $m_{\ell j}$, and $m_{\ell jj}$ compared to the SM expectations in the same-sign dilepton signal regions. No significant excess is observed over the SM background expectations in any channel.

8 Systematic uncertainties

Table 9 summarises the dominant systematic uncertainties on the total expected background yields in the six signal regions.

For the one lepton and two b -jets channel, theoretical uncertainties on the $t\bar{t}$ and single-top background estimates are the most important. They are evaluated by comparing different generators (POWHEG, MC@NLO [85, 86] and ACERMC) and parton shower algorithms (PYTHIA6 and HERWIG [87, 88]), varying the QCD factorisation and renormalisation scales up and down by a factor of two, and taking the envelope of the background variations when using different PDF sets. Statistical uncertainties from the data in the CRs result in uncertainties on the normalisations of the $t\bar{t}$ and $W + \text{jets}$ backgrounds, while the limited number of simulated events yields uncertainty on the shape of the background m_{bb} distributions. The largest experimental systematic uncertainties are those on the jet en-

Table 9 Summary of the statistical and main systematic uncertainties on the background estimates, expressed in per cent of the total background yields in each signal region. Uncertainties that are not considered for a particular channel are indicated by a “–”. The individual uncertainties can be correlated, and do not necessarily add in quadrature to the total background uncertainty.

	SR ℓbb -1	SR ℓbb -2	SR $\ell\gamma\gamma$ -1	SR $\ell\gamma\gamma$ -2	SR $\ell\ell$ -1	SR $\ell\ell$ -2
Number of background events	6.0 ± 1.3	2.8 ± 0.8	1.6 ± 0.4	3.3 ± 0.8	16.8 ± 2.8	7.3 ± 1.5
Statistical	9	7	22	23	7	7
Modelling $t\bar{t}$	23	25	–	–	–	–
Modelling single top	5	11	–	–	–	–
Modelling Wh , Zh , $t\bar{t}h$	–	–	3	1	–	–
Modelling WZ	–	–	–	–	11	22
Electron reconstruction	3	3	1	1	< 1	< 1
Muon reconstruction	1	1	< 1	< 1	1	< 1
Photon reconstruction	–	–	4	5	–	–
Jet energy scale and resolution	6	14	1	3	2	11
b -jet identification	6	4	–	–	–	–
m_{bb} shape	8	12	–	–	–	–
Background $m_{\gamma\gamma}$ model	–	–	5	7	–	–
Non-prompt estimate	–	–	–	–	10	11
Charge mismeasurement estimate	–	–	–	–	2	3
Other sources	4	5	< 1	2	2	2

ergy scale [72] and resolution [89], derived from a combination of test-beam data and in-situ measurements, followed by the uncertainty on the b -jet identification efficiency [90]. The uncertainty on the W boson background modelling is dominated by the uncertainty on the cross section for the production of the W boson in association with heavy-flavour jets, and is reported within the “Other sources”. The W boson background component is small in ℓbb SRs, and its uncertainty is constrained by the CRs with a similar composition.

For the one lepton and two photons channel, the background uncertainties are dominated by the data statistics in the $m_{\gamma\gamma}$ sidebands. The only source of systematic uncertainty on the non-Higgs background estimate is the choice of $m_{\gamma\gamma}$ model. The systematic uncertainties on the Higgs background estimates are dominated by the theoretical uncertainties on the Wh , Zh , and $t\bar{t}h$ production cross sections and the photon reconstruction. The main theoretical uncertainties are those on the QCD scales and the parton distribution functions [55]. The effect of scale uncertainties on the modelling of Higgs boson production is evaluated by reweighting the simulated Higgs boson p_T distribution to account for doubling and halving the scales. The experimental systematic uncertainty from photon reconstruction is determined with the tag-and-probe method using radiative Z decays [91].

For the same-sign dilepton channel, the two main sources of systematic uncertainty are related to the non-prompt lepton estimate, and to the modelling of the WZ background. The uncertainty on the non-prompt estimate originates mainly from the limited accuracy of the efficiency correction factors, and on the production rate of non-prompt leptons, in particular their η depen-

dence. The uncertainty on the WZ background modelling is determined using a same-sign, WZ -enriched sample used to validate the SHERPA prediction. This validation sample is selected by requiring three leptons, two of which must have same flavour, opposite sign, $|m_{\ell\ell} - m_Z| < 10$ GeV, and then considering only the highest- p_T same-sign pair. None of the other requirements from Table 7 are applied, except for the lepton p_T and n_{jet} selections.

9 Results and interpretations

The event yields observed in data are consistent with the Standard Model expectations within uncertainties in all signal regions. The results are used to set exclusion limits with the frequentist hypothesis test based on the profile log-likelihood-ratio test statistic and approximated with asymptotic formulae [92].

Table 10 From left to right, observed 95% CL upper limits ($(\langle\sigma_{\text{vis}}\rangle_{\text{obs}}^{95})$) on the visible cross sections, the observed (S_{obs}^{95}) and expected (S_{exp}^{95}) 95% CL upper limits on the number of signal events with $\pm 1\sigma$ excursions of the expectation, the observed confidence level of the background-only hypothesis (CL_B), and the discovery p -value (p_0), truncated at 0.5.

	$\langle\sigma_{\text{vis}}\rangle_{\text{obs}}^{95} [\text{fb}]$	S_{obs}^{95}	S_{exp}^{95}	CL_B	p_0
SR ℓbb -1	0.26	5.3	$6.3^{+3.4}_{-2.0}$	0.28	0.50
SR ℓbb -2	0.27	5.5	$5.1^{+2.6}_{-1.4}$	0.56	0.43
SR $\ell\gamma\gamma$ -1	0.18	3.6	$4.1^{+2.0}_{-0.7}$	0.25	0.50
SR $\ell\gamma\gamma$ -2	0.34	7.0	$5.9^{+2.0}_{-1.2}$	0.75	0.19
SR $\ell\ell$ -1	0.51	10.4	$10.9^{+3.8}_{-3.1}$	0.51	0.50
SR $\ell\ell$ -2	0.51	10.3	$8.1^{+3.3}_{-1.5}$	0.72	0.32




Fig. 7 Observed (solid line) and expected (dashed line) 95% CL upper limits on the cross section normalised by the simplified model prediction as a function of the common mass $m_{\tilde{\chi}_1^\pm \tilde{\chi}_2^0}$ for $m_{\tilde{\chi}_1^0} = 0$ GeV. The combination in (d) is obtained using the result from the ATLAS three-lepton search [21] in addition to the three channels reported in this paper. The dash-dotted lines around the observed limit represent the results obtained when changing the nominal signal cross section up or down by the $\pm 1\sigma_{\text{theory}}^{\text{SUSY}}$ theoretical uncertainty. The solid band around the expected limit represents the $\pm 1\sigma_{\text{exp}}$ uncertainty band where all uncertainties, except those on the signal cross sections, are considered.

Exclusion upper limits at the 95% confidence level (CL) on the number of beyond-the-SM (BSM) signal events, S , for each SR are derived using the CL_s prescription [93], assuming no signal yield in other signal and control regions. Normalising the upper limits on the number of signal events by the integrated luminosity of the data sample provides upper limits on the visible BSM cross section, $\sigma_{\text{vis}} = \sigma \times A \times \epsilon$, where σ is the production cross section for the BSM signal, A is the acceptance defined as the fraction of events passing the geometric and kinematic selections at particle level, and ϵ is the detector reconstruction, identification and trigger efficiency.

Table 10 summarises, for each SR, the observed 95% CL upper limits ($\langle \sigma_{\text{vis}} \rangle_{\text{obs}}^{95}$) on the visible cross section,

the observed (S_{obs}^{95}) and expected (S_{exp}^{95}) 95% CL upper limits on the number of signal events with $\pm 1\sigma$ excursions of the expectation, the observed confidence level (CL_B) of the background-only hypothesis, and the discovery p -value (p_0), truncated at 0.5.

The results are also used to set exclusion limits on the common mass of the $\tilde{\chi}_1^\pm$ and $\tilde{\chi}_2^0$ for various values of the $\tilde{\chi}_1^0$ mass in the simplified model of $pp \rightarrow \tilde{\chi}_1^\pm \tilde{\chi}_2^0$ followed by $\tilde{\chi}_1^\pm \rightarrow W^\pm \tilde{\chi}_1^0$ and $\tilde{\chi}_2^0 \rightarrow h \tilde{\chi}_1^0$. In this hypothesis test, all the CRs and SRs, including the data in the Higgs-mass windows of the ℓbb and $\ell \gamma\gamma$ channels, are fitted simultaneously, taking into account correlated experimental and theoretical systematic uncertainties as common nuisance parameters. The signal contamination in the CRs is accounted for in the fit, where a




Fig. 8 Observed (solid line) and expected (dashed line) 95% CL exclusion regions in the mass plane of $m_{\tilde{\chi}_1^0}$ vs. $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm}$ in the simplified model. The combination in (d) is obtained using the result from the ATLAS three-lepton search [21] in addition to the three channels reported in this paper. The dotted lines around the observed limit represent the results obtained when changing the nominal signal cross section up or down by the $\pm 1\sigma_{\text{theory}}^{\text{SUSY}}$ theoretical uncertainty. The solid band around the expected limit shows the $\pm 1\sigma_{\text{exp}}$ uncertainty band where all uncertainties, except those on the signal cross sections, are considered.

single non-negative normalisation parameter is used to describe the signal model in all channels.

Systematic uncertainties on the signal expectations stemming from detector effects are included in the fit in the same way as for the backgrounds. Theoretical systematic uncertainties on the signal cross section described in Sect. 3 are not included directly in the fit. In all resulting exclusions the dashed (black) and

solid (red) lines show the 95% CL expected and observed limits respectively, including all uncertainties except for the theoretical signal cross-section uncertainty. The (yellow) bands around the expected limit show the $\pm 1\sigma_{\text{exp}}$ expectations. The dotted $\pm 1\sigma_{\text{theory}}^{\text{SUSY}}$ (red) lines around the observed limit represent the results obtained when changing the nominal signal cross section up or

down by its theoretical uncertainty, and reported limits correspond to the -1σ variation.

Figure 7 shows the 95% CL upper limits on the signal cross section normalised by the simplified-model prediction as a function of $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm}$ for $m_{\tilde{\chi}_1^0} = 0$. The sensitivity of the individual one lepton and two b -jets, one lepton and two photons, and same-sign dilepton channels is illustrated in Figs. 7(a)–(c) respectively. The corresponding limit combining all channels and the ATLAS three-lepton search is shown in Fig. 7(d). For $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm} > 250$ GeV the same-sign dilepton channel is not considered. In Fig. 7(a), the expected exclusion region below $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm} = 140$ GeV is largely due to SR ℓbb -1, which targets models with small mass splitting between the neutralinos, while the expected exclusion region around $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm} = 240$ GeV is driven by SR ℓbb -2 designed for larger mass splittings. The upper limit shows slow variation with increasing $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm}$ as the acceptance of SR ℓbb -2 increases and compensates for the decrease of the production cross section. Figure 7(d) shows that in the $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm} < 170$ GeV range all channels show similar sensitivity, while for $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm} > 170$ GeV the one lepton and two b -jets channel is the dominant one. Nevertheless, the contribution from the other channels to the combination is important to extend the excluded range significantly compared to Fig. 7(a).

Figures 8(a)–(c) show the 95% CL exclusion regions in the $(m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm}, m_{\tilde{\chi}_1^0})$ mass plane of the simplified model obtained from the individual one lepton and two b -jets, one lepton and two photons, and same-sign dilepton signal regions, respectively. Figure 8(d) shows the corresponding exclusion region obtained by combining the three channels described in this paper with the ATLAS three-lepton search, which by itself excludes $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm}$ up to 160 GeV for $m_{\tilde{\chi}_1^0} = 0$ as seen in Fig. 8(d). The combination of these four independent searches improves the sensitivity significantly, and the 95% CL exclusion region for $m_{\tilde{\chi}_1^0} = 0$ is extended to 250 GeV. The wide uncertainty bands of the expected limits in Fig. 8 are due to the slow variation of the sensitivity with increasing $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm}$ and $m_{\tilde{\chi}_1^0}$, as can also be seen in Fig. 7. In a similar search by the CMS Collaboration [25], the observed limit on $m_{\tilde{\chi}_2^0, \tilde{\chi}_1^\pm}$ is 210 GeV for $m_{\tilde{\chi}_1^0} = 0$.

10 Conclusions

A search for the direct pair production of a chargino and a neutralino $pp \rightarrow \tilde{\chi}_1^\pm \tilde{\chi}_2^0$ followed by $\tilde{\chi}_1^\pm \rightarrow \tilde{\chi}_1^0(W^\pm \rightarrow \ell^\pm \nu)$ and $\tilde{\chi}_2^0 \rightarrow \tilde{\chi}_1^0(h \rightarrow bb/\gamma\gamma/\ell^\pm \nu qq)$ has been performed using 20.3 fb^{-1} of $\sqrt{s} = 8$ TeV proton–proton collision data delivered by the Large Hadron Collider and recorded with the ATLAS detector. Three final-

state signatures are considered: one lepton and two b -jets, one lepton and two photons, and two same-sign leptons, each associated with missing transverse momentum. Observations are consistent with the Standard Model expectations. Limits are set in a simplified model, combining these results with the three-lepton search presented in Ref. [21]. For the simplified model, common masses of $\tilde{\chi}_1^\pm$ and $\tilde{\chi}_2^0$ are excluded up to 250 GeV for a massless $\tilde{\chi}_1^0$.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; RGC, Hong Kong SAR, China; ISF, MINERVA, GIF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

1. H. Miyazawa, *Prog. Theor. Phys.* **36** (6) (1966) 1266.

2. P. Ramond, *Phys. Rev. D* **3** (1971) 2415.
3. Y. A. Gol'fand and E. P. Likhtman, *JETP Lett.* **13** (1971) 323.
4. A. Neveu and J. H. Schwarz, *Nucl. Phys. B* **31** (1971) 86.
5. A. Neveu and J. H. Schwarz, *Phys. Rev. D* **4** (1971) 1109.
6. J. Gervais and B. Sakita, *Nucl. Phys. B* **34** (1971) 632.
7. D. V. Volkov and V. P. Akulov, *Phys. Lett. B* **46** (1973) 109.
8. J. Wess and B. Zumino, *Phys. Lett. B* **49** (1974) 52.
9. J. Wess and B. Zumino, *Nucl. Phys. B* **70** (1974) 39.
10. P. Fayet, *Phys. Lett. B* **64** (1976) 159.
11. P. Fayet, *Phys. Lett. B* **69** (1977) 489.
12. G. R. Farrar and P. Fayet, *Phys. Lett. B* **76** (1978) 575.
13. P. Fayet, *Phys. Lett. B* **84** (1979) 416.
14. S. Dimopoulos and H. Georgi, *Nucl. Phys. B* **193** (1981) 150.
15. R. Barbieri and G. Giudice, *Nucl. Phys. B* **306** (1988) 63.
16. B. de Carlos and J. A. Casas, *Phys. Lett. B* **309** (1993) 320, [hep-ph/9303291](#).
17. L. Evans and P. Bryant, *JINST* **3** (2008) S08001.
18. J. Alwall et al., *Phys. Rev. D* **79** (2009) 075020, [arXiv:0810.3921 \[hep-ph\]](#).
19. N. Arkani-Hamed et al., [arXiv:hep-ph/0703088](#).
20. ATLAS Collaboration, *Phys. Rev. D* **90** (2014) 052004, [arXiv:1406.3827 \[hep-ex\]](#).
21. ATLAS Collaboration, *J. High Energy Phys.* **04** (2014) 169, [arXiv:1402.7029 \[hep-ex\]](#).
22. ATLAS Collaboration, *J. High Energy Phys.* **05** (2014) 071, [arXiv:1403.5294 \[hep-ex\]](#).
23. ATLAS Collaboration, *J. High Energy Phys.* **10** (2014) 96, [arXiv:1407.0350 \[hep-ex\]](#).
24. CMS Collaboration, *Eur. Phys. J. C* **74** (2014) 3036, [arXiv:1405.7570 \[hep-ex\]](#).
25. CMS Collaboration, *Phys. Rev. D* **90** (2014) 092007, [arXiv:1409.3168 \[hep-ex\]](#).
26. D0 Collaboration, V. Abazov, et al., *Phys. Lett. B* **680** (2009) 34, [arXiv:0901.0646 \[hep-ex\]](#).
27. CDF Collaboration, T. Aaltonen, et al., *Phys. Rev. Lett.* **101** (2008) 251801, [arXiv:0808.2446 \[hep-ex\]](#).
28. LEPSUSYWG, ALEPH, DELPHI, L3 and OPAL experiments, LEPSUSYWG/01-03.1. <http://lepsusy.web.cern.ch/lepsusy/Welcome.html>.
29. ALEPH Collaboration, S. Schael, et al., *Phys. Lett. B* **583** (2004) 247.
30. DELPHI Collaboration, J. Abdallah, et al., *Eur. Phys. J. C* **31** (2003) 421, [arXiv:hep-ex/0311019 \[hep-ex\]](#).
31. L3 Collaboration, M. Acciarri, et al., *Phys. Lett. B* **472** (2000) 420, [hep-ex/9910007](#).
32. OPAL Collaboration, G. Abbiendi, et al., *Eur. Phys. J. C* **35** (2004) 1, [hep-ex/0401026](#).
33. ATLAS Collaboration, *JINST* **3** (2008) S08003.
34. B. P. Kersevan and E. Richter-Was, *Comput. Phys. Commun.* **184** (2013) 919. Version 38.
35. T. Sjöstrand, S. Mrenna, and P. Z. Skands, *J. High Energy Phys.* **05** (2006) 026, [arXiv:hep-ph/0603175](#). Version 6.426.
36. N. Kidonakis, *Phys. Rev. D* **83** (2011) 091503, [arXiv:1103.2792 \[hep-ph\]](#).
37. ATLAS Collaboration, ATL-PHYS-PUB-2011-009 (2011). <http://cdsweb.cern.ch/record/1363300>.
38. J. Pumplin et al., *J. High Energy Phys.* **07** (2002) 012, [hep-ph/0201195](#).
39. P. Nason, *J. High Energy Phys.* **11** (2004) 040, [hep-ph/0409146](#). Version r1556.
40. S. Frixione, P. Nason, and C. Oleari, *J. High Energy Phys.* **11** (2007) 070, [arXiv:0709.2092 \[hep-ph\]](#).
41. N. Kidonakis, *Phys. Rev. D* **81** (2010) 054028, [arXiv:1001.5034 \[hep-ph\]](#).
42. P. Z. Skands, *Phys. Rev. D* **82** (2010) 074018, [arXiv:1005.3457 \[hep-ph\]](#).
43. H.-L. Lai et al., *Phys. Rev. D* **82** (2010) 074024, [arXiv:1007.2241 \[hep-ph\]](#).
44. N. Kidonakis, *Phys. Rev. D* **82** (2010) 054018, [arXiv:1005.4451 \[hep-ph\]](#).
45. M. Cacciari et al., *Phys. Lett. B* **710** (2012) 612, [arXiv:1111.5869 \[hep-ph\]](#).
46. P. Baernreuther, M. Czakon, and A. Mitov, *Phys. Rev. Lett.* **109** (2012) 132001, [arXiv:1204.5201 \[hep-ph\]](#).
47. M. Czakon and A. Mitov, *J. High Energy Phys.* **12** (2012) 054, [arXiv:1207.0236 \[hep-ph\]](#).
48. M. Czakon and A. Mitov, *J. High Energy Phys.* **01** (2013) 080, [arXiv:1210.6832 \[hep-ph\]](#).
49. M. Czakon, P. Fiedler, and A. Mitov, *Phys. Rev. Lett.* **110** (2013) 252004, [arXiv:1303.6254 \[hep-ph\]](#).
50. M. Czakon and A. Mitov, *Comput. Phys. Commun.* **185** (2014) 2930, [arXiv:1112.5675 \[hep-ph\]](#).
51. J. Alwall et al., *J. High Energy Phys.* **09** (2007) 028, [arXiv:0706.2334 \[hep-ph\]](#). Version 1.5.2.
52. T. Gleisberg et al., *J. High Energy Phys.* **02** (2009) 007, [arXiv:0811.4622 \[hep-ph\]](#). Version 1.4.1.
53. M. L. Mangano et al., *J. High Energy Phys.* **07** (2003) 001, [hep-ph/0206293](#). Version 2.14.
54. T. Sjöstrand, S. Mrenna, and P. Z. Skands, *Comput. Phys. Commun.* **178** (2008) 852, [arXiv:0710.3820 \[hep-ph\]](#). Version 8.160.
55. LHC Higgs Cross Section Working Group, S. Heinemeyer, et al., [arXiv:1307.1347 \[hep-ph\]](#).
56. ATLAS Collaboration, ATL-PHYS-PUB-2012-003 (2012). <http://cdsweb.cern.ch/record/1474107>.
57. M. Bahr et al., *Eur. Phys. J. C* **58** (2008) 639, [arXiv:0803.0883 \[hep-ph\]](#).
58. W. Beenakker et al., *Nucl. Phys. B* **492** (1997) 51, [hep-ph/9610490](#).
59. B. Fuks et al., *J. High Energy Phys.* **10** (2012) 081, [arXiv:1207.2159 \[hep-ph\]](#).
60. B. Fuks et al., *Eur. Phys. J. C* **73** (2013) 2480, [arXiv:1304.0790 \[hep-ph\]](#).
61. M. Krämer et al., [arXiv:1206.2892 \[hep-ph\]](#).
62. GEANT4 Collaboration, S. Agostinelli, et al., *Nucl. Instrum. Meth. A* **506** (2003) 250.
63. ATLAS Collaboration, *Eur. Phys. J. C* **70** (2010) 823, [arXiv:1005.4568 \[physics.ins-det\]](#).
64. ATLAS Collaboration, ATL-PHYS-PUB-2010-013 (2010). <http://cdsweb.cern.ch/record/1300517>.
65. ATLAS Collaboration, *Eur. Phys. J. C* **73** (2013) 2518, [arXiv:1302.4393 \[hep-ex\]](#).
66. ATLAS Collaboration, *Eur. Phys. J. C* **74** (2014) 2941, [arXiv:1404.2240 \[hep-ex\]](#).
67. ATLAS Collaboration, *Eur. Phys. J. C* **74** (2014) 3130, [arXiv:1407.3935 \[hep-ex\]](#).
68. ATLAS Collaboration, *Eur. Phys. J. C* **74** (2014) 3071, [arXiv:1407.5063 \[hep-ex\]](#).
69. M. Cacciari, G. P. Salam, and G. Soyez, *J. High Energy Phys.* **04** (2008) 063, [arXiv:0802.1189 \[hep-ph\]](#).
70. W. Lampl et al., ATL-LARG-PUB-2008-002. <http://cdsweb.cern.ch/record/1099735>.
71. ATLAS Collaboration, *Eur. Phys. J. C* **73** (2013) 2304, [arXiv:1112.6426 \[hep-ex\]](#).
72. ATLAS Collaboration, *Eur. Phys. J. C* **75** (2015) 17, [arXiv:1406.0076 \[hep-ex\]](#).

-
- 73. ATLAS Collaboration, ATLAS-CONF-2013-083.
<http://cdsweb.cern.ch/record/1570994>.
 - 74. ATLAS Collaboration, ATLAS-CONF-2011-102.
<http://cdsweb.cern.ch/record/1369219>.
 - 75. ATLAS Collaboration, submitted to Eur. Phys. J. C **74** (2015), [arXiv:1412.7086 \[hep-ex\]](arXiv:1412.7086 [hep-ex]).
 - 76. ATLAS Collaboration, Eur. Phys. J. C **72** (2012) 1844,
[arXiv:1108.5602 \[hep-ex\]](arXiv:1108.5602 [hep-ex]).
 - 77. ATLAS Collaboration, ATLAS-CONF-2013-082.
<http://cdsweb.cern.ch/record/1570993>.
 - 78. D. R. Tovey, J. High Energy Phys. **04** (2008) 034,
[arXiv:0802.2879 \[hep-ph\]](arXiv:0802.2879 [hep-ph]).
 - 79. G. Polesello and D. R. Tovey, J. High Energy Phys. **03** (2010) 030, [arXiv:0910.0174 \[hep-ph\]](arXiv:0910.0174 [hep-ph]).
 - 80. M. Baak et al., [arXiv:1410.1280 \[hep-ex\]](arXiv:1410.1280 [hep-ex]).
 - 81. ATLAS Collaboration, Phys. Lett. B **726** (2013) 88,
[arXiv:1307.1427 \[hep-ex\]](arXiv:1307.1427 [hep-ex]).
 - 82. ATLAS Collaboration, Phys. Rev. D **87** (2013) 052002,
[arXiv:1211.6312 \[hep-ex\]](arXiv:1211.6312 [hep-ex]).
 - 83. M. Oreglia, SLAC-R-0236 (1980).
 - 84. ATLAS Collaboration, J. High Energy Phys. **06** (2014) 035, [arXiv:1404.2500 \[hep-ex\]](arXiv:1404.2500 [hep-ex]).
 - 85. S. Frixione and B. R. Webber, J. High Energy Phys. **06** (2002) 029, <arXiv:hep-ph/0204244>.
 - 86. S. Frixione et al., J. High Energy Phys. **03** (2006) 092,
<arXiv:hep-ph/0512250>. Version 4.06.
 - 87. G. Marchesini, B. Webber, G. Abbiendi, I. Knowles, M. Seymour, and L. Stanco, Comput. Phys. Commun. **67** (1992) 465.
 - 88. G. Corcella, I. Knowles, G. Marchesini, S. Moretti, K. Odagiri, P. Richardson, M. Seymour, and B. Webber, J. High Energy Phys. **01** (2001) 010, <hep-ph/0011363>.
 - 89. ATLAS Collaboration, Eur. Phys. J. C **73** (2013) 2306, [arXiv:1210.6210 \[hep-ex\]](arXiv:1210.6210 [hep-ex]).
 - 90. ATLAS Collaboration, ATLAS-CONF-2014-004.
<http://cdsweb.cern.ch/record/1664335>.
 - 91. ATLAS Collaboration, ATLAS-CONF-2012-123.
<http://cdsweb.cern.ch/record/1473426>.
 - 92. G. Cowan et al., Eur. Phys. J. C **71** (2011) 1554,
[arXiv:1007.1727 \[physics.data-an\]](arXiv:1007.1727 [physics.data-an]).
 - 93. A. L. Read, J. Phys. G **28** (2002) 2693.

The ATLAS Collaboration

G. Aad⁸⁵, B. Abbott¹¹³, J. Abdallah¹⁵², S. Abdel Khalek¹¹⁷, O. Abdinov¹¹, R. Aben¹⁰⁷, B. Abi¹¹⁴, M. Abolins⁹⁰, O.S. AbouZeid¹⁵⁹, H. Abramowicz¹⁵⁴, H. Abreu¹⁵³, R. Abreu³⁰, Y. Abulaiti^{147a,147b}, B.S. Acharya^{165a,165b,a}, L. Adamczyk^{38a}, D.L. Adams²⁵, J. Adelman¹⁰⁸, S. Adomeit¹⁰⁰, T. Adye¹³¹, T. Agatonovic-Jovin¹³, J.A. Aguilar-Saavedra^{126a,126f}, M. Agustoni¹⁷, S.P. Ahlen²², F. Ahmadov^{65,b}, G. Aielli^{134a,134b}, H. Akerstedt^{147a,147b}, T.P.A. Åkesson⁸¹, G. Akimoto¹⁵⁶, A.V. Akimov⁹⁶, G.L. Alberghi^{20a,20b}, J. Albert¹⁷⁰, S. Albrand⁵⁵, M.J. Alconada Verzini⁷¹, M. Aleksi³⁰, I.N. Aleksandrov⁶⁵, C. Alexa^{26a}, G. Alexander¹⁵⁴, G. Alexandre⁴⁹, T. Alexopoulos¹⁰, M. Alhroob¹¹³, G. Alimonti^{91a}, L. Alio⁸⁵, J. Alison³¹, B.M.M. Allbrooke¹⁸, L.J. Allison⁷², P.P. Allport⁷⁴, A. Aloisio^{104a,104b}, A. Alonso³⁶, F. Alonso⁷¹, C. Alpigiani⁷⁶, A. Altheimer³⁵, B. Alvarez Gonzalez⁹⁰, M.G. Alviggi^{104a,104b}, K. Amako⁶⁶, Y. Amaral Coutinho^{24a}, C. Amelung²³, D. Amidei⁸⁹, S.P. Amor Dos Santos^{126a,126c}, A. Amorim^{126a,126b}, S. Amoroso⁴⁸, N. Amram¹⁵⁴, G. Amundsen²³, C. Anastopoulos¹⁴⁰, L.S. Ancu⁴⁹, N. Andari³⁰, T. Andeen³⁵, C.F. Anders^{58b}, G. Anders³⁰, K.J. Anderson³¹, A. Andreazza^{91a,91b}, V. Andrei^{58a}, X.S. Anduaga⁷¹, S. Angelidakis⁹, I. Angelozzi¹⁰⁷, P. Anger⁴⁴, A. Angerami³⁵, F. Anghinolfi³⁰, A.V. Anisenkov^{109,c}, N. Anjos¹², A. Annovi^{124a,124b}, M. Antonelli⁴⁷, A. Antonov⁹⁸, J. Antos^{145b}, F. Anulli^{133a}, M. Aoki⁶⁶, L. Aperio Bella¹⁸, G. Arabidze⁹⁰, Y. Arai⁶⁶, J.P. Araque^{126a}, A.T.H. Arce⁴⁵, F.A. Arduh⁷¹, J-F. Arguin⁹⁵, S. Argyropoulos⁴², M. Arik^{19a}, A.J. Armbruster³⁰, O. Arnaez³⁰, V. Arnal⁸², H. Arnold⁴⁸, M. Arratia²⁸, O. Arslan²¹, A. Artamonov⁹⁷, G. Artoni²³, S. Asai¹⁵⁶, N. Asbah⁴², A. Ashkenazi¹⁵⁴, B. Åsman^{147a,147b}, L. Asquith¹⁵⁰, K. Assamagan²⁵, R. Astalos^{145a}, M. Atkinson¹⁶⁶, N.B. Atlay¹⁴², B. Auerbach⁶, K. Augsten¹²⁸, M. Aurousseau^{146b}, G. Avolio³⁰, B. Axen¹⁵, M.K. Ayoub¹¹⁷, G. Azuelos^{95,d}, M.A. Baak³⁰, A.E. Baas^{58a}, C. Bacci^{135a,135b}, H. Bachacou¹³⁷, K. Bachas¹⁵⁵, M. Backes³⁰, M. Backhaus³⁰, P. Bagiacchi^{133a,133b}, P. Bagnaia^{133a,133b}, Y. Bai^{33a}, T. Bain³⁵, J.T. Baines¹³¹, O.K. Baker¹⁷⁷, P. Balek¹²⁹, T. Balestri¹⁴⁹, F. Balli⁸⁴, E. Banas³⁹, Sw. Banerjee¹⁷⁴, A.A.E. Bannoura¹⁷⁶, H.S. Bansil¹⁸, L. Barak¹⁷³, S.P. Baranov⁹⁶, E.L. Barberio⁸⁸, D. Barberis^{50a,50b}, M. Barbero⁸⁵, T. Barillari¹⁰¹, M. Barisonzi^{165a,165b}, T. Barklow¹⁴⁴, N. Barlow²⁸, S.L. Barnes⁸⁴, B.M. Barnett¹³¹, R.M. Barnett¹⁵, Z. Barnovska⁵, A. Baroncelli^{135a}, G. Barone⁴⁹, A.J. Barr¹²⁰, F. Barreiro⁸², J. Barreiro Guimarães da Costa⁵⁷, R. Bartoldus¹⁴⁴, A.E. Barton⁷², P. Bartos^{145a}, A. Bassalat¹¹⁷, A. Basye¹⁶⁶, R.L. Bates⁵³, S.J. Batista¹⁵⁹, J.R. Batley²⁸, M. Battaglia¹³⁸, M. Bauce^{133a,133b}, F. Bauer¹³⁷, H.S. Bawa^{144,e}, J.B. Beacham¹¹¹, M.D. Beattie⁷², T. Beau⁸⁰, P.H. Beauchemin¹⁶², R. Beccherle^{124a,124b}, P. Bechtle²¹, H.P. Beck^{17,f}, K. Becker¹²⁰, S. Becker¹⁰⁰, M. Beckingham¹⁷¹, C. Becot¹¹⁷, A.J. Beddall^{19c}, A. Beddall^{19c}, V.A. Bednyakov⁶⁵, C.P. Bee¹⁴⁹, L.J. Beemster¹⁰⁷, T.A. Beermann¹⁷⁶, M. Begel²⁵, K. Behr¹²⁰, C. Belanger-Champagne⁸⁷, P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵⁴, L. Bellagamba^{20a}, A. Bellerive²⁹, M. Bellomo⁸⁶, K. Belotskiy⁹⁸, O. Beltramello³⁰, O. Benary¹⁵⁴, D. Benchekroun^{136a}, M. Bender¹⁰⁰, K. Bendtz^{147a,147b}, N. Benekos¹⁰, Y. Benhammou¹⁵⁴, E. Benhar Noccioli⁴⁹, J.A. Benitez Garcia^{160b}, D.P. Benjamin⁴⁵, J.R. Bensinger²³, S. Bentvelsen¹⁰⁷, L. Beresford¹²⁰, M. Beretta⁴⁷, D. Berge¹⁰⁷, E. Bergeaas Kuutmann¹⁶⁷, N. Berger⁵, F. Berghaus¹⁷⁰, J. Beringer¹⁵, C. Bernard²², N.R. Bernard⁸⁶, C. Bernius¹¹⁰, F.U. Bernlochner²¹, T. Berry⁷⁷, P. Berta¹²⁹, C. Bertella⁸³, G. Bertoli^{147a,147b}, F. Bertolucci^{124a,124b}, C. Bertsche¹¹³, D. Bertsche¹¹³, M.I. Besana^{91a}, G.J. Besjes¹⁰⁶, O. Bessidskaia Bylund^{147a,147b}, M. Bessner⁴², N. Besson¹³⁷, C. Betancourt⁴⁸, S. Bethke¹⁰¹, A.J. Bevan⁷⁶, W. Bhimji⁴⁶, R.M. Bianchi¹²⁵, L. Bianchini²³, M. Bianco³⁰, O. Biebel¹⁰⁰, S.P. Bieniek⁷⁸, M. Biglietti^{135a}, J. Bilbao De Mendizabal⁴⁹, H. Bilokon⁴⁷, M. Bindi⁵⁴, S. Binet¹¹⁷, A. Bingul^{19c}, C. Bini^{133a,133b}, C.W. Black¹⁵¹, J.E. Black¹⁴⁴, K.M. Black²², D. Blackburn¹³⁹, R.E. Blair⁶, J.-B. Blanchard¹³⁷, J.E. Blanco⁷⁷, T. Blazek^{145a}, I. Bloch⁴², C. Blocker²³, W. Blum^{83,*}, U. Blumenschein⁵⁴, G.J. Bobbink¹⁰⁷, V.S. Bobrovnikov^{109,c}, S.S. Bocchetta⁸¹, A. Bocci⁴⁵, C. Bock¹⁰⁰, C.R. Boddy¹²⁰, M. Boehler⁴⁸, J.A. Bogaerts³⁰, A.G. Bogdanchikov¹⁰⁹, C. Bohm^{147a}, V. Boisvert⁷⁷, T. Bold^{38a}, V. Boldea^{26a}, A.S. Boldyrev⁹⁹, M. Bomben⁸⁰, M. Bona⁷⁶, M. Boonekamp¹³⁷, A. Borisov¹³⁰, G. Borissov⁷², S. Borroni⁴², J. Bortfeldt¹⁰⁰, V. Bortolotto^{60a}, K. Bos¹⁰⁷, D. Boscherini^{20a}, M. Bosman¹², J. Boudreau¹²⁵, J. Bouffard², E.V. Bouhova-Thacker⁷², D. Boumediene³⁴, C. Bourdarios¹¹⁷, N. Bousson¹¹⁴, S. Boutouil^{136d}, A. Boveia³⁰, J. Boyd³⁰, I.R. Boyko⁶⁵, I. Bozic¹³, J. Bracinik¹⁸, A. Brandt⁸, G. Brandt¹⁵, O. Brandt^{58a}, U. Bratzler¹⁵⁷, B. Brau⁸⁶, J.E. Brau¹¹⁶, H.M. Braun^{176,*}, S.F. Brazzale^{165a,165c}, K. Brendlinger¹²², A.J. Brennan⁸⁸, L. Brenner¹⁰⁷, R. Brenner¹⁶⁷, S. Bressler¹⁷³, K. Bristow^{146c}, T.M. Bristow⁴⁶, D. Britton⁵³, F.M. Brochu²⁸, I. Brock²¹, R. Brock⁹⁰, J. Bronner¹⁰¹, G. Brooijmans³⁵, T. Brooks⁷⁷, W.K. Brooks^{32b}, J. Brosamer¹⁵, E. Brost¹¹⁶, J. Brown⁵⁵, P.A. Bruckman de Renstrom³⁹, D. Bruncko^{145b}, R. Bruneliere⁴⁸, A. Bruni^{20a}, G. Bruni^{20a}, M. Bruschi^{20a}, L. Bryngemark⁸¹, T. Buanes¹⁴, Q. Buat¹⁴³, F. Bucci⁴⁹, P. Buchholz¹⁴², A.G. Buckley⁵³, S.I. Buda^{26a},

I.A. Budagov⁶⁵, F. Buehrer⁴⁸, L. Bugge¹¹⁹, M.K. Bugge¹¹⁹, O. Bulekov⁹⁸, H. Burckhart³⁰, S. Burdin⁷⁴, B. Burghgrave¹⁰⁸, S. Burke¹³¹, I. Burmeister⁴³, E. Busato³⁴, D. Büscher⁴⁸, V. Büscher⁸³, P. Bussey⁵³, C.P. Buszello¹⁶⁷, J.M. Butler²², A.I. Butt³, C.M. Buttar⁵³, J.M. Butterworth⁷⁸, P. Butti¹⁰⁷, W. Buttinger²⁵, A. Buzatu⁵³, S. Cabrera Urbán¹⁶⁸, D. Caforio¹²⁸, O. Cakir^{4a}, P. Calafiura¹⁵, A. Calandri¹³⁷, G. Calderini⁸⁰, P. Calfayan¹⁰⁰, L.P. Caloba^{24a}, D. Calvet³⁴, S. Calvet³⁴, R. Camacho Toro⁴⁹, S. Camarda⁴², D. Cameron¹¹⁹, L.M. Caminada¹⁵, R. Caminal Armadans¹², S. Campana³⁰, M. Campanelli⁷⁸, A. Campoverde¹⁴⁹, V. Canale^{104a,104b}, A. Canepa^{160a}, M. Cano Bret⁷⁶, J. Cantero⁸², R. Cantrill^{126a}, T. Cao⁴⁰, M.D.M. Capeans Garrido³⁰, I. Caprini^{26a}, M. Caprini^{26a}, M. Capua^{37a,37b}, R. Caputo⁸³, R. Cardarelli^{134a}, T. Carli³⁰, G. Carlino^{104a}, L. Carminati^{91a,91b}, S. Caron¹⁰⁶, E. Carquin^{32a}, G.D. Carrillo-Montoya^{146c}, J.R. Carter²⁸, J. Carvalho^{126a,126c}, D. Casadei⁷⁸, M.P. Casado¹², M. Casolino¹², E. Castaneda-Miranda^{146b}, A. Castelli¹⁰⁷, V. Castillo Gimenez¹⁶⁸, N.F. Castro^{126a}, P. Catastini⁵⁷, A. Catinaccio³⁰, J.R. Catmore¹¹⁹, A. Cattai³⁰, G. Cattani^{134a,134b}, J. Caudron⁸³, V. Cavaliere¹⁶⁶, D. Cavalli^{91a}, M. Cavalli-Sforza¹², V. Cavasinni^{124a,124b}, F. Ceradini^{135a,135b}, B.C. Cerio⁴⁵, K. Cerny¹²⁹, A.S. Cerqueira^{24b}, A. Cerri¹⁵⁰, L. Cerrito⁷⁶, F. Cerutti¹⁵, M. Cerv³⁰, A. Cervelli¹⁷, S.A. Cetin^{19b}, A. Chafaq^{136a}, D. Chakraborty¹⁰⁸, I. Chalupkova¹²⁹, P. Chang¹⁶⁶, B. Chapleau⁸⁷, J.D. Chapman²⁸, D. Charfeddine¹¹⁷, D.G. Charlton¹⁸, C.C. Chau¹⁵⁹, C.A. Chavez Barajas¹⁵⁰, S. Cheatham¹⁵³, A. Chegwidden⁹⁰, S. Chekanov⁶, S.V. Chekulaev^{160a}, G.A. Chelkov^{65,g}, M.A. Chelstowska⁸⁹, C. Chen⁶⁴, H. Chen²⁵, K. Chen¹⁴⁹, L. Chen^{33d,h}, S. Chen^{33c}, X. Chen^{33f}, Y. Chen⁶⁷, H.C. Cheng⁸⁹, Y. Cheng³¹, A. Cheplakov⁶⁵, E. Cheremushkina¹³⁰, R. Cherkaoui El Moursh^{136e}, V. Chernyatin^{25,*}, E. Cheu⁷, L. Chevalier¹³⁷, V. Chiarella⁴⁷, J.T. Childers⁶, A. Chilingarov⁷², G. Chiodini^{73a}, A.S. Chisholm¹⁸, R.T. Chislett⁷⁸, A. Chitan^{26a}, M.V. Chizhov⁶⁵, S. Chouridou⁹, B.K.B. Chow¹⁰⁰, D. Chromek-Burckhart³⁰, M.L. Chu¹⁵², J. Chudoba¹²⁷, J.J. Chwastowski³⁹, L. Chytka¹¹⁵, G. Ciapetti^{133a,133b}, A.K. Ciftci^{4a}, D. Cinca⁵³, V. Cindro⁷⁵, A. Ciocio¹⁵, Z.H. Citron¹⁷³, M. Citterio^{91a}, M. Ciubancan^{26a}, A. Clark⁴⁹, P.J. Clark⁴⁶, R.N. Clarke¹⁵, W. Cleland¹²⁵, C. Clement^{147a,147b}, Y. Coadou⁸⁵, M. Cobal^{165a,165c}, A. Coccaro¹³⁹, J. Cochran⁶⁴, L. Coffey²³, J.G. Cogan¹⁴⁴, B. Cole³⁵, S. Cole¹⁰⁸, A.P. Colijn¹⁰⁷, J. Collot⁵⁵, T. Colombo^{58c}, G. Compostella¹⁰¹, P. Conde Muñoz^{126a,126b}, E. Coniavitis⁴⁸, S.H. Connell^{146b}, I.A. Connelly⁷⁷, S.M. Consonni^{91a,91b}, V. Consorti⁴⁸, S. Constantinescu^{26a}, C. Conta^{121a,121b}, G. Conti³⁰, F. Conventi^{104a,i}, M. Cooke¹⁵, B.D. Cooper⁷⁸, A.M. Cooper-Sarkar¹²⁰, K. Copic¹⁵, T. Cornelissen¹⁷⁶, M. Corradi^{20a}, F. Corriveau^{87,j}, A. Corso-Radu¹⁶⁴, A. Cortes-Gonzalez¹², G. Cortiana¹⁰¹, M.J. Costa¹⁶⁸, D. Costanzo¹⁴⁰, D. Côté⁸, G. Cottin²⁸, G. Cowan⁷⁷, B.E. Cox⁸⁴, K. Cranmer¹¹⁰, G. Cree²⁹, S. Crépé-Renaudin⁵⁵, F. Crescioli⁸⁰, W.A. Cribbs^{147a,147b}, M. Crispin Ortuzar¹²⁰, M. Cristinziani²¹, V. Croft¹⁰⁶, G. Crosetti^{37a,37b}, T. Cuhadar Donszelmann¹⁴⁰, J. Cummings¹⁷⁷, M. Curatolo⁴⁷, C. Cuthbert¹⁵¹, H. Czirr¹⁴², P. Czodrowski³, S. D'Auria⁵³, M. D'Onofrio⁷⁴, M.J. Da Cunha Sargedas De Sousa^{126a,126b}, C. Da Via⁸⁴, W. Dabrowski^{38a}, A. Dafinca¹²⁰, T. Dai⁸⁹, O. Dale¹⁴, F. Dallaire⁹⁵, C. Dallapiccola⁸⁶, M. Dam³⁶, J.R. Dandoy³¹, A.C. Daniells¹⁸, M. Danninger¹⁶⁹, M. Dano Hoffmann¹³⁷, V. Dao⁴⁸, G. Darbo^{50a}, S. Darmora⁸, J. Dassoulas³, A. Dattagupta⁶¹, W. Davey²¹, C. David¹⁷⁰, T. Davidek¹²⁹, E. Davies^{120,k}, M. Davies¹⁵⁴, O. Davignon⁸⁰, P. Davison⁷⁸, Y. Davygora^{58a}, E. Dawe¹⁴³, I. Dawson¹⁴⁰, R.K. Daya-Ishmukhametova⁸⁶, K. De⁸, R. de Asmundis^{104a}, S. De Castro^{20a,20b}, S. De Cecco⁸⁰, N. De Groot¹⁰⁶, P. de Jong¹⁰⁷, H. De la Torre⁸², F. De Lorenzi⁶⁴, L. De Nooij¹⁰⁷, D. De Pedis^{133a}, A. De Salvo^{133a}, U. De Sanctis¹⁵⁰, A. De Santo¹⁵⁰, J.B. De Vivie De Regie¹¹⁷, W.J. Dearnaley⁷², R. Debbe²⁵, C. Debenedetti¹³⁸, D.V. Dedovich⁶⁵, I. Deigaard¹⁰⁷, J. Del Peso⁸², T. Del Prete^{124a,124b}, D. Delgove¹¹⁷, F. Deliot¹³⁷, C.M. Delitzsch⁴⁹, M. Deliyergiyev⁷⁵, A. Dell'Acqua³⁰, L. Dell'Asta²², M. Dell'Orso^{124a,124b}, M. Della Pietra^{104a,i}, D. della Volpe⁴⁹, M. Delmastro⁵, P.A. Delsart⁵⁵, C. Deluca¹⁰⁷, D.A. DeMarco¹⁵⁹, S. Demers¹⁷⁷, M. Demichev⁶⁵, A. Demilly⁸⁰, S.P. Denisov¹³⁰, D. Derendarz³⁹, J.E. Derkaoui^{136d}, F. Derue⁸⁰, P. Dervan⁷⁴, K. Desch²¹, C. Deterre⁴², P.O. Deviveiros³⁰, A. Dewhurst¹³¹, S. Dhaliwal¹⁰⁷, A. Di Ciaccio^{134a,134b}, L. Di Ciaccio⁵, A. Di Domenico^{133a,133b}, C. Di Donato^{104a,104b}, A. Di Girolamo³⁰, B. Di Girolamo³⁰, A. Di Mattia¹⁵³, B. Di Micco^{135a,135b}, R. Di Nardo⁴⁷, A. Di Simone⁴⁸, R. Di Sipio^{20a,20b}, D. Di Valentino²⁹, C. Diaconu⁸⁵, M. Diamond¹⁵⁹, F.A. Dias⁴⁶, M.A. Diaz^{32a}, E.B. Diehl⁸⁹, J. Dietrich¹⁶, T.A. Dietzsches^{58a}, S. Diglio⁸⁵, A. Dimitrieva¹³, J. Dingfelder²¹, F. Dittus³⁰, F. Djama⁸⁵, T. Djobava^{51b}, J.I. Djuvsland^{58a}, M.A.B. do Vale^{24c}, D. Dobos³⁰, M. Dobre^{26a}, C. Doglioni⁴⁹, T. Doherty⁵³, T. Dohmae¹⁵⁶, J. Dolejsi¹²⁹, Z. Dolezal¹²⁹, B.A. Dolgoshein^{98,*}, M. Donadelli^{24d}, S. Donati^{124a,124b}, P. Dondero^{121a,121b}, J. Donini³⁴, J. Dopke¹³¹, A. Doria^{104a}, M.T. Dova⁷¹, A.T. Doyle⁵³, M. Dris¹⁰, E. Dubreuil³⁴, E. Duchovni¹⁷³, G. Duckeck¹⁰⁰, O.A. Ducu^{26a}, D. Duda¹⁷⁶, A. Dudarev³⁰, L. Duflot¹¹⁷, L. Duguid⁷⁷, M. Dührssen³⁰, M. Dunford^{58a}, H. Duran Yildiz^{4a}, M. Düren⁵², A. Durglishvili^{51b}, D. Duschinger⁴⁴, M. Dwuznik^{38a}, M. Dyndal^{38a}, W. Edson², N.C. Edwards⁴⁶, W. Ehrenfeld²¹, T. Eifert³⁰, G. Eigen¹⁴,

- K. Einsweiler¹⁵, T. Ekelof¹⁶⁷, M. El Kacimi^{136c}, M. Ellert¹⁶⁷, S. Elles⁵, F. Ellinghaus⁸³, A.A. Elliot¹⁷⁰, N. Ellis³⁰, J. Elmsheuser¹⁰⁰, M. Elsing³⁰, D. Emeliyanov¹³¹, Y. Enari¹⁵⁶, O.C. Endner⁸³, M. Endo¹¹⁸, R. Engelmann¹⁴⁹, J. Erdmann⁴³, A. Ereditato¹⁷, D. Eriksson^{147a}, G. Ernis¹⁷⁶, J. Ernst², M. Ernst²⁵, S. Errede¹⁶⁶, E. Ertel⁸³, M. Escalier¹¹⁷, H. Esch⁴³, C. Escobar¹²⁵, B. Esposito⁴⁷, A.I. Etienvre¹³⁷, E. Etzion¹⁵⁴, H. Evans⁶¹, A. Ezhilov¹²³, L. Fabbri^{20a,20b}, G. Facini³¹, R.M. Fakhrutdinov¹³⁰, S. Falciano^{133a}, R.J. Falla⁷⁸, J. Faltova¹²⁹, Y. Fang^{33a}, M. Fanti^{91a,91b}, A. Farbin⁸, A. Farilla^{135a}, T. Farooque¹², S. Farrell¹⁵, S.M. Farrington¹⁷¹, P. Farthouat³⁰, F. Fassi^{136e}, P. Fassnacht³⁰, D. Fassouliotis⁹, A. Favareto^{50a,50b}, L. Fayard¹¹⁷, P. Federic^{145a}, O.L. Fedin^{123,l}, W. Fedorko¹⁶⁹, S. Feigl³⁰, L. Feligioni⁸⁵, C. Feng^{33d}, E.J. Feng⁶, H. Feng⁸⁹, A.B. Fenyuk¹³⁰, P. Fernandez Martinez¹⁶⁸, S. Fernandez Perez³⁰, S. Ferrag⁵³, J. Ferrando⁵³, A. Ferrari¹⁶⁷, P. Ferrari¹⁰⁷, R. Ferrari^{121a}, D.E. Ferreira de Lima⁵³, A. Ferrer¹⁶⁸, D. Ferrere⁴⁹, C. Ferretti⁸⁹, A. Ferretto Parodi^{50a,50b}, M. Fiascaris³¹, F. Fiedler⁸³, A. Filipčič⁷⁵, M. Filipuzzi⁴², F. Filthaut¹⁰⁶, M. Fincke-Keeler¹⁷⁰, K.D. Finelli¹⁵¹, M.C.N. Fiolhais^{126a,126c}, L. Fiorini¹⁶⁸, A. Firan⁴⁰, A. Fischer², J. Fischer¹⁷⁶, W.C. Fisher⁹⁰, E.A. Fitzgerald²³, M. Flechl⁴⁸, I. Fleck¹⁴², P. Fleischmann⁸⁹, S. Fleischmann¹⁷⁶, G.T. Fletcher¹⁴⁰, G. Fletcher⁷⁶, T. Flick¹⁷⁶, A. Floderus⁸¹, L.R. Flores Castillo^{60a}, M.J. Flowerdew¹⁰¹, A. Formica¹³⁷, A. Forti⁸⁴, D. Fournier¹¹⁷, H. Fox⁷², S. Fracchia¹², P. Francavilla⁸⁰, M. Franchini^{20a,20b}, D. Francis³⁰, L. Franconi¹¹⁹, M. Franklin⁵⁷, M. Fraternali^{121a,121b}, D. Freeborn⁷⁸, S.T. French²⁸, F. Friedrich⁴⁴, D. Froidevaux³⁰, J.A. Frost¹²⁰, C. Fukunaga¹⁵⁷, E. Fullana Torregrosa⁸³, B.G. Fulsom¹⁴⁴, J. Fuster¹⁶⁸, C. Gabaldon⁵⁵, O. Gabizon¹⁷⁶, A. Gabrielli^{20a,20b}, A. Gabrielli^{133a,133b}, S. Gadatsch¹⁰⁷, S. Gadomski⁴⁹, G. Gagliardi^{50a,50b}, P. Gagnon⁶¹, C. Galea¹⁰⁶, B. Galhardo^{126a,126c}, E.J. Gallas¹²⁰, B.J. Gallop¹³¹, P. Gallus¹²⁸, G. Galster³⁶, K.K. Gan¹¹¹, J. Gao^{33b,85}, Y.S. Gao^{144,e}, F.M. Garay Walls⁴⁶, F. Garberson¹⁷⁷, C. García¹⁶⁸, J.E. García Navarro¹⁶⁸, M. Garcia-Sciveres¹⁵, R.W. Gardner³¹, N. Garelli¹⁴⁴, V. Garonne³⁰, C. Gatti⁴⁷, G. Gaudio^{121a}, B. Gaur¹⁴², L. Gauthier⁹⁵, P. Gauzzi^{133a,133b}, I.L. Gavrilenko⁹⁶, C. Gay¹⁶⁹, G. Gaycken²¹, E.N. Gazis¹⁰, P. Ge^{33d}, Z. Gecse¹⁶⁹, C.N.P. Gee¹³¹, D.A.A. Geerts¹⁰⁷, Ch. Geich-Gimbel²¹, C. Gemme^{50a}, M.H. Genest⁵⁵, S. Gentile^{133a,133b}, M. George⁵⁴, S. George⁷⁷, D. Gerbaudo¹⁶⁴, A. Gershon¹⁵⁴, H. Ghazlane^{136b}, N. Ghodbane³⁴, B. Giacobbe^{20a}, S. Giagu^{133a,133b}, V. Giangiobbe¹², P. Giannetti^{124a,124b}, F. Gianotti³⁰, B. Gibbard²⁵, S.M. Gibson⁷⁷, M. Gignac¹⁶⁹, M. Gilchriese¹⁵, T.P.S. Gillam²⁸, D. Gillberg³⁰, G. Gilles³⁴, D.M. Gingrich^{3,d}, N. Giokaris⁹, M.P. Giordan^{165a,165c}, F.M. Giorgi^{20a}, F.M. Giorgi¹⁶, P.F. Giraud¹³⁷, D. Giugni^{91a}, C. Giuliani⁴⁸, M. Giulini^{58b}, B.K. Gjelsten¹¹⁹, S. Gkaitatzis¹⁵⁵, I. Gkialas¹⁵⁵, E.L. Gkougkousis¹¹⁷, L.K. Gladilin⁹⁹, C. Glasman⁸², J. Glatzer³⁰, P.C.F. Glaysher⁴⁶, A. Glazov⁴², M. Goblirsch-Kolb¹⁰¹, J.R. Goddard⁷⁶, J. Godlewski³⁹, S. Goldfarb⁸⁹, T. Golling⁴⁹, D. Golubkov¹³⁰, A. Gomes^{126a,126b,126d}, R. Gonçalo^{126a}, J. Goncalves Pinto Firmino Da Costa¹³⁷, L. Gonella²¹, S. González de la Hoz¹⁶⁸, G. Gonzalez Parra¹², S. Gonzalez-Sevilla⁴⁹, L. Goossens³⁰, P.A. Gorbounov⁹⁷, H.A. Gordon²⁵, I. Gorelov¹⁰⁵, B. Gorini³⁰, E. Gorini^{73a,73b}, A. Gorišek⁷⁵, E. Gornicki³⁹, A.T. Goshaw⁴⁵, C. Gössling⁴³, M.I. Gostkin⁶⁵, M. Gouighri^{136a}, D. Goujdami^{136c}, A.G. Goussiou¹³⁹, H.M.X. Gratas¹³⁸, L. Graber⁵⁴, I. Grabowska-Bold^{38a}, P. Grafström^{20a,20b}, K-J. Grahn⁴², J. Gramling⁴⁹, E. Gramstad¹¹⁹, S. Grancagnolo¹⁶, V. Grassi¹⁴⁹, V. Gratchev¹²³, H.M. Gray³⁰, E. Graziani^{135a}, Z.D. Greenwood^{79,m}, K. Gregersen⁷⁸, I.M. Gregor⁴², P. Grenier¹⁴⁴, J. Griffiths⁸, A.A. Grillo¹³⁸, K. Grimm⁷², S. Grinstein^{12,n}, Ph. Gris³⁴, Y.V. Grishkevich⁹⁹, J.-F. Grivaz¹¹⁷, J.P. Grohs⁴⁴, A. Grohsjean⁴², E. Gross¹⁷³, J. Grosse-Knetter⁵⁴, G.C. Grossi^{134a,134b}, Z.J. Grout¹⁵⁰, L. Guan^{33b}, J. Guenther¹²⁸, F. Guescini⁴⁹, D. Guest¹⁷⁷, O. Gueta¹⁵⁴, E. Guido^{50a,50b}, T. Guillemin¹¹⁷, S. Guindon², U. Gul⁵³, C. Gumpert⁴⁴, J. Guo^{33e}, S. Gupta¹²⁰, P. Gutierrez¹¹³, N.G. Gutierrez Ortiz⁵³, C. Gutschow⁴⁴, N. Guttman¹⁵⁴, C. Guyot¹³⁷, C. Gwenlan¹²⁰, C.B. Gwilliam⁷⁴, A. Haas¹¹⁰, C. Haber¹⁵, H.K. Hadavand⁸, N. Haddad^{136e}, P. Haefner²¹, S. Hageböck²¹, Z. Hajduk³⁹, H. Hakobyan¹⁷⁸, M. Haleem⁴², J. Haley¹¹⁴, D. Hall¹²⁰, G. Halladjian⁹⁰, G.D. Hallewell⁸⁵, K. Hamacher¹⁷⁶, P. Hamal¹¹⁵, K. Hamano¹⁷⁰, M. Hamer⁵⁴, A. Hamilton^{146a}, S. Hamilton¹⁶², G.N. Hamity^{146c}, P.G. Hamnett⁴², L. Han^{33b}, K. Hanagaki¹¹⁸, K. Hanawa¹⁵⁶, M. Hance¹⁵, P. Hanke^{58a}, R. Hanna¹³⁷, J.B. Hansen³⁶, J.D. Hansen³⁶, P.H. Hansen³⁶, K. Hara¹⁶¹, A.S. Hard¹⁷⁴, T. Harenberg¹⁷⁶, F. Hariri¹¹⁷, S. Harkusha⁹², R.D. Harrington⁴⁶, P.F. Harrison¹⁷¹, F. Hartjes¹⁰⁷, M. Hasegawa⁶⁷, S. Hasegawa¹⁰³, Y. Hasegawa¹⁴¹, A. Hasib¹¹³, S. Hassani¹³⁷, S. Haug¹⁷, R. Hauser⁹⁰, L. Hauswald⁴⁴, M. Havranek¹²⁷, C.M. Hawkes¹⁸, R.J. Hawkings³⁰, A.D. Hawkins⁸¹, T. Hayashi¹⁶¹, D. Hayden⁹⁰, C.P. Hays¹²⁰, J.M. Hays⁷⁶, H.S. Hayward⁷⁴, S.J. Haywood¹³¹, S.J. Head¹⁸, T. Heck⁸³, V. Hedberg⁸¹, L. Heelan⁸, S. Heim¹²², T. Heim¹⁷⁶, B. Heinemann¹⁵, L. Heinrich¹¹⁰, J. Hejbal¹²⁷, L. Helary²², M. Heller³⁰, S. Hellman^{147a,147b}, D. Hellmich²¹, C. Helsens³⁰, J. Henderson¹²⁰, R.C.W. Henderson⁷², Y. Heng¹⁷⁴, C. Henglert⁴², A. Henrichs¹⁷⁷, A.M. Henriques Correia³⁰, S. Henrot-Versille¹¹⁷, G.H. Herbert¹⁶, Y. Hernández Jiménez¹⁶⁸, R. Herrberg-Schubert¹⁶, G. Herten⁴⁸, R. Hertenberger¹⁰⁰, L. Hervas³⁰, G.G. Hesketh⁷⁸, N.P. Hessey¹⁰⁷,

- R. Hickling⁷⁶, E. Higón-Rodriguez¹⁶⁸, E. Hill¹⁷⁰, J.C. Hill²⁸, K.H. Hiller⁴², S.J. Hillier¹⁸, I. Hinchliffe¹⁵, E. Hines¹²², R.R. Hinman¹⁵, M. Hirose¹⁵⁸, D. Hirschbuehl¹⁷⁶, J. Hobbs¹⁴⁹, N. Hod¹⁰⁷, M.C. Hodgkinson¹⁴⁰, P. Hodgson¹⁴⁰, A. Hoecker³⁰, M.R. Hoeferkamp¹⁰⁵, F. Hoenig¹⁰⁰, M. Hohlfeld⁸³, T.R. Holmes¹⁵, T.M. Hong¹²², L. Hooft van Huysduynen¹¹⁰, W.H. Hopkins¹¹⁶, Y. Horii¹⁰³, A.J. Horton¹⁴³, J-Y. Hostachy⁵⁵, S. Hou¹⁵², A. Hoummada^{136a}, J. Howard¹²⁰, J. Howarth⁴², M. Hrabovsky¹¹⁵, I. Hristova¹⁶, J. Hrvnac¹¹⁷, T. Hrynevich⁵, A. Hrynevich⁹³, C. Hsu^{146c}, P.J. Hsu^{152,o}, S.-C. Hsu¹³⁹, D. Hu³⁵, Q. Hu^{33b}, X. Hu⁸⁹, Y. Huang⁴², Z. Hubacek³⁰, F. Hubaut⁸⁵, F. Huegging²¹, T.B. Huffman¹²⁰, E.W. Hughes³⁵, G. Hughes⁷², M. Huhtinen³⁰, T.A. Hülsing⁸³, N. Huseynov^{65,b}, J. Huston⁹⁰, J. Huth⁵⁷, G. Iacobucci⁴⁹, G. Iakovidis²⁵, I. Ibragimov¹⁴², L. Iconomidou-Fayard¹¹⁷, E. Ideal¹⁷⁷, Z. Idrissi^{136e}, P. Iengo^{104a}, O. Igonkina¹⁰⁷, T. Iizawa¹⁷², Y. Ikegami⁶⁶, K. Ikematsu¹⁴², M. Ikeno⁶⁶, Y. Ilchenko^{31,p}, D. Iliadis¹⁵⁵, N. Ilic¹⁵⁹, Y. Inamaru⁶⁷, T. Ince¹⁰¹, P. Ioannou⁹, M. Iodice^{135a}, K. Iordanidou⁹, V. Ippolito⁵⁷, A. Irles Quiles¹⁶⁸, C. Isaksson¹⁶⁷, M. Ishino⁶⁸, M. Ishitsuka¹⁵⁸, R. Ishmukhametov¹¹¹, C. Issever¹²⁰, S. Istin^{19a}, J.M. Iturbe Ponce⁸⁴, R. Iuppa^{134a,134b}, J. Ivarsson⁸¹, W. Iwanski³⁹, H. Iwasaki⁶⁶, J.M. Izen⁴¹, V. Izzo^{104a}, B. Jackson¹²², M. Jackson⁷⁴, P. Jackson¹, M.R. Jaekel³⁰, V. Jain², K. Jakobs⁴⁸, S. Jakobsen³⁰, T. Jakoubek¹²⁷, J. Jakubek¹²⁸, D.O. Jamin¹⁵², D.K. Jana⁷⁹, E. Jansen⁷⁸, R.W. Jansky⁶², J. Janssen²¹, M. Janus¹⁷¹, G. Jarlskog⁸¹, N. Javadov^{65,b}, T. Javurek⁴⁸, L. Jeanty¹⁵, J. Jejelava^{51a,q}, G.-Y. Jeng¹⁵¹, D. Jennens⁸⁸, P. Jenni^{48,r}, J. Jentzsch⁴³, C. Jeske¹⁷¹, S. Jézéquel⁵, H. Ji¹⁷⁴, J. Jia¹⁴⁹, Y. Jiang^{33b}, J. Jimenez Pena¹⁶⁸, S. Jin^{33a}, A. Jinaru^{26a}, O. Jinnouchi¹⁵⁸, M.D. Joergensen³⁶, P. Johansson¹⁴⁰, K.A. Johns⁷, K. Jon-And^{147a,147b}, G. Jones¹⁷¹, R.W.L. Jones⁷², T.J. Jones⁷⁴, J. Jongmanns^{58a}, P.M. Jorge^{126a,126b}, K.D. Joshi⁸⁴, J. Jovicevic¹⁴⁸, X. Ju¹⁷⁴, C.A. Jung⁴³, P. Jussel⁶², A. Juste Rozas^{12,n}, M. Kaci¹⁶⁸, A. Kaczmarzka³⁹, M. Kado¹¹⁷, H. Kagan¹¹¹, M. Kagan¹⁴⁴, S.J. Kahn⁸⁵, E. Kajomovitz⁴⁵, C.W. Kalderon¹²⁰, S. Kama⁴⁰, A. Kamenshchikov¹³⁰, N. Kanaya¹⁵⁶, M. Kaneda³⁰, S. Kaneti²⁸, V.A. Kantserov⁹⁸, J. Kanzaki⁶⁶, B. Kaplan¹¹⁰, A. Kapliy³¹, D. Kar⁵³, K. Karakostas¹⁰, A. Karamaoun³, N. Karastathis^{10,107}, M.J. Kareem⁵⁴, M. Karnevskiy⁸³, S.N. Karpov⁶⁵, Z.M. Karpova⁶⁵, K. Karthik¹¹⁰, V. Kartvelishvili⁷², A.N. Karyukhin¹³⁰, L. Kashif¹⁷⁴, R.D. Kass¹¹¹, A. Kastanas¹⁴, Y. Kataoka¹⁵⁶, A. Katre⁴⁹, J. Katzy⁴², K. Kawagoe⁷⁰, T. Kawamoto¹⁵⁶, G. Kawamura⁵⁴, S. Kazama¹⁵⁶, V.F. Kazanin¹⁰⁹, M.Y. Kazarinov⁶⁵, R. Keeler¹⁷⁰, R. Kehoe⁴⁰, M. Keil⁵⁴, J.S. Keller⁴², J.J. Kempster⁷⁷, H. Keoshkerian⁸⁴, O. Kepka¹²⁷, B.P. Kerševan⁷⁵, S. Kersten¹⁷⁶, R.A. Keyes⁸⁷, F. Khalil-zada¹¹, H. Khandanyan^{147a,147b}, A. Khanov¹¹⁴, A. Kharlamov¹⁰⁹, A. Khodinov⁹⁸, A. Khomich^{58a}, T.J. Khoo²⁸, G. Khoriauli²¹, V. Khovanskiy⁹⁷, E. Khramov⁶⁵, J. Khubua^{51b,s}, H.Y. Kim⁸, H. Kim^{147a,147b}, S.H. Kim¹⁶¹, N. Kimura¹⁵⁵, O.M. Kind¹⁶, B.T. King⁷⁴, M. King¹⁶⁸, R.S.B. King¹²⁰, S.B. King¹⁶⁹, J. Kirk¹³¹, A.E. Kiryunin¹⁰¹, T. Kishimoto⁶⁷, D. Kisielewska^{38a}, F. Kiss⁴⁸, K. Kiuchi¹⁶¹, E. Kladiva^{145b}, M. Klein⁷⁴, U. Klein⁷⁴, K. Kleinknecht⁸³, P. Klimek^{147a,147b}, A. Klimentov²⁵, R. Klingenberg⁴³, J.A. Klinger⁸⁴, T. Klioutchnikova³⁰, P.F. Klok¹⁰⁶, E.-E. Kluge^{58a}, P. Kluit¹⁰⁷, S. Kluth¹⁰¹, E. Kneringer⁶², E.B.F.G. Knoops⁸⁵, A. Knue⁵³, D. Kobayashi¹⁵⁸, T. Kobayashi¹⁵⁶, M. Kobel⁴⁴, M. Kocian¹⁴⁴, P. Kodys¹²⁹, T. Koffas²⁹, E. Koffeman¹⁰⁷, L.A. Kogan¹²⁰, S. Kohlmann¹⁷⁶, Z. Kohout¹²⁸, T. Kohriki⁶⁶, T. Koi¹⁴⁴, H. Kolanoski¹⁶, I. Koletsou⁵, A.A. Komar^{96,*}, Y. Komori¹⁵⁶, T. Kondo⁶⁶, N. Kondrashova⁴², K. Köneke⁴⁸, A.C. König¹⁰⁶, S. König⁸³, T. Kono^{66,t}, R. Konoplich^{110,u}, N. Konstantinidis⁷⁸, R. Kopeliansky¹⁵³, S. Koperny^{38a}, L. Köpke⁸³, A.K. Kopp⁴⁸, K. Korcyl³⁹, K. Kordas¹⁵⁵, A. Korn⁷⁸, A.A. Korol^{109,c}, I. Korolkov¹², E.V. Korolkova¹⁴⁰, O. Kortner¹⁰¹, S. Kortner¹⁰¹, T. Kosek¹²⁹, V.V. Kostyukhin²¹, V.M. Kotov⁶⁵, A. Kotwal⁴⁵, A. Kourkoumeli-Charalampidi¹⁵⁵, C. Kourkoumelis⁹, V. Kouskoura²⁵, A. Koutsman^{160a}, R. Kowalewski¹⁷⁰, T.Z. Kowalski^{38a}, W. Kozanecki¹³⁷, A.S. Kozhin¹³⁰, V.A. Kramarenko⁹⁹, G. Kramberger⁷⁵, D. Krasnopevtsev⁹⁸, M.W. Krasny⁸⁰, A. Krasznahorkay³⁰, J.K. Kraus²¹, A. Kravchenko²⁵, S. Kreiss¹¹⁰, M. Kretz^{58c}, J. Kretzschmar⁷⁴, K. Kreutzfeldt⁵², P. Krieger¹⁵⁹, K. Krizka³¹, K. Kroeninger⁴³, H. Kroha¹⁰¹, J. Kroll¹²², J. Kroeseberg²¹, J. Krstic¹³, U. Kruchonak⁶⁵, H. Krüger²¹, N. Krumnack⁶⁴, Z.V. Krumshteyn⁶⁵, A. Kruse¹⁷⁴, M.C. Kruse⁴⁵, M. Kruskal²², T. Kubota⁸⁸, H. Kucuk⁷⁸, S. Kuday^{4c}, S. Kuehn⁴⁸, A. Kugel^{58c}, F. Kuger¹⁷⁵, A. Kuhl¹³⁸, T. Kuhl⁴², V. Kukhtin⁶⁵, Y. Kulchitsky⁹², S. Kuleshov^{32b}, M. Kuna^{133a,133b}, T. Kunigo⁶⁸, A. Kupec¹²⁷, H. Kurashige⁶⁷, Y.A. Kurochkin⁹², R. Kurumida⁶⁷, V. Kus¹²⁷, E.S. Kuwertz¹⁴⁸, M. Kuze¹⁵⁸, J. Kvita¹¹⁵, T. Kwan¹⁷⁰, D. Kyriazopoulos¹⁴⁰, A. La Rosa⁴⁹, J.L. La Rosa Navarro^{24d}, L. La Rotonda^{37a,37b}, C. Lacasta¹⁶⁸, F. Lacava^{133a,133b}, J. Lacey²⁹, H. Lacker¹⁶, D. Lacour⁸⁰, V.R. Lacuesta¹⁶⁸, E. Ladygin⁶⁵, R. Lafaye⁵, B. Laforge⁸⁰, T. Lagouri¹⁷⁷, S. Lai⁴⁸, L. Lamourne⁷⁸, S. Lammers⁶¹, C.L. Lampen⁷, W. Lampl⁷, E. Lançon¹³⁷, U. Landgraf⁴⁸, M.P.J. Landon⁷⁶, V.S. Lang^{58a}, A.J. Lankford¹⁶⁴, F. Lanni²⁵, K. Lantzsch³⁰, S. Laplace⁸⁰, C. Lapoire³⁰, J.F. Laporte¹³⁷, T. Lari^{91a}, F. Lasagni Manghi^{20a,20b}, M. Lassnig³⁰, P. Laurelli⁴⁷, W. Lavrijssen¹⁵, A.T. Law¹³⁸, P. Laycock⁷⁴, O. Le Dortz⁸⁰, E. Le Guiriec⁸⁵, E. Le Menedeu¹², T. LeCompte⁶, F. Ledroit-Guillon⁵⁵, C.A. Lee^{146b}, S.C. Lee¹⁵², L. Lee¹, G. Lefebvre⁸⁰, M. Lefebvre¹⁷⁰, F. Legger¹⁰⁰,

- C. Leggett¹⁵, A. Lehan⁷⁴, G. Lehmann Miotto³⁰, X. Lei⁷, W.A. Leight²⁹, A. Leisos¹⁵⁵, A.G. Leister¹⁷⁷, M.A.L. Leite^{24d}, R. Leitner¹²⁹, D. Lellouch¹⁷³, B. Lemmer⁵⁴, K.J.C. Leney⁷⁸, T. Lenz²¹, G. Lenzen¹⁷⁶, B. Lenzi³⁰, R. Leone⁷, S. Leone^{124a,124b}, C. Leonidopoulos⁴⁶, S. Leontsinis¹⁰, C. Leroy⁹⁵, C.G. Lester²⁸, M. Levchenko¹²³, J. Levêque⁵, D. Levin⁸⁹, L.J. Levinson¹⁷³, M. Levy¹⁸, A. Lewis¹²⁰, A.M. Leyko²¹, M. Leyton⁴¹, B. Li^{33b,v}, B. Li⁸⁵, H. Li¹⁴⁹, H.L. Li³¹, L. Li⁴⁵, L. Li^{33e}, S. Li⁴⁵, Y. Li^{33c,w}, Z. Liang¹³⁸, H. Liao³⁴, B. Liberti^{134a}, P. Lichard³⁰, K. Lie¹⁶⁶, J. Liebal²¹, W. Liebig¹⁴, C. Limbach²¹, A. Limosani¹⁵¹, S.C. Lin^{152,x}, T.H. Lin⁸³, F. Linde¹⁰⁷, B.E. Lindquist¹⁴⁹, J.T. Linnemann⁹⁰, E. Lipeles¹²², A. Lipniacka¹⁴, M. Lisovyi⁴², T.M. Liss¹⁶⁶, D. Lissauer²⁵, A. Lister¹⁶⁹, A.M. Litke¹³⁸, B. Liu¹⁵², D. Liu¹⁵², J. Liu⁸⁵, J.B. Liu^{33b}, K. Liu^{33b,y}, L. Liu⁸⁹, M. Liu⁴⁵, M. Liu^{33b}, Y. Liu^{33b}, M. Livan^{121a,121b}, A. Lleres⁵⁵, J. Llorente Merino⁸², S.L. Lloyd⁷⁶, F. Lo Sterzo¹⁵², E. Lobodzinska⁴², P. Loch⁷, W.S. Lockman¹³⁸, F.K. Loebinger⁸⁴, A.E. Loevschall-Jensen³⁶, A. Loginov¹⁷⁷, T. Lohse¹⁶, K. Lohwasser⁴², M. Lokajicek¹²⁷, B.A. Long²², J.D. Long⁸⁹, R.E. Long⁷², K.A.Looper¹¹¹, L. Lopes^{126a}, D. Lopez Mateos⁵⁷, B. Lopez Paredes¹⁴⁰, I. Lopez Paz¹², J. Lorenz¹⁰⁰, N. Lorenzo Martinez⁶¹, M. Losada¹⁶³, P. Loscutoff¹⁵, P.J. Lösel¹⁰⁰, X. Lou^{33a}, A. Louinis¹¹⁷, J. Love⁶, P.A. Love⁷², F. Lu^{33a}, N. Lu⁸⁹, H.J. Lubatti¹³⁹, C. Luci^{133a,133b}, A. Lucotte⁵⁵, F. Luehring⁶¹, W. Lukas⁶², L. Luminari^{133a}, O. Lundberg^{147a,147b}, B. Lund-Jensen¹⁴⁸, M. Lungwitz⁸³, D. Lynn²⁵, R. Lysak¹²⁷, E. Lytken⁸¹, H. Ma²⁵, L.L. Ma^{33d}, G. Maccarrone⁴⁷, A. Macchiolo¹⁰¹, J. Machado Miguens^{126a,126b}, D. Macina³⁰, D. Madaffari⁸⁵, R. Madar³⁴, H.J. Maddocks⁷², W.F. Mader⁴⁴, A. Madsen¹⁶⁷, T. Maeno²⁵, A. Maevskiy⁹⁹, E. Magradze⁵⁴, K. Mahboubi⁴⁸, J. Mahlstedt¹⁰⁷, S. Mahmoud⁷⁴, C. Maiani¹³⁷, C. Maidantchik^{24a}, A.A. Maier¹⁰¹, A. Maio^{126a,126b,126d}, S. Majewski¹¹⁶, Y. Makida⁶⁶, N. Makovec¹¹⁷, B. Malaescu⁸⁰, Pa. Malecki³⁹, V.P. Maleev¹²³, F. Malek⁵⁵, U. Mallik⁶³, D. Malon⁶, C. Malone¹⁴⁴, S. Maltezos¹⁰, V.M. Malyshev¹⁰⁹, S. Malyukov³⁰, J. Mamuzic⁴², B. Mandelli³⁰, L. Mandelli^{91a}, I. Mandić⁷⁵, R. Mandrysch⁶³, J. Maneira^{126a,126b}, A. Manfredini¹⁰¹, L. Manhaes de Andrade Filho^{24b}, J. Manjarres Ramos^{160b}, A. Mann¹⁰⁰, P.M. Manning¹³⁸, A. Manousakis-Katsikakis⁹, B. Mansoulie¹³⁷, R. Mantifel⁸⁷, M. Mantoani⁵⁴, L. Mapelli³⁰, L. March^{146c}, G. Marchiori⁸⁰, M. Marcisovsky¹²⁷, C.P. Marino¹⁷⁰, M. Marjanovic¹³, F. Marroquim^{24a}, S.P. Marsden⁸⁴, Z. Marshall¹⁵, L.F. Marti¹⁷, S. Marti-Garcia¹⁶⁸, B. Martin⁹⁰, T.A. Martin¹⁷¹, V.J. Martin⁴⁶, B. Martin dit Latour¹⁴, H. Martinez¹³⁷, M. Martinez^{12,n}, S. Martin-Haugh¹³¹, A.C. Martyniuk⁷⁸, M. Marx¹³⁹, F. Marzano^{133a}, A. Marzin³⁰, L. Masetti⁸³, T. Mashimo¹⁵⁶, R. Mashinistov⁹⁶, J. Masik⁸⁴, A.L. Maslennikov^{109,c}, I. Massa^{20a,20b}, L. Massa^{20a,20b}, N. Massol⁵, P. Mastrandrea¹⁴⁹, A. Mastroberardino^{37a,37b}, T. Masubuchi¹⁵⁶, P. Mättig¹⁷⁶, J. Mattmann⁸³, J. Maurer^{26a}, S.J. Maxfield⁷⁴, D.A. Maximov^{109,c}, R. Mazini¹⁵², S.M. Mazza^{91a,91b}, L. Mazzaferro^{134a,134b}, G. Mc Goldrick¹⁵⁹, S.P. Mc Kee⁸⁹, A. McCarn⁸⁹, R.L. McCarthy¹⁴⁹, T.G. McCarthy²⁹, N.A. McCubbin¹³¹, K.W. McFarlane^{56,*}, J.A. McFayden⁷⁸, G. Mchedlidze⁵⁴, S.J. McMahon¹³¹, R.A. McPherson^{170,j}, J. Mechnick¹⁰⁷, M. Medinnis⁴², S. Meehan^{146a}, S. Mehlhase¹⁰⁰, A. Mehta⁷⁴, K. Meier^{58a}, C. Meineck¹⁰⁰, B. Meirose⁴¹, C. Melachrinos³¹, B.R. Mellado Garcia^{146c}, F. Meloni¹⁷, A. Mengarelli^{20a,20b}, S. Menke¹⁰¹, E. Meoni¹⁶², K.M. Mercurio⁵⁷, S. Mergelmeyer²¹, N. Meric¹³⁷, P. Mermod⁴⁹, L. Merola^{104a,104b}, C. Meroni^{91a}, F.S. Merritt³¹, H. Merritt¹¹¹, A. Messina^{30,z}, J. Metcalfe²⁵, A.S. Mete¹⁶⁴, C. Meyer⁸³, C. Meyer¹²², J-P. Meyer¹³⁷, J. Meyer¹⁰⁷, R.P. Middleton¹³¹, S. Migas⁷⁴, S. Miglioranzi^{165a,165c}, L. Mijović²¹, G. Mikenberg¹⁷³, M. Mikestikova¹²⁷, M. Mikuž⁷⁵, A. Milic³⁰, D.W. Miller³¹, C. Mills⁴⁶, A. Milov¹⁷³, D.A. Milstead^{147a,147b}, A.A. Minaenko¹³⁰, Y. Minami¹⁵⁶, I.A. Minashvili⁶⁵, A.I. Mincer¹¹⁰, B. Mindur^{38a}, M. Mineev⁶⁵, Y. Ming¹⁷⁴, L.M. Mir¹², G. Mirabelli^{133a}, T. Mitani¹⁷², J. Mitrevski¹⁰⁰, V.A. Mitsou¹⁶⁸, A. Miucci⁴⁹, P.S. Miyagawa¹⁴⁰, J.U. Mjörnmark⁸¹, T. Moa^{147a,147b}, K. Mochizuki⁸⁵, S. Mohapatra³⁵, W. Mohr⁴⁸, S. Molander^{147a,147b}, R. Moles-Valls¹⁶⁸, K. Möning⁴², C. Monini⁵⁵, J. Monk³⁶, E. Monnier⁸⁵, J. Montejo Berlingen¹², F. Monticelli⁷¹, S. Monzani^{133a,133b}, R.W. Moore³, N. Morange¹¹⁷, D. Moreno¹⁶³, M. Moreno Llácer⁵⁴, P. Morettini^{50a}, M. Morgenstern⁴⁴, M. Morii⁵⁷, V. Morisbak¹¹⁹, S. Moritz⁸³, A.K. Morley¹⁴⁸, G. Mornacchi³⁰, J.D. Morris⁷⁶, A. Morton⁵³, L. Morvaj¹⁰³, H.G. Moser¹⁰¹, M. Mosidze^{51b}, J. Moss¹¹¹, K. Motohashi¹⁵⁸, R. Mount¹⁴⁴, E. Mountricha²⁵, S.V. Mouraviev^{96,*}, E.J.W. Moyse⁸⁶, S. Muanza⁸⁵, R.D. Mudd¹⁸, F. Mueller¹⁰¹, J. Mueller¹²⁵, K. Mueller²¹, R.S.P. Mueller¹⁰⁰, T. Mueller²⁸, D. Muenstermann⁴⁹, P. Mullen⁵³, Y. Munwes¹⁵⁴, J.A. Murillo Quijada¹⁸, W.J. Murray^{171,131}, H. Musheghyan⁵⁴, E. Musto¹⁵³, A.G. Myagkov^{130,aa}, M. Myska¹²⁸, O. Nackenhorst⁵⁴, J. Nadal⁵⁴, K. Nagai¹²⁰, R. Nagai¹⁵⁸, Y. Nagai⁸⁵, K. Nagano⁶⁶, A. Nagarkar¹¹¹, Y. Nagasaka⁵⁹, K. Nagata¹⁶¹, M. Nagel¹⁰¹, E. Nagy⁸⁵, A.M. Nairz³⁰, Y. Nakahama³⁰, K. Nakamura⁶⁶, T. Nakamura¹⁵⁶, I. Nakano¹¹², H. Namasivayam⁴¹, G. Nanava²¹, R.F. Naranjo Garcia⁴², R. Narayan^{58b}, T. Nattermann²¹, T. Naumann⁴², G. Navarro¹⁶³, R. Nayyar⁷, H.A. Neal⁸⁹, P.Yu. Nechaeva⁹⁶, T.J. Neep⁸⁴, P.D. Nef¹⁴⁴, A. Negri^{121a,121b}, M. Negrini^{20a}, S. Nektarijevic¹⁰⁶, C. Nellist¹¹⁷, A. Nelson¹⁶⁴, S. Nemecek¹²⁷, P. Nemethy¹¹⁰, A.A. Nepomuceno^{24a}, M. Nesi^{30,ab},

- M.S. Neubauer¹⁶⁶, M. Neumann¹⁷⁶, R.M. Neves¹¹⁰, P. Nevski²⁵, P.R. Newman¹⁸, D.H. Nguyen⁶, R.B. Nickerson¹²⁰, R. Nicolaïdou¹³⁷, B. Nicquevert³⁰, J. Nielsen¹³⁸, N. Nikiforou³⁵, A. Nikiforov¹⁶, V. Nikolaenko^{130,aa}, I. Nikolic-Audit⁸⁰, K. Nikolopoulos¹⁸, P. Nilsson²⁵, Y. Ninomiya¹⁵⁶, A. Nisati^{133a}, R. Nisius¹⁰¹, T. Nobe¹⁵⁸, M. Nomachi¹¹⁸, I. Nomidis²⁹, S. Norberg¹¹³, M. Nordberg³⁰, O. Novgorodova⁴⁴, S. Nowak¹⁰¹, M. Nozaki⁶⁶, L. Nozka¹¹⁵, K. Ntekas¹⁰, G. Nunes Hanninger⁸⁸, T. Nunnemann¹⁰⁰, E. Nurse⁷⁸, F. Nuti⁸⁸, B.J. O'Brien⁴⁶, F. O'grady⁷, D.C. O'Neil¹⁴³, V. O'Shea⁵³, F.G. Oakham^{29,d}, H. Oberlack¹⁰¹, T. Obermann²¹, J. Ocariz⁸⁰, A. Ochi⁶⁷, I. Ochoa⁷⁸, S. Oda⁷⁰, S. Odaka⁶⁶, H. Ogren⁶¹, A. Oh⁸⁴, S.H. Oh⁴⁵, C.C. Ohm¹⁵, H. Ohman¹⁶⁷, H. Oide³⁰, W. Okamura¹¹⁸, H. Okawa¹⁶¹, Y. Okumura³¹, T. Okuyama¹⁵⁶, A. Olariu^{26a}, A.G. Olchevski⁶⁵, S.A. Olivares Pino⁴⁶, D. Oliveira Damazio²⁵, E. Oliver Garcia¹⁶⁸, A. Olszewski³⁹, J. Olszowska³⁹, A. Onofre^{126a,126e}, P.U.E. Onyisi^{31,p}, C.J. Oram^{160a}, M.J. Oreglia³¹, Y. Oren¹⁵⁴, D. Orestano^{135a,135b}, N. Orlando¹⁵⁵, C. Oropeza Barrera⁵³, R.S. Orr¹⁵⁹, B. Osculati^{50a,50b}, R. Ospanov⁸⁴, G. Otero y Garzon²⁷, H. Otono⁷⁰, M. Ouchrif^{136d}, E.A. Ouellette¹⁷⁰, F. Ould-Saada¹¹⁹, A. Ouraou¹³⁷, K.P. Oussoren¹⁰⁷, Q. Ouyang^{33a}, A. Ovcharova¹⁵, M. Owen⁵³, R.E. Owen¹⁸, V.E. Ozcan^{19a}, N. Ozturk⁸, K. Pachal¹²⁰, A. Pacheco Pages¹², C. Padilla Aranda¹², M. Pagáčová⁴⁸, S. Pagan Griso¹⁵, E. Paganis¹⁴⁰, C. Pahl¹⁰¹, F. Paige²⁵, P. Pais⁸⁶, K. Pajchel¹¹⁹, G. Palacino^{160b}, S. Palestini³⁰, M. Palka^{38b}, D. Pallin³⁴, A. Palma^{126a,126b}, Y.B. Pan¹⁷⁴, E. Panagiotopoulou¹⁰, C.E. Pandini⁸⁰, J.G. Panduro Vazquez⁷⁷, P. Pani^{147a,147b}, N. Panikashvili⁸⁹, S. Panitkin²⁵, L. Paolozzi^{134a,134b}, Th.D. Papadopoulou¹⁰, K. Papageorgiou¹⁵⁵, A. Paramonov⁶, D. Paredes Hernandez¹⁵⁵, M.A. Parker²⁸, K.A. Parker¹⁴⁰, F. Parodi^{50a,50b}, J.A. Parsons³⁵, U. Parzefall⁴⁸, E. Pasqualucci^{133a}, S. Passaggio^{50a}, F. Pastore^{135a,135b,*}, Fr. Pastore⁷⁷, G. Pásztor²⁹, S. Pataraia¹⁷⁶, N.D. Patel¹⁵¹, J.R. Pater⁸⁴, T. Pauly³⁰, J. Pearce¹⁷⁰, L.E. Pedersen³⁶, M. Pedersen¹¹⁹, S. Pedraza Lopez¹⁶⁸, R. Pedro^{126a,126b}, S.V. Peleganchuk¹⁰⁹, D. Pelikan¹⁶⁷, H. Peng^{33b}, B. Penning³¹, J. Penwell⁶¹, D.V. Perepelitsa²⁵, E. Perez Codina^{160a}, M.T. Pérez García-Estañ¹⁶⁸, L. Perini^{91a,91b}, H. Pernegger³⁰, S. Perrella^{104a,104b}, R. Peschke⁴², V.D. Peshekhanov⁶⁵, K. Peters³⁰, R.F.Y. Peters⁸⁴, B.A. Petersen³⁰, T.C. Petersen³⁶, E. Petit⁴², A. Petridis^{147a,147b}, C. Petridou¹⁵⁵, E. Petrolo^{133a}, F. Petrucci^{135a,135b}, N.E. Pettersson¹⁵⁸, R. Pezoa^{32b}, P.W. Phillips¹³¹, G. Piacquadio¹⁴⁴, E. Pianori¹⁷¹, A. Picazio⁴⁹, E. Piccaro⁷⁶, M. Piccinini^{20a,20b}, M.A. Pickering¹²⁰, R. Piegaia²⁷, D.T. Pignotti¹¹¹, J.E. Pilcher³¹, A.D. Pilkington⁷⁸, J. Pina^{126a,126b,126d}, M. Pinamonti^{165a,165c,ac}, J.L. Pinfold³, A. Pingel³⁶, B. Pinto^{126a}, S. Pires⁸⁰, M. Pitt¹⁷³, C. Pizio^{91a,91b}, L. Plazak^{145a}, M.-A. Pleier²⁵, V. Pleskot¹²⁹, E. Plotnikova⁶⁵, P. Plucinski^{147a,147b}, D. Pluth⁶⁴, S. Poddar^{58a}, R. Poettgen⁸³, L. Poggioli¹¹⁷, D. Pohl²¹, G. Polesello^{121a}, A. Pollicchio^{37a,37b}, R. Polifka¹⁵⁹, A. Polini^{20a}, C.S. Pollard⁵³, V. Polychronakos²⁵, K. Pommès³⁰, L. Pontecorvo^{133a}, B.G. Pope⁹⁰, G.A. Popeneciu^{26b}, D.S. Popovic¹³, A. Poppleton³⁰, S. Pospisil¹²⁸, K. Potamianos¹⁵, I.N. Potrap⁶⁵, C.J. Potter¹⁵⁰, C.T. Potter¹¹⁶, G. Poulard³⁰, J. Poveda³⁰, V. Pozdnyakov⁶⁵, P. Pralavorio⁸⁵, A. Pranko¹⁵, S. Prasad³⁰, S. Prell⁶⁴, D. Price⁸⁴, J. Price⁷⁴, L.E. Price⁶, M. Primavera^{73a}, S. Prince⁸⁷, M. Proissl⁴⁶, K. Prokofiev^{60c}, F. Prokoshin^{32b}, E. Protopapadaki¹³⁷, S. Protopopescu²⁵, J. Proudfoot⁶, M. Przybycien^{38a}, E. Ptacek¹¹⁶, D. Puddu^{135a,135b}, E. Pueschel⁸⁶, D. Puldon¹⁴⁹, M. Purohit^{25,ad}, P. Puzo¹¹⁷, J. Qian⁸⁹, G. Qin⁵³, Y. Qin⁸⁴, A. Quadt⁵⁴, D.R. Quarrie¹⁵, W.B. Quayle^{165a,165b}, M. Queitsch-Maitland⁸⁴, D. Quilty⁵³, A. Qureshi^{160b}, V. Radeka²⁵, V. Radescu⁴², S.K. Radhakrishnan¹⁴⁹, P. Radloff¹¹⁶, P. Rados⁸⁸, F. Ragusa^{91a,91b}, G. Rahal¹⁷⁹, S. Rajagopalan²⁵, M. Rammensee³⁰, C. Rangel-Smith¹⁶⁷, F. Rauscher¹⁰⁰, S. Rave⁸³, T.C. Rave⁴⁸, T. Ravenscroft⁵³, M. Raymond³⁰, A.L. Read¹¹⁹, N.P. Readioff⁷⁴, D.M. Rebuzzi^{121a,121b}, A. Redelbach¹⁷⁵, G. Redlinger²⁵, R. Reece¹³⁸, K. Reeves⁴¹, L. Rehnisch¹⁶, H. Reisin²⁷, M. Relich¹⁶⁴, C. Rembser³⁰, H. Ren^{33a}, A. Renaud¹¹⁷, M. Rescigno^{133a}, S. Resconi^{91a}, O.L. Rezanova^{109,c}, P. Reznicek¹²⁹, R. Rezvani⁹⁵, R. Richter¹⁰¹, E. Richter-Was^{38b}, M. Ridel⁸⁰, P. Rieck¹⁶, C.J. Riegel¹⁷⁶, J. Rieger⁵⁴, M. Rijssenbeek¹⁴⁹, A. Rimoldi^{121a,121b}, L. Rinaldi^{20a}, E. Ritsch⁶², I. Riu¹², F. Rizatdinova¹¹⁴, E. Rizvi⁷⁶, S.H. Robertson^{87,j}, A. Robichaud-Veronneau⁸⁷, D. Robinson²⁸, J.E.M. Robinson⁸⁴, A. Robson⁵³, C. Roda^{124a,124b}, L. Rodrigues³⁰, S. Roe³⁰, O. Røhne¹¹⁹, S. Rolli¹⁶², A. Romaniouk⁹⁸, M. Romano^{20a,20b}, S.M. Romano Saez³⁴, E. Romero Adam¹⁶⁸, N. Rompotis¹³⁹, M. Ronzani⁴⁸, L. Roos⁸⁰, E. Ros¹⁶⁸, S. Rosati^{133a}, K. Rosbach⁴⁸, P. Rose¹³⁸, P.L. Rosendahl¹⁴, O. Rosenthal¹⁴², V. Rossetti^{147a,147b}, E. Rossi^{104a,104b}, L.P. Rossi^{50a}, R. Rosten¹³⁹, M. Rotaru^{26a}, I. Roth¹⁷³, J. Rothberg¹³⁹, D. Rousseau¹¹⁷, C.R. Royon¹³⁷, A. Rozanov⁸⁵, Y. Rozen¹⁵³, X. Ruan^{146c}, F. Rubbo¹², I. Rubinskiy⁴², V.I. Rud⁹⁹, C. Rudolph⁴⁴, M.S. Rudolph¹⁵⁹, F. Rühr⁴⁸, A. Ruiz-Martinez³⁰, Z. Rurikova⁴⁸, N.A. Rusakovich⁶⁵, A. Ruschke¹⁰⁰, H.L. Russell¹³⁹, J.P. Rutherford⁷, N. Ruthmann⁴⁸, Y.F. Ryabov¹²³, M. Rybar¹²⁹, G. Rybkin¹¹⁷, N.C. Ryder¹²⁰, A.F. Saavedra¹⁵¹, G. Sabato¹⁰⁷, S. Sacerdoti²⁷, A. Saddique³, H.F-W. Sadrozinski¹³⁸, R. Sadykov⁶⁵, F. Safai Tehrani^{133a}, M. Saimpert¹³⁷, H. Sakamoto¹⁵⁶, Y. Sakurai¹⁷², G. Salamanna^{135a,135b},

- A. Salamon^{134a}, M. Saleem¹¹³, D. Salek¹⁰⁷, P.H. Sales De Bruin¹³⁹, D. Salihagic¹⁰¹, A. Salnikov¹⁴⁴, J. Salt¹⁶⁸, D. Salvatore^{37a,37b}, F. Salvatore¹⁵⁰, A. Salvucci¹⁰⁶, A. Salzburger³⁰, D. Sampsonidis¹⁵⁵, A. Sanchez^{104a,104b}, J. Sánchez¹⁶⁸, V. Sanchez Martinez¹⁶⁸, H. Sandaker¹⁴, R.L. Sandbach⁷⁶, H.G. Sander⁸³, M.P. Sanders¹⁰⁰, M. Sandhoff¹⁷⁶, C. Sandoval¹⁶³, R. Sandstroem¹⁰¹, D.P.C. Sankey¹³¹, A. Sansoni⁴⁷, C. Santoni³⁴, R. Santonico^{134a,134b}, H. Santos^{126a}, I. Santoyo Castillo¹⁵⁰, K. Sapp¹²⁵, A. Sapronov⁶⁵, J.G. Saraiva^{126a,126d}, B. Sarrazin²¹, O. Sasaki⁶⁶, Y. Sasaki¹⁵⁶, K. Sato¹⁶¹, G. Sauvage^{5,*}, E. Sauvan⁵, G. Savage⁷⁷, P. Savard^{159,d}, C. Sawyer¹²⁰, L. Sawyer^{79,m}, D.H. Saxon⁵³, J. Saxon³¹, C. Sbarra^{20a}, A. Sbrizzi^{20a,20b}, T. Scanlon⁷⁸, D.A. Scannicchio¹⁶⁴, M. Scarcella¹⁵¹, V. Scarfone^{37a,37b}, J. Schaaerschmidt¹⁷³, P. Schacht¹⁰¹, D. Schaefer³⁰, R. Schaefer⁴², J. Schaeffer⁸³, S. Schaepe²¹, S. Schaetzl^{58b}, U. Schäfer⁸³, A.C. Schaffer¹¹⁷, D. Schaile¹⁰⁰, R.D. Schamberger¹⁴⁹, V. Scharf^{58a}, V.A. Schegelsky¹²³, D. Scheirich¹²⁹, M. Schernau¹⁶⁴, C. Schiavi^{50a,50b}, C. Schillo⁴⁸, M. Schioppa^{37a,37b}, S. Schlenker³⁰, E. Schmidt⁴⁸, K. Schmieden³⁰, C. Schmitt⁸³, S. Schmitt^{58b}, B. Schneider^{160a}, Y.J. Schnellbach⁷⁴, U. Schnoor⁴⁴, L. Schoeffel¹³⁷, A. Schoening^{58b}, B.D. Schoenrock⁹⁰, A.L.S. Schorlemmer⁵⁴, M. Schott⁸³, D. Schouten^{160a}, J. Schovancova⁸, S. Schramm¹⁵⁹, M. Schreyer¹⁷⁵, C. Schroeder⁸³, N. Schuh⁸³, M.J. Schultens²¹, H.-C. Schultz-Coulon^{58a}, H. Schulz¹⁶, M. Schumacher⁴⁸, B.A. Schumm¹³⁸, Ph. Schune¹³⁷, C. Schwanenberger⁸⁴, A. Schwartzman¹⁴⁴, T.A. Schwarz⁸⁹, Ph. Schwegler¹⁰¹, Ph. Schwemling¹³⁷, R. Schwienhorst⁹⁰, J. Schwindling¹³⁷, T. Schwindt²¹, M. Schwoerer⁵, F.G. Sciacca¹⁷, E. Scifo¹¹⁷, G. Sciolla²³, F. Scuri^{124a,124b}, F. Scutti²¹, J. Searcy⁸⁹, G. Sedov⁴², E. Sedykh¹²³, P. Seema²¹, S.C. Seidel¹⁰⁵, A. Seiden¹³⁸, F. Seifert¹²⁸, J.M. Seixas^{24a}, G. Sekhniaidze^{104a}, S.J. Sekula⁴⁰, K.E. Selbach⁴⁶, D.M. Seliverstov^{123,*}, N. Semprini-Cesari^{20a,20b}, C. Serfon³⁰, L. Serin¹¹⁷, L. Serkin⁵⁴, T. Serre⁸⁵, R. Seuster^{160a}, H. Severini¹¹³, T. Sfiligoj⁷⁵, F. Sforza¹⁰¹, A. Sfyrla³⁰, E. Shabalina⁵⁴, M. Shamim¹¹⁶, L.Y. Shan^{33a}, R. Shang¹⁶⁶, J.T. Shank²², M. Shapiro¹⁵, P.B. Shatalov⁹⁷, K. Shaw^{165a,165b}, A. Shcherbakova^{147a,147b}, C.Y. Shehu¹⁵⁰, P. Sherwood⁷⁸, L. Shi^{152,ae}, S. Shimizu⁶⁷, C.O. Shimmin¹⁶⁴, M. Shimojima¹⁰², M. Shiyakova⁶⁵, A. Shmeleva⁹⁶, D. Shoaleh Saadi⁹⁵, M.J. Shochet³¹, S. Shojaii^{91a,91b}, S. Shrestha¹¹¹, E. Shulga⁹⁸, M.A. Shupe⁷, S. Shushkevich⁴², P. Sicho¹²⁷, O. Sidiropoulou¹⁷⁵, D. Sidorov¹¹⁴, A. Sidoti^{20a,20b}, F. Siegert⁴⁴, Dj. Sijacki¹³, J. Silva^{126a,126d}, Y. Silver¹⁵⁴, D. Silverstein¹⁴⁴, S.B. Silverstein^{147a}, V. Simak¹²⁸, O. Simard⁵, Lj. Simic¹³, S. Simion¹¹⁷, E. Simioni⁸³, B. Simmons⁷⁸, D. Simon³⁴, R. Simonello^{91a,91b}, P. Sinervo¹⁵⁹, N.B. Sinev¹¹⁶, G. Siragusa¹⁷⁵, A. Sircar⁷⁹, A.N. Sisakyan^{65,*}, S.Yu. Sivoklokov⁹⁹, J. Sjölin^{147a,147b}, T.B. Sjursen¹⁴, H.P. Skottowe⁵⁷, P. Skubic¹¹³, M. Slater¹⁸, T. Slavicek¹²⁸, M. Slawinska¹⁰⁷, K. Sliwa¹⁶², V. Smakhtin¹⁷³, B.H. Smart⁴⁶, L. Smestad¹⁴, S.Yu. Smirnov⁹⁸, Y. Smirnov⁹⁸, L.N. Smirnova^{99,af}, O. Smirnova⁸¹, K.M. Smith⁵³, M.N.K. Smith³⁵, M. Smizanska⁷², K. Smolek¹²⁸, A.A. Snesarev⁹⁶, G. Snidero⁷⁶, S. Snyder²⁵, R. Sobie^{170,j}, F. Socher⁴⁴, A. Soffer¹⁵⁴, D.A. Soh^{152,ae}, C.A. Solans³⁰, M. Solar¹²⁸, J. Solc¹²⁸, E.Yu. Soldatov⁹⁸, U. Soldevila¹⁶⁸, A.A. Solodkov¹³⁰, A. Soloshenko⁶⁵, O.V. Solovyanov¹³⁰, V. Solovyev¹²³, P. Sommer⁴⁸, H.Y. Song^{33b}, N. Soni¹, A. Sood¹⁵, A. Sopczak¹²⁸, B. Sopko¹²⁸, V. Sopko¹²⁸, V. Sorin¹², D. Sosa^{58b}, M. Sosebee⁸, C.L. Sotiropoulou¹⁵⁵, R. Soualah^{165a,165c}, P. Soueid⁹⁵, A.M. Soukharev^{109,c}, D. South⁴², S. Spagnolo^{73a,73b}, F. Spanò⁷⁷, W.R. Spearman⁵⁷, F. Spettel¹⁰¹, R. Spighi^{20a}, G. Spigo³⁰, L.A. Spiller⁸⁸, M. Spousta¹²⁹, T. Spreitzer¹⁵⁹, R.D. St. Denis^{53,*}, S. Staerz⁴⁴, J. Stahlman¹²², R. Stamen^{58a}, S. Stamm¹⁶, E. Stanecka³⁹, C. Stanescu^{135a}, M. Stanescu-Bellu⁴², M.M. Stanitzki⁴², S. Stapnes¹¹⁹, E.A. Starchenko¹³⁰, J. Stark⁵⁵, P. Staroba¹²⁷, P. Starovoitov⁴², R. Staszewski³⁹, P. Stavina^{145a,*}, P. Steinberg²⁵, B. Stelzer¹⁴³, H.J. Stelzer³⁰, O. Stelzer-Chilton^{160a}, H. Stenzel⁵², S. Stern¹⁰¹, G.A. Stewart⁵³, J.A. Stillings²¹, M.C. Stockton⁸⁷, M. Stoebe⁸⁷, G. Stoica^{26a}, P. Stolte⁵⁴, S. Stonjek¹⁰¹, A.R. Stradling⁸, A. Straessner⁴⁴, M.E. Stramaglia¹⁷, J. Strandberg¹⁴⁸, S. Strandberg^{147a,147b}, A. Strandlie¹¹⁹, E. Strauss¹⁴⁴, M. Strauss¹¹³, P. Strizenec^{145b}, R. Ströhmer¹⁷⁵, D.M. Strom¹¹⁶, R. Stroynowski⁴⁰, A. Strubig¹⁰⁶, S.A. Stucci¹⁷, B. Stugu¹⁴, N.A. Styles⁴², D. Su¹⁴⁴, J. Su¹²⁵, R. Subramaniam⁷⁹, A. Succurro¹², Y. Sugaya¹¹⁸, C. Suhr¹⁰⁸, M. Suk¹²⁸, V.V. Sulin⁹⁶, S. Sultansoy^{4d}, T. Sumida⁶⁸, S. Sun⁵⁷, X. Sun^{33a}, J.E. Sundermann⁴⁸, K. Suruliz¹⁵⁰, G. Susinno^{37a,37b}, M.R. Sutton¹⁵⁰, Y. Suzuki⁶⁶, M. Svatos¹²⁷, S. Swedish¹⁶⁹, M. Swiatlowski¹⁴⁴, I. Sykora^{145a}, T. Sykora¹²⁹, D. Ta⁹⁰, C. Taccini^{135a,135b}, K. Tackmann⁴², J. Taenzer¹⁵⁹, A. Taffard¹⁶⁴, R. Tafirout^{160a}, N. Taiblum¹⁵⁴, H. Takai²⁵, R. Takashima⁶⁹, H. Takeda⁶⁷, T. Takeshita¹⁴¹, Y. Takubo⁶⁶, M. Talby⁸⁵, A.A. Talyshев^{109,c}, J.Y.C. Tam¹⁷⁵, K.G. Tan⁸⁸, J. Tanaka¹⁵⁶, R. Tanaka¹¹⁷, S. Tanaka¹³², S. Tanaka⁶⁶, A.J. Tanasijczuk¹⁴³, B.B. Tannenwald¹¹¹, N. Tannoury²¹, S. Tapprogge⁸³, S. Tarem¹⁵³, F. Tarrade²⁹, G.F. Tartarelli^{91a}, P. Tas¹²⁹, M. Tasevsky¹²⁷, T. Tashiro⁶⁸, E. Tassi^{37a,37b}, A. Tavares Delgado^{126a,126b}, Y. Tayalati^{136d}, F.E. Taylor⁹⁴, G.N. Taylor⁸⁸, W. Taylor^{160b}, F.A. Teischinger³⁰, M. Teixeira Dias Castanheira⁷⁶, P. Teixeira-Dias⁷⁷, K.K. Temming⁴⁸, H. Ten Kate³⁰, P.K. Teng¹⁵², J.J. Teoh¹¹⁸, F. Tepel¹⁷⁶, S. Terada⁶⁶, K. Terashi¹⁵⁶, J. Terron⁸², S. Terzo¹⁰¹, M. Testa⁴⁷, R.J. Teuscher^{159,j}, J. Therhaag²¹,

T. Theveneaux-Pelzer³⁴, J.P. Thomas¹⁸, J. Thomas-Wilsker⁷⁷, E.N. Thompson³⁵, P.D. Thompson¹⁸, R.J. Thompson⁸⁴, A.S. Thompson⁵³, L.A. Thomsen³⁶, E. Thomson¹²², M. Thomson²⁸, W.M. Thong⁸⁸, R.P. Thun^{89,*}, F. Tian³⁵, M.J. Tibbetts¹⁵, R.E. Ticse Torres⁸⁵, V.O. Tikhomirov^{96,ag}, Yu.A. Tikhonov^{109,c}, S. Timoshenko⁹⁸, E. Tiouchichine⁸⁵, P. Tipton¹⁷⁷, S. Tisserant⁸⁵, T. Todorov^{5,*}, S. Todorova-Nova¹²⁹, J. Tojo⁷⁰, S. Tokár^{145a}, K. Tokushuku⁶⁶, K. Tollefson⁹⁰, E. Tolley⁵⁷, L. Tomlinson⁸⁴, M. Tomoto¹⁰³, L. Tompkins^{144,ah}, K. Toms¹⁰⁵, N.D. Topilin⁶⁵, E. Torrence¹¹⁶, H. Torres¹⁴³, E. Torró Pastor¹⁶⁸, J. Toth^{85,ai}, F. Touchard⁸⁵, D.R. Tovey¹⁴⁰, H.L. Tran¹¹⁷, T. Trefzger¹⁷⁵, L. Tremblet³⁰, A. Tricoli³⁰, I.M. Trigger^{160a}, S. Trincaz-Duvold⁸⁰, M.F. Tripiana¹², W. Trischuk¹⁵⁹, B. Trocmé⁵⁵, C. Troncon^{91a}, M. Trottier-McDonald¹⁵, M. Trovatelli^{135a,135b}, P. True⁹⁰, M. Trzebinski³⁹, A. Trzupek³⁹, C. Tsarouchas³⁰, J.C-L. Tseng¹²⁰, P.V. Tsiareshka⁹², D. Tsionou¹⁵⁵, G. Tsipolitis¹⁰, N. Tsirintanis⁹, S. Tsiskaridze¹², V. Tsiskaridze⁴⁸, E.G. Tskhadadze^{51a}, I.I. Tsukerman⁹⁷, V. Tsulaia¹⁵, S. Tsuno⁶⁶, D. Tsybychev¹⁴⁹, A. Tudorache^{26a}, V. Tudorache^{26a}, A.N. Tuna¹²², S.A. Tupputi^{20a,20b}, S. Turchikhin^{99,af}, D. Turecek¹²⁸, I. Turk Cakir^{4c}, R. Turra^{91a,91b}, A.J. Turvey⁴⁰, P.M. Tuts³⁵, A. Tykhonov⁴⁹, M. Tylmad^{147a,147b}, M. Tyndel¹³¹, I. Ueda¹⁵⁶, R. Ueno²⁹, M. Ughetto^{85,aj}, M. Ugland¹⁴, M. Uhlenbrock²¹, F. Ukegawa¹⁶¹, G. Unal³⁰, A. Undrus²⁵, G. Unel¹⁶⁴, F.C. Ungaro⁴⁸, Y. Unno⁶⁶, C. Unverdorben¹⁰⁰, J. Urban^{145b}, P. Urquijo⁸⁸, P. Urrejola⁸³, G. Usai⁸, A. Usanova⁶², L. Vacavant⁸⁵, V. Vacek¹²⁸, B. Vachon⁸⁷, N. Valencic¹⁰⁷, S. Valentini^{20a,20b}, A. Valero¹⁶⁸, L. Valery³⁴, S. Valkar¹²⁹, E. Valladolid Gallego¹⁶⁸, S. Vallecorsa⁴⁹, J.A. Valls Ferrer¹⁶⁸, W. Van Den Wollenberg¹⁰⁷, P.C. Van Der Deijl¹⁰⁷, R. van der Geer¹⁰⁷, H. van der Graaf¹⁰⁷, R. Van Der Leeuw¹⁰⁷, N. van Eldik³⁰, P. van Gemmeren⁶, J. Van Nieuwkoop¹⁴³, I. van Vulpen¹⁰⁷, M.C. van Woerden³⁰, M. Vanadia^{133a,133b}, W. Vandelli³⁰, R. Vanguri¹²², A. Vaniachine⁶, F. Vannucci⁸⁰, G. Vardanyan¹⁷⁸, R. Vari^{133a}, E.W. Varnes⁷, T. Varol⁴⁰, D. Varouchas⁸⁰, A. Vartapetian⁸, K.E. Varvell¹⁵¹, F. Vazeille³⁴, T. Vazquez Schroeder⁵⁴, J. Veatch⁷, F. Veloso^{126a,126c}, T. Velz²¹, S. Veneziano^{133a}, A. Ventura^{73a,73b}, D. Ventura⁸⁶, M. Venturi¹⁷⁰, N. Venturi¹⁵⁹, A. Venturini²³, V. Vercesi^{121a}, M. Verducci^{133a,133b}, W. Verkerke¹⁰⁷, J.C. Vermeulen¹⁰⁷, A. Vest⁴⁴, M.C. Vetterli^{143,d}, O. Viazlo⁸¹, I. Vichou¹⁶⁶, T. Vickey^{146c,ak}, O.E. Vickey Boeriu^{146c}, G.H.A. Viehhäuser¹²⁰, S. Viel¹⁵, R. Vigne³⁰, M. Villa^{20a,20b}, M. Villaplana Perez^{91a,91b}, E. Vilucchi⁴⁷, M.G. Vincter²⁹, V.B. Vinogradov⁶⁵, J. Virzi¹⁵, I. Vivarelli¹⁵⁰, F. Vives Vaque³, S. Vlachos¹⁰, D. Vladoiu¹⁰⁰, M. Vlasak¹²⁸, M. Vogel^{32a}, P. Vokac¹²⁸, G. Volpi^{124a,124b}, M. Volpi⁸⁸, H. von der Schmitt¹⁰¹, H. von Radziewski⁴⁸, E. von Toerne²¹, V. Vorobel¹²⁹, K. Vorobej⁹⁸, M. Vos¹⁶⁸, R. Voss³⁰, J.H. Vossebeld⁷⁴, N. Vranjes¹³, M. Vranjes Milosavljevic¹³, V. Vrba¹²⁷, M. Vreeswijk¹⁰⁷, R. Vuillermet³⁰, I. Vukotic³¹, Z. Vykydal¹²⁸, P. Wagner²¹, W. Wagner¹⁷⁶, H. Wahlberg⁷¹, S. Wahrmund⁴⁴, J. Wakabayashi¹⁰³, J. Walder⁷², R. Walker¹⁰⁰, W. Walkowiak¹⁴², C. Wang^{33c}, F. Wang¹⁷⁴, H. Wang¹⁵, H. Wang⁴⁰, J. Wang⁴², J. Wang^{33a}, K. Wang⁸⁷, R. Wang¹⁰⁵, S.M. Wang¹⁵², T. Wang²¹, X. Wang¹⁷⁷, C. Wanotayaroj¹¹⁶, A. Warburton⁸⁷, C.P. Ward²⁸, D.R. Wardrop⁷⁸, M. Warsinsky⁴⁸, A. Washbrook⁴⁶, C. Wasicki⁴², P.M. Watkins¹⁸, A.T. Watson¹⁸, I.J. Watson¹⁵¹, M.F. Watson¹⁸, G. Watts¹³⁹, S. Watts⁸⁴, B.M. Waugh⁷⁸, S. Webb⁸⁴, M.S. Weber¹⁷, S.W. Weber¹⁷⁵, J.S. Webster³¹, A.R. Weidberg¹²⁰, B. Weinert⁶¹, J. Weingarten⁵⁴, C. Weiser⁴⁸, H. Weits¹⁰⁷, P.S. Wells³⁰, T. Wenaus²⁵, D. Wendland¹⁶, T. Wengler³⁰, S. Wenig³⁰, N. Wermes²¹, M. Werner⁴⁸, P. Werner³⁰, M. Wessels^{58a}, J. Wetter¹⁶², K. Whalen²⁹, A.M. Wharton⁷², A. White⁸, M.J. White¹, R. White^{32b}, S. White^{124a,124b}, D. Whiteson¹⁶⁴, D. Wicke¹⁷⁶, F.J. Wickens¹³¹, W. Wiedenmann¹⁷⁴, M. Wielers¹³¹, P. Wienemann²¹, C. Wiglesworth³⁶, L.A.M. Wiik-Fuchs²¹, A. Wildauer¹⁰¹, H.G. Wilkens³⁰, H.H. Williams¹²², S. Williams¹⁰⁷, C. Willis⁹⁰, S. Willocq⁸⁶, A. Wilson⁸⁹, J.A. Wilson¹⁸, I. Wingerter-Seez⁵, F. Winklmeier¹¹⁶, B.T. Winter²¹, M. Wittgen¹⁴⁴, J. Wittkowski¹⁰⁰, S.J. Wollstadt⁸³, M.W. Wolter³⁹, H. Wolters^{126a,126c}, B.K. Wosiek³⁹, J. Wotschack³⁰, M.J. Woudstra⁸⁴, K.W. Wozniak³⁹, M. Wu⁵⁵, S.L. Wu¹⁷⁴, X. Wu⁴⁹, Y. Wu⁸⁹, T.R. Wyatt⁸⁴, B.M. Wynne⁴⁶, S. Xella³⁶, D. Xu^{33a}, L. Xu^{33b,al}, B. Yabsley¹⁵¹, S. Yacoob^{146b,am}, R. Yakabe⁶⁷, M. Yamada⁶⁶, Y. Yamaguchi¹¹⁸, A. Yamamoto⁶⁶, S. Yamamoto¹⁵⁶, T. Yamanaka¹⁵⁶, K. Yamauchi¹⁰³, Y. Yamazaki⁶⁷, Z. Yan²², H. Yang^{33e}, H. Yang¹⁷⁴, Y. Yang¹⁵², S. Yanush⁹³, L. Yao^{33a}, W-M. Yao¹⁵, Y. Yasu⁶⁶, E. Yatsenko⁴², K.H. Yau Wong²¹, J. Ye⁴⁰, S. Ye²⁵, I. Yeletskikh⁶⁵, A.L. Yen⁵⁷, E. Yildirim⁴², K. Yorita¹⁷², R. Yoshida⁶, K. Yoshihara¹²², C. Young¹⁴⁴, C.J.S. Young³⁰, S. Youssef²², D.R. Yu¹⁵, J. Yu⁸, J.M. Yu⁸⁹, J. Yu¹¹⁴, L. Yuan⁶⁷, A. Yurkewicz¹⁰⁸, I. Yusuff^{28,an}, B. Zabinski³⁹, R. Zaidan⁶³, A.M. Zaitsev^{130,aa}, A. Zaman¹⁴⁹, S. Zambito²³, L. Zanello^{133a,133b}, D. Zanzi⁸⁸, C. Zeitnitz¹⁷⁶, M. Zeman¹²⁸, A. Zemla^{38a}, K. Zengel²³, O. Zenin¹³⁰, T. Ženiš^{145a}, D. Zerwas¹¹⁷, D. Zhang⁸⁹, F. Zhang¹⁷⁴, J. Zhang⁶, L. Zhang¹⁵², R. Zhang^{33b}, X. Zhang^{33d}, Z. Zhang¹¹⁷, X. Zhao⁴⁰, Y. Zhao^{33d,117}, Z. Zhao^{33b}, A. Zhemchugov⁶⁵, J. Zhong¹²⁰, B. Zhou⁸⁹, C. Zhou⁴⁵, L. Zhou³⁵, L. Zhou⁴⁰, N. Zhou¹⁶⁴, C.G. Zhu^{33d}, H. Zhu^{33a}, J. Zhu⁸⁹, Y. Zhu^{33b}, X. Zhuang^{33a}, K. Zhukov⁹⁶, A. Zibell¹⁷⁵, D. Zieminska⁶¹, N.I. Zimine⁶⁵,

C. Zimmermann⁸³, R. Zimmermann²¹, S. Zimmermann⁴⁸, Z. Zinonos⁵⁴, M. Zinser⁸³, M. Ziolkowski¹⁴², L. Živković¹³, G. Zobernig¹⁷⁴, A. Zoccoli^{20a,20b}, M. zur Nedden¹⁶, G. Zurzolo^{104a,104b}, L. Zwaliński³⁰.

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany NY, United States of America

³ Department of Physics, University of Alberta, Edmonton AB, Canada

⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(c) Istanbul Aydin University, Istanbul; ^(d) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America

⁹ Physics Department, University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain

¹³ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America

¹⁶ Department of Physics, Humboldt University, Berlin, Germany

¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics, Dogus University, Istanbul; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey

²⁰ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²¹ Physikalisches Institut, University of Bonn, Bonn, Germany

²² Department of Physics, Boston University, Boston MA, United States of America

²³ Department of Physics, Brandeis University, Waltham MA, United States of America

²⁴ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits

Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

²⁵ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America

²⁶ ^(a) National Institute of Physics and Nuclear Engineering, Bucharest; ^(b) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(c) University Politehnica Bucharest, Bucharest; ^(d) West University in Timisoara, Timisoara, Romania

²⁷ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

²⁸ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

²⁹ Department of Physics, Carleton University, Ottawa ON, Canada

³⁰ CERN, Geneva, Switzerland

³¹ Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America

³² ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³³ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Department of Physics and Astronomy, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University, Shanghai; ^(f) Physics Department, Tsinghua University, Beijing 100084, China

³⁴ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France

³⁵ Nevis Laboratory, Columbia University, Irvington NY, United States of America

- ³⁶ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- ³⁷ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
- ³⁸ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ³⁹ Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
- ⁴⁰ Physics Department, Southern Methodist University, Dallas TX, United States of America
- ⁴¹ Physics Department, University of Texas at Dallas, Richardson TX, United States of America
- ⁴² DESY, Hamburg and Zeuthen, Germany
- ⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴⁴ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁵ Department of Physics, Duke University, Durham NC, United States of America
- ⁴⁶ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- ⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
- ⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- ⁵¹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- ⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵³ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- ⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
- ⁵⁶ Department of Physics, Hampton University, Hampton VA, United States of America
- ⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America
- ⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- ⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶⁰ ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- ⁶¹ Department of Physics, Indiana University, Bloomington IN, United States of America
- ⁶² Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶³ University of Iowa, Iowa City IA, United States of America
- ⁶⁴ Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America
- ⁶⁵ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁶ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁶⁷ Graduate School of Science, Kobe University, Kobe, Japan
- ⁶⁸ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁶⁹ Kyoto University of Education, Kyoto, Japan
- ⁷⁰ Department of Physics, Kyushu University, Fukuoka, Japan
- ⁷¹ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷² Physics Department, Lancaster University, Lancaster, United Kingdom
- ⁷³ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷⁴ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁷⁵ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- ⁷⁶ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁷⁷ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁷⁸ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁷⁹ Louisiana Tech University, Ruston LA, United States of America

- ⁸⁰ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸¹ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁸² Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain
- ⁸³ Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸⁴ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ⁸⁵ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁶ Department of Physics, University of Massachusetts, Amherst MA, United States of America
- ⁸⁷ Department of Physics, McGill University, Montreal QC, Canada
- ⁸⁸ School of Physics, University of Melbourne, Victoria, Australia
- ⁸⁹ Department of Physics, The University of Michigan, Ann Arbor MI, United States of America
- ⁹⁰ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America
- ⁹¹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁹² B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- ⁹³ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
- ⁹⁴ Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America
- ⁹⁵ Group of Particle Physics, University of Montreal, Montreal QC, Canada
- ⁹⁶ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- ⁹⁷ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- ⁹⁸ National Research Nuclear University MEPhI, Moscow, Russia
- ⁹⁹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- ¹⁰⁰ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- ¹⁰¹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹⁰² Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹⁰³ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- ¹⁰⁴ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ¹⁰⁵ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America
- ¹⁰⁶ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁷ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹⁰⁸ Department of Physics, Northern Illinois University, DeKalb IL, United States of America
- ¹⁰⁹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- ¹¹⁰ Department of Physics, New York University, New York NY, United States of America
- ¹¹¹ Ohio State University, Columbus OH, United States of America
- ¹¹² Faculty of Science, Okayama University, Okayama, Japan
- ¹¹³ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America
- ¹¹⁴ Department of Physics, Oklahoma State University, Stillwater OK, United States of America
- ¹¹⁵ Palacký University, RCPTM, Olomouc, Czech Republic
- ¹¹⁶ Center for High Energy Physics, University of Oregon, Eugene OR, United States of America
- ¹¹⁷ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
- ¹¹⁸ Graduate School of Science, Osaka University, Osaka, Japan
- ¹¹⁹ Department of Physics, University of Oslo, Oslo, Norway
- ¹²⁰ Department of Physics, Oxford University, Oxford, United Kingdom
- ¹²¹ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ¹²² Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America
- ¹²³ Petersburg Nuclear Physics Institute, Gatchina, Russia
- ¹²⁴ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²⁵ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America
- ¹²⁶ ^(a) Laboratorio de Instrumentacao e Física Experimental de Particulas - LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Fisica, Universidade do Minho, Braga;

- (f) Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); (g) Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- ¹²⁷ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- ¹²⁸ Czech Technical University in Prague, Praha, Czech Republic
- ¹²⁹ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- ¹³⁰ State Research Center Institute for High Energy Physics, Protvino, Russia
- ¹³¹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹³² Ritsumeikan University, Kusatsu, Shiga, Japan
- ¹³³ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ¹³⁴ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ¹³⁵ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- ¹³⁶ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco
- ¹³⁷ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- ¹³⁸ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America
- ¹³⁹ Department of Physics, University of Washington, Seattle WA, United States of America
- ¹⁴⁰ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- ¹⁴¹ Department of Physics, Shinshu University, Nagano, Japan
- ¹⁴² Fachbereich Physik, Universität Siegen, Siegen, Germany
- ¹⁴³ Department of Physics, Simon Fraser University, Burnaby BC, Canada
- ¹⁴⁴ SLAC National Accelerator Laboratory, Stanford CA, United States of America
- ¹⁴⁵ ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- ¹⁴⁶ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- ¹⁴⁷ ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- ¹⁴⁸ Physics Department, Royal Institute of Technology, Stockholm, Sweden
- ¹⁴⁹ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America
- ¹⁵⁰ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- ¹⁵¹ School of Physics, University of Sydney, Sydney, Australia
- ¹⁵² Institute of Physics, Academia Sinica, Taipei, Taiwan
- ¹⁵³ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- ¹⁵⁴ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- ¹⁵⁵ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- ¹⁵⁶ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- ¹⁵⁷ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- ¹⁵⁸ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- ¹⁵⁹ Department of Physics, University of Toronto, Toronto ON, Canada
- ¹⁶⁰ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
- ¹⁶¹ Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
- ¹⁶² Department of Physics and Astronomy, Tufts University, Medford MA, United States of America
- ¹⁶³ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ¹⁶⁴ Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America

- ¹⁶⁵ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- ¹⁶⁶ Department of Physics, University of Illinois, Urbana IL, United States of America
- ¹⁶⁷ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- ¹⁶⁸ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- ¹⁶⁹ Department of Physics, University of British Columbia, Vancouver BC, Canada
- ¹⁷⁰ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- ¹⁷¹ Department of Physics, University of Warwick, Coventry, United Kingdom
- ¹⁷² Waseda University, Tokyo, Japan
- ¹⁷³ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷⁴ Department of Physics, University of Wisconsin, Madison WI, United States of America
- ¹⁷⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷⁶ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁷ Department of Physics, Yale University, New Haven CT, United States of America
- ¹⁷⁸ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁷⁹ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ^a Also at Department of Physics, King's College London, London, United Kingdom
- ^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^c Also at Novosibirsk State University, Novosibirsk, Russia
- ^d Also at TRIUMF, Vancouver BC, Canada
- ^e Also at Department of Physics, California State University, Fresno CA, United States of America
- ^f Also at Department of Physics, University of Fribourg, Fribourg, Switzerland
- ^g Also at Tomsk State University, Tomsk, Russia
- ^h Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁱ Also at Università di Napoli Parthenope, Napoli, Italy
- ^j Also at Institute of Particle Physics (IPP), Canada
- ^k Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ^l Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia
- ^m Also at Louisiana Tech University, Ruston LA, United States of America
- ⁿ Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain
- ^o Also at Department of Physics, National Tsing Hua University, Taiwan
- ^p Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America
- ^q Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia
- ^r Also at CERN, Geneva, Switzerland
- ^s Also at Georgian Technical University (GTU), Tbilisi, Georgia
- ^t Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan
- ^u Also at Manhattan College, New York NY, United States of America
- ^v Also at Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^w Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
- ^x Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ^y Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ^z Also at Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ^{aa} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia
- ^{ab} Also at Section de Physique, Université de Genève, Geneva, Switzerland
- ^{ac} Also at International School for Advanced Studies (SISSA), Trieste, Italy
- ^{ad} Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America
- ^{ae} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China
- ^{af} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia

^{ag} Also at National Research Nuclear University MEPhI, Moscow, Russia

^{ah} Also at Department of Physics, Stanford University, Stanford CA, United States of America

^{ai} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary

^{aj} Also at Laboratoire Charles Coulomb, Université de Montpellier and CNRS, Montpellier, France

^{ak} Also at Department of Physics, Oxford University, Oxford, United Kingdom

^{al} Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America

^{am} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa

^{an} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia

* Deceased