

Observation of New Baryons in the $\Xi_b^- \pi^+ \pi^-$ and $\Xi_b^0 \pi^+ \pi^-$ Systems

R. Aaij *et al.*^{*}
(LHCb Collaboration)



(Received 30 July 2023; accepted 14 September 2023; published 23 October 2023)

The first observation and study of two new baryonic structures in the final state $\Xi_b^0 \pi^+ \pi^-$ and the confirmation of the $\Xi_b(6100)^-$ state in the $\Xi_b^- \pi^+ \pi^-$ decay mode are reported using proton-proton collision data collected by the LHCb experiment, corresponding to an integrated luminosity of 9 fb^{-1} . In addition, the properties of the known Ξ_b^{*0} , Ξ_b^{*-} and Ξ_b^{*+} resonances are measured with improved precision. The new decay mode of the Ξ_b^0 baryon to the $\Xi_c^+ \pi^- \pi^+ \pi^-$ final state is observed and exploited for the first time in these measurements.

DOI: 10.1103/PhysRevLett.131.171901

The $\Xi_b^{(-,0)}$ baryons form an isospin doublet and are made of a b quark, an s quark and a lighter q (u or d) quark. Their ground states have no angular momentum between the b quark and the light diquark. Three isospin doublets of such nonexcited states are expected in the quark model [1–3] with different spin-parity J^P and angular momentum of the sq diquark J_{sq} . The $\Xi_b^{(-,0)}$, $\Xi_b^{*(0,-)}$, and $\Xi_b^{*(0,+)}$ states are characterized by (J_{sq}, J^P) values of $(0, \frac{1}{2}^+)$, $(1, \frac{1}{2}^+)$, and $(1, \frac{3}{2}^+)$, respectively. Although five of these states have been observed experimentally [4–7], the Ξ_b^0 baryon remains unobserved. This is presumably because its mass lies below the threshold for the $\Xi_b' \rightarrow \Xi_b^- \pi^+$ decay [8,9], meaning that it only decays to either the $\Xi_b^- \pi^0$ or $\Xi_b^0 \gamma$ final states making it experimentally challenging to observe. Several excited states of higher mass are expected, with predictions for their properties available, e.g., in Refs. [9–17]. The CMS Collaboration has reported the observation of the $\Xi_b(6100)^-$ resonance in the $\Xi_b^- \pi^+ \pi^-$ final state, using Ξ_b^- decays to final states containing J/ψ mesons [18], which is a candidate for one of these excited states.

In this Letter, both the $\Xi_b^- \pi^+ \pi^-$ and $\Xi_b^0 \pi^+ \pi^-$ final states and their intermediate $\Xi_b^- \pi^+$ and $\Xi_b^0 \pi^-$ states are investigated experimentally (the inclusion of charge conjugate processes and the use of natural units are implicit throughout this Letter), using pp collision data collected by the LHCb experiment at center-of-mass energies of 7,8,13 TeV, corresponding to an integrated luminosity of 9 fb^{-1} . The observation of three narrow states is reported and their properties are measured.

The LHCb detector [19,20] is a single-arm forward spectrometer covering the pseudorapidity range $2 < \eta < 5$. The detector includes a high-precision tracking system consisting of a silicon-strip vertex detector surrounding the pp interaction region [21], a large-area silicon-strip detector located upstream of a dipole magnet with a bending power of about 4 Tm, and three stations of silicon-strip detectors and straw drift tubes [22,23] placed downstream of the magnet. Different types of charged hadrons are distinguished using information from two ring-imaging Cherenkov detectors [24]. Simulated data samples are produced with the software packages described in Refs. [25–29] and are used to model the detector resolution and optimize the selection criteria.

Samples of Ξ_b^- (Ξ_b^0) candidates are formed from $\Xi_c^0 \pi^-$ ($\Xi_c^+ \pi^-$) and $\Xi_c^0 \pi^- \pi^+ \pi^-$ ($\Xi_c^+ \pi^- \pi^+ \pi^-$) combinations, where the Ξ_c^0 (Ξ_c^+) baryon is reconstructed in the $pK^- K^- \pi^+$ ($pK^- \pi^+$) final state. To suppress background coming from promptly produced particles, all $\Xi_b^{(-,0)}$ decay products are required to be displaced significantly from all primary pp collision vertices (PVs) in the event. The reconstructed Ξ_c^0 (Ξ_c^+) candidates are required to have a mass within 20 MeV (25 MeV) of the respective world-average mass values [30]. Displaced pion tracks are combined with Ξ_c candidates to form $\Xi_b^{(-,0)}$ candidates, requiring good vertex-fit quality and significant displacement of the $\Xi_b^{(-,0)}$ decay point from any PV in the event. All charged particles are required to have particle-identification (PID) information consistent with their respective mass hypotheses. PID variables are based on neural network algorithms [31] and their distributions in simulation are calibrated using data [32]. If multiple candidates per collision event pass the selection requirements, all of them are preserved in the data sample. The topological, kinematic and PID variables are used as inputs to a boosted decision tree (BDT) classifier [33] that discriminates $\Xi_b^{(-,0)}$ signal candidates from random track

*Full author list given at the end of the Letter.

Published by the American Physical Society under the terms of the [Creative Commons Attribution 4.0 International license](#). Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI. Funded by SCOAP³.

combinations. The classifier is trained using simulated $\Xi_b^{(-,0)}$ decays as a signal proxy and $\Xi_b^{(-,0)}$ data candidates in the sideband $5900 < m(\Xi_c^{(0,+)}\pi^-, \Xi_c^{(0,+)}\pi^-\pi^+\pi^-) < 6000$ MeV as a background proxy. The mass distributions of the selected $\Xi_b^{(-,0)} \rightarrow \Xi_c^{(0,+)}\pi^-$ and $\Xi_b^{(-,0)} \rightarrow \Xi_c^{(0,+)}\pi^-\pi^+\pi^-$ candidates are shown in the Supplemental Material [34]. The decay mode $\Xi_b^0 \rightarrow \Xi_c^+\pi^-\pi^+\pi^-$ is observed for the first time experimentally. The selection requirement on the BDT classifier output is optimized for the observation of new states and retains 96% of the Ξ_b^- and 92% of the Ξ_b^0 signal candidates. Additional vetoes are imposed, as described in Ref. [35], to suppress other abundant processes with displaced vertices, e.g., those coming from D^0 , D^+ , D_s^+ , and Λ_c^+ decays with a misidentified particle.

The $\Xi_b^{(-,0)}$ candidates within a ± 75 MeV window around the peak position are combined with one charged pion (two pions) to investigate the $\Xi_b^-\pi^+$ and $\Xi_b^0\pi^-$ ($\Xi_b^-\pi^+\pi^-$ and $\Xi_b^0\pi^-\pi^+$) mass spectra. In order to improve the mass resolution, the obtained candidates are refitted with the masses of the $\Xi_b^{(-,0)}$ and $\Xi_c^{(0,+)}$ baryon candidates constrained to their known values [30] and the $\Xi_b^{(-,0)}$ flight direction to originate from the PV [36]. Additional requirements are applied to the $\Xi_b\pi^-\pi^+$ candidates, where the $\Xi_b^{*,0}$, $\Xi_b^{'-}$, and Ξ_b^{*-} intermediate states are selected according to their observed widths and known mass values [30]. Signal mass windows for the $\Xi_b\pi$ intermediate resonances are defined as $|m(\Xi_b\pi) - m_{\Xi_b^0}| < 3$ MeV, $|m(\Xi_b\pi) - m_{\Xi_b^-}| < 1.25$ MeV, and $|m(\Xi_b\pi) - m_{\Xi_b^{*-}}| < 5$ MeV, each corresponding to 2.5σ of the observed experimental peak.

The signal yields and lineshape parameters of the signal resonances are determined with an extended unbinned maximum-likelihood fit to the Q -value distributions defined as $m_{\Xi_b\pi} - m_{\Xi_b} - m_\pi$ and $m_{\Xi_b\pi\pi} - m_{\Xi_b} - 2m_\pi$ for $\Xi_b\pi$ and $\Xi_b\pi\pi$ decays, respectively. The mass distributions of the $\Xi_b^-\pi^+$ and $\Xi_b^0\pi^-$ ($\Xi_b^-\pi^+\pi^-$ and $\Xi_b^0\pi^-\pi^+$) samples are shown in Fig. 1 (Fig. 2), together with the results of the fit. All signal components are modeled using relativistic Breit-Wigner distributions [37] including Blatt-Weisskopf form factors [38] with a radius of 3 GeV $^{-1}$. The orbital angular momentum between the $\Xi_b^{(-,0)}$ baryons and the pions is assumed according to the expected spin assignment. The relativistic Breit-Wigner distributions are convolved with functions parametrizing the detector resolution. These resolution models are determined from simulation samples and are consistent with a resolution that scales as \sqrt{Q} . Simulation shows that for each resonance, the resolution is comparable to or smaller than the measured natural widths of the peaks, with the exception of the Ξ_b^{*-} baryon. The background contribution is parametrized as $(Q - d)^n$, where d and n parameters vary freely in the fit. This function, which is validated using wrong-charge $\Xi_b^-\pi^-$ and $\Xi_b^0\pi^+$ candidates, is sufficient to describe the smooth




FIG. 1. Distributions of the mass difference $Q = m_{\Xi_b\pi} - m_{\Xi_b} - m_\pi$ for selected (a) $\Xi_b^-\pi^+$ and (b) $\Xi_b^0\pi^-$ candidates. The fit results are superimposed.

background coming from random track combinations. Additional components are included in the fit to the $\Xi_b^0\pi^-$ spectrum to describe partially reconstructed candidates coming from higher mass resonances. These components are referred to as *reflections* in the rest of this Letter. The reflections of the newly observed states in the $\Xi_b\pi\pi$ mode to the $\Xi_b\pi$ spectrum are studied with simulation and dedicated components are included in the fit, modeled as Gaussian functions with power-law tails [39]. The means of the reflection components vary freely in the fits to data and their fitted values are consistent with expectations from simulated backgrounds, generated with different mass and width hypotheses according to the observed mass splitting measured in the known states, and cross-checks in data. The fit confirms the presence of partially reconstructed $\Xi_b(6100)^- \rightarrow \Xi_b^{*0}(\Xi_b^0\pi^0)\pi^-$ decays and shows hints of a contribution from the decay chain $\Xi_b(1P,1/2)^- \rightarrow \Xi_b^0(\Xi_b^0\pi^0)\pi^-$, where neither the $\Xi_b(1P,1/2)^-$ state, the expected lighter resonance equivalent to that found in the neutral system, nor the Ξ_b^{*0} state has been observed experimentally to date (Fig. 2). This component has been validated simulating different mass and width hypotheses for the two particles involved, taking into account expected isospin splittings given the masses of their charged




FIG. 2. Distributions of the mass difference $Q = m_{\Xi_b \pi\pi} - m_{\Xi_b} - 2m_\pi$ for selected (a) $\Xi_b^- \pi^+ \pi^-$ candidates in the Ξ_b^{*0} mass window, (b) $\Xi_b^0 \pi^- \pi^+$ candidates in the $\Xi_b'^-$ mass window and (c) $\Xi_b^0 \pi^- \pi^+$ candidates in the Ξ_b^{*-} mass window. The fit results are superimposed.

partners. However, a precise estimation of the $\Xi_b(1P, 1/2)^-$ and Ξ_b^{*0} state properties is not possible due to the limited yield and the presence of two unknown mass values. The resolutions of the signal components are fixed to the values obtained from simulation. The fit models are validated with pseudoexperiments and no significant bias is found on any of the parameters of interest.

The fitted yields in the $\Xi_b \pi$ mass spectra are 2019 ± 58 for the Ξ_b^{*0} baryon, 1750 ± 50 for the Ξ_b' baryon, and

TABLE I. Systematic uncertainties (MeV) on the measured physical properties. The parameters Q_0 and Γ are the mean and the width of the Breit-Wigner distribution, respectively.

Source	Ξ_b^{*0}		$\Xi_b'^-$		Ξ_b^{*-}	
	Q_0	Γ	Q_0	Γ	Q_0	Γ
Momentum scale	0.006	0.001	0.001	0.001	0.008	0.001
Background	0.003	0.029	0.000	0.006	0.004	0.073
Reflections			0.000	0.000	0.002	0.007
Resolution	0.001	0.038	0.002	0.027	0.000	0.033
BW parameter	0.001	0.001	0.000	0.000	0.001	0.002
Total	0.007	0.048	0.002	0.028	0.010	0.081

Source	$\Xi_b(6100)^-$		$\Xi_b(6087)^0$		$\Xi_b(6095)^0$	
	Q_0	Γ	Q_0	Γ	Q_0	Γ
Momentum scale	0.008	0.002	0.007	0.001	0.009	0.006
Background	0.004	0.035	0.022	0.089	0.023	0.025
Resolution	0.004	0.054	0.001	0.035	0.006	0.073
BW parameter	0.016	0.050	0.056	0.007	0.001	0.079
Total	0.019	0.081	0.060	0.096	0.026	0.111

3380 ± 110 for the Ξ_b^{*-} baryon. The $\Xi_b(6100)^-$ state [18] is confirmed in the $\Xi_b^{*0} \pi^-$ mass distribution [Fig. 2(a)], while two new peaks are observed in the $\Xi_b'^- \pi^+$ [Fig. 2(b)] and $\Xi_b^{*-} \pi^+$ [Fig. 2(c)] mass distributions, referred to as $\Xi_b(6087)^0$ and $\Xi_b(6095)^0$ in this Letter. For the newly observed states, the signal yields are 136 ± 17 for the $\Xi_b(6100)^-$ resonance, 147 ± 19 for the $\Xi_b(6087)^0$ resonance, and 69 ± 14 for the $\Xi_b(6095)^0$ resonance. The three peaks are observed with local significances of 18σ , 15σ , and 9σ , based on the differences in log-likelihood between a fit with the signal yield fixed to zero and the default fit. These significances are reduced to 12σ , 10σ , and 8σ , once systematic uncertainties on the yields are taken into account.

Different sources of systematic uncertainties are considered in the determination of the resonance parameters. All these systematic uncertainties are summarized in Table I. One of the most important contributions to the mass measurements comes from the knowledge of the momentum scale at LHCb. The associated systematic uncertainty is assigned as the larger of the changes in the measured parameters when the momentum scale is changed by its uncertainty, which is estimated to be 3×10^{-4} [40]. An additional uncertainty arises from the empirical description of the background shapes and is estimated by modeling them with alternative functions. A third uncertainty is assigned by varying the description of the reflection components and their properties, obtained either from simulation or from data, where relevant. Further sources of uncertainty on the measurement of the natural widths are included to describe the known differences in resolution between data and simulated events. Differences are expected to be within 5%, based on previous studies [41–44], therefore

TABLE II. Masses and widths of the states considered in this Letter. The first uncertainty is statistical, the second systematic. The third uncertainty on m_0 is due to limited knowledge of the Ξ_b^- and Ξ_b^0 baryon masses [30].

State	Observable	Value (MeV)
$\Xi_b(6100)^-$	Q_0	$23.6 \pm 0.11 \pm 0.02$
	Γ	$0.94 \pm 0.30 \pm 0.08$
	m_0	$6099.74 \pm 0.11 \pm 0.02 \pm 0.6(\Xi_b^-)$
$\Xi_b(6087)^0$	Q_0	$16.20 \pm 0.20 \pm 0.06$
	Γ	$2.43 \pm 0.51 \pm 0.10$
	m_0	$6087.24 \pm 0.20 \pm 0.06 \pm 0.5(\Xi_b^0)$
$\Xi_b(6095)^0$	Q_0	$24.32 \pm 0.15 \pm 0.03$
	Γ	$0.50 \pm 0.33 \pm 0.11$
	m_0	$6095.36 \pm 0.15 \pm 0.03 \pm 0.5(\Xi_b^0)$
Ξ_b^{*0}	Q_0	$15.80 \pm 0.02 \pm 0.01$
	Γ	$0.87 \pm 0.06 \pm 0.05$
	m_0	$5952.37 \pm 0.02 \pm 0.01 \pm 0.6(\Xi_b^-)$
$\Xi_b'^-$	Q_0	$3.66 \pm 0.01 + 0.00$
	Γ	$0.03 \pm 0.01 \pm 0.03$
	m_0	$5935.13 \pm 0.01 \pm 0.00 \pm 0.5(\Xi_b^0)$
Ξ_b^{*-}	Q_0	$24.27 \pm 0.03 \pm 0.01$
	Γ	$1.43 \pm 0.08 \pm 0.08$
	m_0	$5955.74 \pm 0.03 \pm 0.01 \pm 0.5(\Xi_b^0)$

uncertainties are estimated by varying the resolution function width and the parametrization of the mass resolution function by that amount. Possible uncertainties can arise from the assumed relativistic Breit-Wigner distributions and their parameters. Lower mass states are assumed to decay with angular momentum $l = 0$, while higher mass states with $l = 1$. For the newly observed states, the hypotheses assuming $l = 0, 2, 3$ are tested and the largest shifts of the fitted parameters with respect to the default fit are assigned as systematic uncertainties. A further uncertainty on the baryon mass m_0 is assigned due to the limited knowledge of the Ξ_b^- and Ξ_b^0 baryon masses [30].

The numerical results are summarized in Table II. The properties of the Ξ_b^{*0} , $\Xi_b'^-$, and Ξ_b^{*-} baryons are measured with world-leading precision. For the narrow $\Xi_b'^-$ state, its natural width is compatible with zero once the systematic uncertainties are considered, and an upper limit < 0.05 MeV is estimated at 90% confidence level.

In summary, the first observation of two new baryons $\Xi_b(6087)^0$ and $\Xi_b(6095)^0$, with quark content bsu , is reported in the $\Xi_b^0 \pi^+ \pi^-$ final state. Additionally, this Letter confirms the observation of the $\Xi_b(6100)^-$ charged state by the CMS Collaboration [18], with improved significance and sensitivity on its physical parameters. This measurement uses final states with up to nine tracks, most of which are pions, showing excellent performance of the LHCb tracking, reconstruction, and PID systems. Finally, the decay mode $\Xi_b^0 \rightarrow \Xi_c^+ \pi^- \pi^+ \pi^-$ is observed

for the first time. The properties of the Ξ_b^{*0} , Ξ_b' , and Ξ_b^{*-} baryons are measured with high precision. Determination of the spin and parity for the new baryons is not possible given the low signal yields. However, data indicate that the $\Xi_b(6100)^-$ baryon decays mainly through the $\Xi_b^{*0} \pi^-$ state, the $\Xi_b(6087)^0$ baryon mainly through the $\Xi_b'^- \pi^+$ state, and the $\Xi_b(6095)^0$ baryon mainly through the $\Xi_b^{*-} \pi^+$ state, with no significant contributions to the signals from events outside their respective $m_{\Xi_b \pi}$ mass windows [34]. These patterns closely resemble those observed in the Ξ_c^0 and Ξ_c^+ baryon systems [30]. An interpretation would be that the new states are P -wave states ($l = 1$ between the b quark and the qs diquark) coupling to the b quark to give a pair of states with $J^P = \frac{1}{2}^-$ and $\frac{3}{2}^-$. One might expect the dominant decay mode of the lighter one to be $\Xi_b^{*(0,-)} \pi$ and for the heavier one $\Xi_b^{*(0,-)} \pi$. The lighter $\Xi_b(1P, 1/2)^-$ state could not be observed as it would likely decay primarily through the intermediate Ξ_b^0 resonance which is below threshold to decay to $\Xi_b^- \pi^+$. However, hints of such $\Xi_b(1P, 1/2)^- \rightarrow \Xi_b^0 (\Xi_b^0 \pi^0) \pi^-$ decay are observed in the $\Xi_b^0 \pi^-$ spectrum as a partially reconstructed feed-down component.

We express our gratitude to our colleagues in the CERN accelerator departments for the excellent performance of the LHC. We thank the technical and administrative staff at the LHCb institutes. We acknowledge support from CERN and from the national agencies: CAPES, CNPq, FAPERJ, and FINEP (Brazil); MOST and NSFC (China); CNRS/IN2P3 (France); BMBF, DFG, and MPG (Germany); INFN (Italy); NWO (Netherlands); MNiSW and NCN (Poland); MCID/IFA (Romania); MICINN (Spain); SNSF and SER (Switzerland); NASU (Ukraine); STFC (United Kingdom); DOE NP and NSF (USA). We acknowledge the computing resources that are provided by CERN, IN2P3 (France), KIT and DESY (Germany), INFN (Italy), SURF (Netherlands), PIC (Spain), GridPP (United Kingdom), CSCS (Switzerland), IFIN-HH (Romania), CBPF (Brazil), Polish WLCG (Poland), and NERSC (USA). We are indebted to the communities behind the multiple open-source software packages on which we depend. Individual groups or members have received support from ARC and ARDC (Australia); Minciencias (Colombia); AvH Foundation (Germany); EPLANET, Marie Skłodowska-Curie Actions, ERC and NextGenerationEU (European Union); A*MIDEX, ANR, IPhU and Labex P2IO, and Région Auvergne-Rhône-Alpes (France); Key Research Program of Frontier Sciences of CAS, CAS PIFI, CAS CCEPP, Fundamental Research Funds for the Central Universities, and Sci. & Tech. Program of Guangzhou (China); GVA, XuntaGal, GENCAT, Inditex, InTalent and Prog. Atracción Talento, CM (Spain); SRC (Sweden); the Leverhulme Trust, the Royal Society and UKRI (United Kingdom).

- [1] M. Gell-Mann, A schematic model of baryons and mesons, *Phys. Lett.* **8**, 214 (1964).
- [2] G. Zweig, An SU_3 model for strong interaction symmetry and its breaking; Version 1 CERN-TH-401, CERN, Geneva, 1964.
- [3] E. Klemt and J.-M. Richard, Baryon spectroscopy, *Rev. Mod. Phys.* **82**, 1095 (2010).
- [4] T. Aaltonen *et al.* (CDF Collaboration), Observation and mass measurement of the Baryon Ξ_b^- , *Phys. Rev. Lett.* **99**, 052002 (2007).
- [5] T. Aaltonen *et al.* (CDF Collaboration), Observation of the Ξ_b^0 Baryon, *Phys. Rev. Lett.* **107**, 102001 (2011).
- [6] S. Chatrchyan *et al.* (CMS Collaboration), Observation of a new Ξ_b Baryon, *Phys. Rev. Lett.* **108**, 252002 (2012).
- [7] R. Aaij *et al.* (LHCb Collaboration), Observation of two new Ξ_b^- Baryon resonances, *Phys. Rev. Lett.* **114**, 062004 (2015).
- [8] R. Aaij *et al.* (LHCb Collaboration), First branching fraction measurement of the suppressed decay $\Xi_c^0 \rightarrow \pi^- \Lambda_c^+$, *Phys. Rev. D* **102**, 071101(R) (2020).
- [9] K.-L. Wang, Y.-X. Yao, X.-H. Zhong, and Q. Zhao, Strong and radiative decays of the low-lying S - and P -wave singly heavy baryons, *Phys. Rev. D* **96**, 116016 (2017).
- [10] B. Chen, K.-W. Wei, X. Liu, and A. Zhang, Role of newly discovered $\Xi_b(6227)^-$ for constructing excited bottom baryon family, *Phys. Rev. D* **98**, 031502(R) (2018).
- [11] Y. Kawakami and M. Harada, Singly heavy baryons with chiral partner structure in a three-flavor chiral model, *Phys. Rev. D* **99**, 094016 (2019).
- [12] Y. Kim, Y.-R. Liu, M. Oka, and K. Suzuki, Heavy baryon spectrum with chiral multiplets of scalar and vector diquarks, *Phys. Rev. D* **104**, 054012 (2021).
- [13] H.-Z. He, W. Liang, Q.-F. Lü, and Y.-B. Dong, Strong decays of the low-lying bottom strange baryons, *Sci. China Phys. Mech. Astron.* **64**, 261012 (2021).
- [14] A. J. Arifi, D. Suenaga, and A. Hosaka, Relativistic corrections to decays of heavy baryons in the quark model, *Phys. Rev. D* **103**, 094003 (2021).
- [15] B. Chen, K.-W. Wei, and A. Zhang, Assignments of Λ_Q and Ξ_Q baryons in the heavy quark-light diquark picture, *Eur. Phys. J. A* **51**, 82 (2015).
- [16] D. Ebert, R.N. Faustov, and V.O. Galkin, Spectroscopy and Regge trajectories of heavy baryons in the relativistic quark-diquark picture, *Phys. Rev. D* **84**, 014025 (2011).
- [17] W. Roberts and M. Pervin, Heavy baryons in a quark model, *Int. J. Mod. Phys. A* **23**, 2817 (2008).
- [18] A. M. Sirunyan *et al.* (CMS Collaboration), Observation of a new excited beauty strange baryon decaying to $\Xi_b^- \pi^+ \pi^-$, *Phys. Rev. Lett.* **126**, 252003 (2021).
- [19] A. A. Alves Jr. *et al.* (LHCb Collaboration), The LHCb detector at the LHC, *J. Instrum.* **3**, S08005 (2008).
- [20] R. Aaij *et al.* (LHCb Collaboration), LHCb detector performance, *Int. J. Mod. Phys. A* **30**, 1530022 (2015).
- [21] R. Aaij *et al.*, Performance of the LHCb vertex locator, *J. Instrum.* **9**, P09007 (2014).
- [22] R. Arink *et al.*, Performance of the LHCb outer tracker, *J. Instrum.* **9**, P01002 (2014).
- [23] P. d'Argent *et al.*, Improved performance of the LHCb outer tracker in LHC Run 2, *J. Instrum.* **12**, P11016 (2017).
- [24] M. Adinolfi *et al.*, Performance of the LHCb RICH detector at the LHC, *Eur. Phys. J. C* **73**, 2431 (2013).
- [25] T. Sjöstrand, S. Mrenna, and P. Skands, A brief introduction to PYTHIA8.1, *Comput. Phys. Commun.* **178**, 852 (2008).
- [26] I. Belyaev *et al.*, Handling of the generation of primary events in Gauss, the LHCb simulation framework, *J. Phys. Conf. Ser.* **331**, 032047 (2011).
- [27] D. J. Lange, The evtGen particle decay simulation package, *Nucl. Instrum. Methods Phys. Res., Sect. A* **462**, 152 (2001).
- [28] J. Allison *et al.* (GEANT4 Collaboration), GEANT4 developments and applications, *IEEE Trans. Nucl. Sci.* **53**, 270 (2006).
- [29] M. Clemencic, G. Corti, S. Easo, C.R. Jones, S. Miglioranzi, M. Pappagallo, and P. Robbe, The LHCb simulation application, gauss: Design, evolution and experience, *J. Phys. Conf. Ser.* **331**, 032023 (2011).
- [30] R. L. Workman *et al.* (Particle Data Group), Review of particle physics, *Prog. Theor. Exp. Phys.* **2022**, 083C01 (2022).
- [31] M. De Cian, S. Farry, P. Seyfert, and S. Stahl, Fast neural-net based fake track rejection in the LHCb reconstruction, Report No. LHCb-PUB-2017-011, 2017.
- [32] R. Aaij *et al.*, Selection and processing of calibration samples to measure the particle identification performance of the LHCb experiment in Run 2, *Eur. Phys. J. Tech. Instrum.* **6**, 1 (2019).
- [33] B. P. Roe *et al.*, Boosted decision trees as an alternative to artificial neural networks for particle identification, *Nucl. Instrum. Methods* **543**, 577 (2005).
- [34] See Supplemental Material at <http://link.aps.org/supplemental/10.1103/PhysRevLett.131.171901> for further details.
- [35] R. Aaij *et al.* (LHCb Collaboration), First observation of excited Ω_b^- states, *Phys. Rev. Lett.* **124**, 082002 (2020).
- [36] W. D. Hulsbergen, Decay chain fitting with a Kalman filter, *Nucl. Instrum. Methods Phys. Res., Sect. A* **552**, 566 (2005).
- [37] J. D. Jackson, Remarks on the phenomenological analysis of resonances, *Nuovo Cimento* **34**, 1644 (1964).
- [38] J. M. Blatt and V. F. Weisskopf, *Theoretical Nuclear Physics* (Springer, New York, 1952).
- [39] T. Skwarnicki, A study of the radiative cascade transitions between the Upsilon-prime and Upsilon resonances, Ph.D thesis, Institute of Nuclear Physics, Krakow, 1986.
- [40] R. Aaij *et al.* (LHCb Collaboration), Precision measurement of D meson mass differences, *J. High Energy Phys.* **06** (2013) 065.
- [41] R. Aaij *et al.* (LHCb Collaboration), Observation of two new Ξ_b^- Baryon resonances, *Phys. Rev. Lett.* **114**, 062004 (2015).
- [42] R. Aaij *et al.* (LHCb Collaboration), Observation of five new narrow Ω_c^0 states decaying to $\Xi_c^+ K^-$, *Phys. Rev. Lett.* **118**, 182001 (2017).
- [43] R. Aaij *et al.* (LHCb Collaboration), Observation of a new Ξ_b^- resonance, *Phys. Rev. Lett.* **121**, 072002 (2018).
- [44] R. Aaij *et al.* (LHCb Collaboration), Observation of two resonances in the $\Lambda_b^0 \pi^\pm$ systems and precise measurement of Σ_b^\pm and $\Sigma_b^{*\pm}$ properties, *Phys. Rev. Lett.* **122**, 012001 (2019).

- R. Aaij³², A. S. W. Abdelmotteleb⁵¹, C. Abellan Beteta⁴⁵, F. Abudinén⁵¹, T. Ackernley⁵⁵, B. Adeva⁴¹, M. Adinolfi⁴⁹, P. Adlarson⁷⁷, H. Afsharnia⁹, C. Agapopoulou⁴³, C. A. Aidala⁷⁸, Z. Ajaltouni⁹, S. Akar⁶⁰, K. Akiba³², P. Albicocco²³, J. Albrecht¹⁵, F. Alessio⁴³, M. Alexander⁵⁴, A. Alfonso Albero⁴⁰, Z. Aliouche⁵⁷, P. Alvarez Cartelle⁵⁰, R. Amalric¹³, S. Amato², J. L. Amey⁴⁹, Y. Amhis^{11,43}, L. An⁵, L. Anderlini²², M. Andersson⁴⁵, A. Andreianov³⁸, M. Andreotti²¹, D. Andreou⁶³, D. Ao⁶, F. Archilli^{31,b}, A. Artamonov³⁸, M. Artuso⁶³, E. Aslanides¹⁰, M. Atzeni⁴⁵, B. Audurier¹², I. Bachiller Perea⁸, S. Bachmann¹⁷, M. Bachmayer⁴⁴, J. J. Back⁵¹, A. Bailly-reyre¹³, P. Baladron Rodriguez⁴¹, V. Balagura¹², W. Baldini^{21,43}, J. Baptista de Souza Leite¹, M. Barbetti^{22,c}, I. R. Barbosa⁶⁵, R. J. Barlow⁵⁷, S. Barsuk¹¹, W. Barter⁵³, M. Bartolini⁵⁰, F. Baryshnikov³⁸, J. M. Basels¹⁴, G. Bassi^{29,d}, B. Batsukh⁴, A. Battig¹⁵, A. Bay⁴⁴, A. Beck⁵¹, M. Becker¹⁵, F. Bedeschi²⁹, I. B. Bediaga¹, A. Beiter⁶³, S. Belin⁴¹, V. Bellee⁴⁵, K. Belous³⁸, I. Belov²⁴, I. Belyaev³⁸, G. Benane¹⁰, G. Bencivenni²³, E. Ben-Haim¹³, A. Berezhnoy³⁸, R. Bernet⁴⁵, S. Bernet Andres³⁹, D. Berninghoff¹⁷, H. C. Bernstein⁶³, C. Bertella⁵⁷, A. Bertolin²⁸, C. Betancourt⁴⁵, F. Betti⁴³, Ia. Bezshyiko⁴⁵, J. Bhom³⁵, L. Bian⁶⁹, M. S. Bicker¹⁵, N. V. Biesuz²¹, P. Billoir¹³, A. Biolchini³², M. Birch⁵⁶, F. C. R. Bishop⁵⁰, A. Bitadze⁵⁷, A. Bizzeti⁴⁰, M. P. Blago⁵⁰, T. Blake⁵¹, F. Blanc⁴⁴, J. E. Blank¹⁵, S. Blusk⁶³, D. Bobulska⁵⁴, V. Bocharchikov³⁸, J. A. Boelhauve¹⁵, O. Boente Garcia¹², T. Boettcher⁶⁰, A. Boldyrev³⁸, C. S. Bolognani⁷⁵, R. Bolzonella^{21,e}, N. Bondar³⁸, F. Borgato^{28,43}, S. Borghi⁵⁷, M. Borsato¹⁷, J. T. Borsuk³⁵, S. A. Bouchiba⁴⁴, T. J. V. Bowcock⁵⁵, A. Boyer⁴³, C. Bozzi²¹, M. J. Bradley⁵⁶, S. Braun⁶¹, A. Brea Rodriguez⁴¹, N. Breer¹⁵, J. Brodzicka³⁵, A. Brossa Gonzalo⁴¹, J. Brown⁵⁵, D. Brundu²⁷, A. Buonaura⁴⁵, L. Buonincontri²⁸, A. T. Burke⁵⁷, C. Burr⁴³, A. Bursche⁶⁷, A. Butkevich³⁸, J. S. Butter³², J. Buytaert⁴³, W. Byczynski⁴³, S. Cadeddu²⁷, H. Cai⁶⁹, R. Calabrese^{21,e}, L. Calefice¹⁵, S. Cali²³, M. Calvi^{26,f}, M. Calvo Gomez³⁹, P. Campana²³, D. H. Campora Perez⁷⁵, A. F. Campoverde Quezada⁶, S. Capelli^{26,f}, L. Capriotti²¹, A. Carbone^{20,g}, R. Cardinale^{24,h}, A. Cardini²⁷, P. Carniti^{26,f}, L. Carus¹⁷, A. Casais Vidal⁴¹, R. Caspary¹⁷, G. Casse⁵⁵, M. Cattaneo⁴³, G. Cavallero²¹, V. Cavallini^{21,e}, S. Celani⁴⁴, J. Cerasoli¹⁰, D. Cervenkov⁵⁸, A. J. Chadwick⁵⁵, I. Chahrour⁷⁸, M. G. Chapman⁴⁹, M. Charles¹³, Ph. Charpentier⁴³, C. A. Chavez Barajas⁵⁵, M. Chefdeville⁸, C. Chen¹⁰, S. Chen⁴, A. Chernov³⁵, S. Chernyshenko⁴⁷, V. Chobanova^{41,i}, S. Cholak⁴⁴, M. Chrzaszcz³⁵, A. Chubykin³⁸, V. Chulikov³⁸, P. Ciambrone²³, M. F. Cicala⁵¹, X. Cid Vidal⁴¹, G. Ciezarek⁴³, P. Cifra⁴³, P. E. L. Clarke⁵³, M. Clemencic⁴³, H. V. Cliff⁵⁰, J. Closier⁴³, J. L. Cobbledick⁵⁷, V. Coco⁴³, J. Cogan¹⁰, E. Cogneras⁹, L. Cojocariu³⁷, P. Collins⁴³, T. Colombo⁴³, A. Comerma-Montells⁴⁰, L. Congedo¹⁹, A. Contu²⁷, N. Cooke⁵⁴, I. Corredoira⁴¹, G. Corti⁴³, B. Couturier⁴³, D. C. Craik⁴⁵, M. Cruz Torres^{1,j}, R. Currie⁵³, C. L. Da Silva⁶², S. Dadabaev³⁸, L. Dai⁶⁶, X. Dai⁵, E. Dall'Occo¹⁵, J. Dalseno⁴¹, C. D'Ambrosio⁴³, J. Daniel⁹, A. Danilina³⁸, P. d'Argent¹⁹, J. E. Davies⁵⁷, A. Davis⁵⁷, O. De Aguiar Francisco⁵⁷, J. de Boer³², K. De Bruyn⁷⁴, S. De Capua⁵⁷, M. De Cian¹⁷, U. De Freitas Carneiro Da Graca¹, E. De Lucia²³, J. M. De Miranda¹, L. De Paula², M. De Serio^{19,k}, D. De Simone⁴⁵, P. De Simone²³, F. De Vellis¹⁵, J. A. de Vries⁷⁵, C. T. Dean⁶², F. Debernardis^{19,k}, D. Decamp⁸, V. Dedu¹⁰, L. Del Buono¹³, B. Delaney⁵⁹, H.-P. Dembinski¹⁵, V. Denysenko⁴⁵, O. Deschamps⁹, F. Dettori^{27,l}, B. Dey⁷², P. Di Nezza²³, I. Diachkov³⁸, S. Didenko³⁸, S. Ding⁶³, V. Dobishuk⁴⁷, A. Dolmatov³⁸, C. Dong³, A. M. Donohoe¹⁸, F. Dordei²⁷, A. C. dos Reis¹, L. Douglas⁵⁴, A. G. Downes⁸, W. Duan⁶⁷, P. Duda⁷⁶, M. W. Dudek³⁵, L. Dufour⁴³, V. Duk⁷³, P. Durante⁴³, M. M. Duras⁷⁶, J. M. Durham⁶², D. Dutta⁵⁷, A. Dziurda³⁵, A. Dzyuba³⁸, S. Easo⁵², U. Egede⁶⁴, A. Egorychev³⁸, V. Egorychev³⁸, C. Eirea Orro⁴¹, S. Eisenhardt⁵³, E. Ejopus⁵⁷, S. Ek-In⁴⁴, L. Eklund⁷⁷, M. Elashri⁶⁰, J. Ellbracht¹⁵, S. Ely⁵⁶, A. Ene³⁷, E. Epple⁶⁰, S. Escher¹⁴, J. Eschle⁴⁵, S. Esen⁴⁵, T. Evans⁵⁷, F. Fabiano^{27,43,l}, L. N. Falcao¹, Y. Fan⁶, B. Fang^{11,69}, L. Fantini^{73,m}, M. Faria⁴⁴, S. Farry⁵⁵, D. Fazzini^{26,f}, L. Felkowski⁷⁶, M. Feng^{4,6}, M. Feo⁴³, M. Fernandez Gomez⁴¹, A. D. Fernez⁶¹, F. Ferrari²⁰, L. Ferreira Lopes⁴⁴, F. Ferreira Rodrigues^b, S. Ferreres Sole³², M. Ferrillo⁴⁵, M. Ferro-Luzzi⁴³, S. Filippov³⁸, R. A. Fini¹⁹, M. Fiorini^{21,e}, M. Firlej³⁴, K. M. Fischer⁵⁸, D. S. Fitzgerald⁷⁸, C. Fitzpatrick⁵⁷, T. Fiutowski³⁴, F. Fleuret¹², M. Fontana²⁰, F. Fontanelli^b, R. Forty⁴³, D. Foulds-Holt⁵⁰, V. Franco Lima⁵⁵, M. Franco Sevilla⁶¹, M. Frank⁴³, E. Franzoso^{21,e}, G. Frau¹⁷, C. Frei⁴³, D. A. Friday⁵⁷, L. Frontini^{25,n}, J. Fu⁶, Q. Fuehring¹⁵, T. Fulghesu¹³, E. Gabriel³², G. Galati^{19,k}, M. D. Galati³², A. Gallas Torreira⁴¹, D. Galli^{20,g}, S. Gambetta^{53,43}, M. Gandelman², P. Gandini²⁵, H. Gao⁶

- R. Gao¹⁰,⁵⁸ Y. Gao¹⁰,⁷ Y. Gao¹⁰,⁵ M. Garau¹⁰,^{27,1} L. M. Garcia Martin¹⁰,⁴⁴ P. Garcia Moreno¹⁰,⁴⁰ J. García Pardiñas¹⁰,⁴³ B. Garcia Plana,⁴¹ F. A. Garcia Rosales¹⁰,¹² L. Garrido¹⁰,⁴⁰ C. Gaspar¹⁰,⁴³ R. E. Geertsema¹⁰,³² L. L. Gerken¹⁰,¹⁵ E. Gersabeck¹⁰,⁵⁷ M. Gersabeck¹⁰,⁵⁷ T. Gershon¹⁰,⁵¹ L. Giambastiani¹⁰,²⁸ V. Gibson¹⁰,⁵⁰ H. K. Giemza¹⁰,³⁶ A. L. Gilman¹⁰,⁵⁸ M. Giovannetti¹⁰,²³ A. Gioventù¹⁰,⁴¹ P. Gironella Gironell¹⁰,⁴⁰ C. Giugliano¹⁰,^{21,e} M. A. Giza¹⁰,³⁵ K. Gizdov¹⁰,⁵³ E. L. Gkougkousis¹⁰,⁴³ V. V. Gligorov¹⁰,¹³ C. Göbel¹⁰,⁶⁵ E. Golobardes¹⁰,³⁹ D. Golubkov¹⁰,³⁸ A. Golutvin¹⁰,^{56,38,43} A. Gomes¹⁰,^{1,1,2,a,o,p} S. Gomez Fernandez¹⁰,⁴⁰ F. Goncalves Abrantes¹⁰,⁵⁸ M. Goncerz¹⁰,³⁵ G. Gong¹⁰,³ I. V. Gorelov¹⁰,³⁸ C. Gotti¹⁰,²⁶ J. P. Grabowski¹⁰,⁷¹ L. A. Granado Cardoso¹⁰,⁴³ E. Graugés¹⁰,⁴⁰ E. Graverini¹⁰,⁴⁴ G. Graziani¹⁰,¹² A. T. Grecu¹⁰,³⁷ L. M. Greeven¹⁰,³² N. A. Grieser¹⁰,⁶⁰ L. Grillo¹⁰,⁵⁴ S. Gromov¹⁰,³⁸ C. Gu¹⁰,¹² M. Guarise¹⁰,^{21,e} M. Guittiere¹⁰,¹¹ V. Guliaeva¹⁰,³⁸ P. A. Günther¹⁰,¹⁷ A. K. Guseinov¹⁰,³⁸ E. Gushchin¹⁰,³⁸ Y. Guz¹⁰,^{5,38,43} T. Gys¹⁰,⁴³ T. Hadavizadeh¹⁰,⁶⁴ C. Hadjivasilou¹⁰,⁶¹ G. Haefeli¹⁰,⁴³ C. Haen¹⁰,⁴³ J. Haimberger¹⁰,⁴³ S. C. Haines¹⁰,⁵⁰ T. Halewood-leagas¹⁰,⁵⁵ M. M. Halvorsen¹⁰,⁴³ P. M. Hamilton¹⁰,⁶¹ J. Hammerich¹⁰,⁵⁵ Q. Han¹⁰,⁷ X. Han¹⁰,¹⁷ S. Hansmann-Menzemer¹⁰,¹⁷ L. Hao¹⁰,⁶ N. Harnew¹⁰,⁵⁸ T. Harrison¹⁰,⁵⁵ C. Hasse¹⁰,⁴³ M. Hatch¹⁰,⁴³ J. He¹⁰,^{6,q} K. Heijhoff¹⁰,³² F. Hemmer¹⁰,⁴³ C. Henderson¹⁰,⁶⁰ R. D. L. Henderson¹⁰,^{64,51} A. M. Hennequin¹⁰,⁴³ K. Hennessy¹⁰,⁵⁵ L. Henry¹⁰,⁴⁴ J. Herd¹⁰,⁵⁶ J. Heuel¹⁰,¹⁴ A. Hicheur¹⁰,² D. Hill¹⁰,⁴⁴ M. Hilton¹⁰,⁵⁷ S. E. Hollitt¹⁰,¹⁵ J. Horswill¹⁰,⁵⁷ R. Hou¹⁰,⁷ Y. Hou¹⁰,⁸ J. Hu¹⁰,¹⁷ J. Hu¹⁰,⁶⁷ W. Hu¹⁰,⁵ X. Hu¹⁰,³ W. Huang¹⁰,⁶ X. Huang¹⁰,⁶⁹ W. Hulsbergen¹⁰,³² R. J. Hunter¹⁰,⁵¹ M. Hushchyn¹⁰,³⁸ D. Hutchcroft¹⁰,⁵⁵ P. Ibis¹⁰,¹⁵ M. Idzik¹⁰,³⁴ D. Ilin¹⁰,³⁸ P. Ilten¹⁰,⁶⁰ A. Inglessi¹⁰,³⁸ A. Iniuksin¹⁰,³⁸ A. Ishteev¹⁰,³⁸ K. Ivshin¹⁰,³⁸ R. Jacobsson¹⁰,⁴³ H. Jage¹⁰,¹⁴ S. J. Jaimes Elles¹⁰,^{42,70} S. Jakobsen¹⁰,⁴³ E. Jans¹⁰,³² B. K. Jashal¹⁰,⁴² A. Jawahery¹⁰,⁶¹ V. Jevtic¹⁰,¹⁵ E. Jiang¹⁰,⁶¹ X. Jiang¹⁰,^{4,6} Y. Jiang¹⁰,⁶ M. John¹⁰,⁵⁸ D. Johnson¹⁰,⁵⁹ C. R. Jones¹⁰,⁵⁰ T. P. Jones¹⁰,⁵¹ S. Joshi¹⁰,³⁶ B. Jost¹⁰,⁴³ N. Jurik¹⁰,⁴³ I. Juszczak¹⁰,³⁵ D. Kaminaris¹⁰,⁴⁴ S. Kandybei¹⁰,⁴⁶ Y. Kang¹⁰,³ M. Karacson¹⁰,⁴³ D. Karpenkov¹⁰,³⁸ M. Karpov¹⁰,³⁸ J. W. Kautz¹⁰,⁶⁰ F. Keizer¹⁰,⁴³ D. M. Keller¹⁰,⁶³ M. Kenzie¹⁰,⁵¹ T. Ketel¹⁰,³² B. Khanji¹⁰,⁶³ A. Kharisova¹⁰,³⁸ S. Kholodenko¹⁰,³⁸ G. Khreich¹⁰,¹¹ T. Kirn¹⁰,¹⁴ V. S. Kirsebom¹⁰,⁴⁴ O. Kitouni¹⁰,⁵⁹ S. Klaver¹⁰,³³ N. Kleijne¹⁰,^{29,d} K. Klimaszewski¹⁰,³⁶ M. R. Kmiec¹⁰,³⁶ S. Kolliiev¹⁰,⁴⁷ L. Kolk¹⁰,¹⁵ A. Kondybayeva¹⁰,³⁸ A. Konoplyannikov¹⁰,³⁸ P. Kopciewicz¹⁰,³⁴ R. Kopecna,¹⁷ P. Koppenburg¹⁰,³² M. Korolev¹⁰,³⁸ I. Kostiuk¹⁰,³² O. Kot,⁴⁷ S. Kotriakhova¹⁰,¹ A. Kozachuk¹⁰,³⁸ P. Kravchenko¹⁰,³⁸ L. Kravchuk¹⁰,³⁸ M. Kreps¹⁰,⁵¹ S. Kretschmar¹⁰,¹⁴ P. Krokovny¹⁰,³⁸ W. Krupa¹⁰,⁶³ W. Krzemien¹⁰,³⁶ J. Kubat,¹⁷ S. Kubis¹⁰,⁷⁶ W. Kucewicz¹⁰,³⁵ M. Kucharczyk¹⁰,³⁵ V. Kudryavtsev¹⁰,³⁸ E. Kulikova¹⁰,³⁸ A. Kupsc¹⁰,⁷⁷ D. Lacarrere¹⁰,⁴³ G. Lafferty¹⁰,⁵⁷ A. Lai¹⁰,²⁷ A. Lampis¹⁰,^{27,1} D. Lancierini¹⁰,⁴⁵ C. Landesa Gomez¹⁰,⁴¹ J. J. Lane¹⁰,⁵⁷ R. Lane¹⁰,⁴⁹ C. Langenbruch¹⁰,¹⁷ J. Langer¹⁰,¹⁵ O. Lantwin¹⁰,³⁸ T. Latham¹⁰,⁵¹ F. Lazzari¹⁰,^{29,r} C. Lazzeroni¹⁰,⁴⁸ R. Le Gac¹⁰,¹⁰ S. H. Lee¹⁰,⁷⁸ R. Lefèvre¹⁰,⁹ A. Leflat¹⁰,³⁸ S. Legotin¹⁰,³⁸ O. Leroy¹⁰,¹⁰ T. Lesiak¹⁰,³⁵ B. Leverington¹⁰,¹⁷ A. Li¹⁰,³ H. Li¹⁰,⁶⁷ K. Li¹⁰,⁷ P. Li¹⁰,⁴³ P.-R. Li¹⁰,⁶⁸ S. Li¹⁰,⁷ T. Li¹⁰,⁴ T. Li¹⁰,⁶⁷ Y. Li¹⁰,⁴ Z. Li¹⁰,⁶³ Z. Lian¹⁰,³ X. Liang¹⁰,⁶³ C. Lin¹⁰,⁶ T. Lin¹⁰,⁵² R. Lindner¹⁰,⁴³ V. Lisovskyi¹⁰,⁴⁴ R. Litvinov¹⁰,^{27,1} G. Liu¹⁰,⁶⁷ H. Liu¹⁰,⁶ K. Liu¹⁰,⁶⁸ Q. Liu¹⁰,⁶ S. Liu¹⁰,^{4,6} Y. Liu,¹⁰,⁶⁸ A. Lobo Salvia¹⁰,⁴⁰ A. Loi¹⁰,²⁷ R. Lollini¹⁰,⁷³ J. Lomba Castro¹⁰,⁴¹ I. Longstaff¹⁰,⁵⁴ J. H. Lopes¹⁰,² A. Lopez Huertas¹⁰,⁴⁰ S. López Soliño¹⁰,⁴¹ G. H. Lovell¹⁰,⁵⁰ Y. Lu¹⁰,^{4,s} C. Lucarelli¹⁰,^{22,c} D. Lucchesi¹⁰,^{28,t} S. Luchuk¹⁰,³⁸ M. Lucio Martinez¹⁰,⁷⁵ V. Lukashenko¹⁰,^{32,47} Y. Luo¹⁰,³ A. Lupato¹⁰,²⁸ E. Luppi¹⁰,^{21,e} K. Lynch¹⁰,¹⁸ X.-R. Lyu¹⁰,⁶ R. Ma¹⁰,⁶ S. Maccolini¹⁰,¹⁵ F. Machefert¹⁰,¹¹ F. Maciuc¹⁰,³⁷ I. Mackay¹⁰,⁵⁸ V. Macko¹⁰,⁴⁴ L. R. Madhan Mohan¹⁰,⁵⁰ A. Maevskiy¹⁰,³⁸ D. Maisuzenko¹⁰,³⁸ M. W. Majewski,³⁴ J. J. Malczewski¹⁰,³⁵ S. Malde¹⁰,⁵⁸ B. Malecki¹⁰,^{35,43} A. Malinin¹⁰,³⁸ T. Maltsev¹⁰,³⁸ G. Manca¹⁰,^{27,l} G. Mancinelli¹⁰,¹⁰ C. Mancuso¹⁰,^{11,25,n} R. Manera Escalero,⁴⁰ D. Manuzzi¹⁰,²⁰ C. A. Manzari¹⁰,⁴⁵ D. Marangotto¹⁰,^{25,n} J. F. Marchand¹⁰,⁸ U. Marconi¹⁰,²⁰ S. Mariani¹⁰,⁴³ C. Marin Benito¹⁰,⁴⁰ J. Marks¹⁰,¹⁷ A. M. Marshall¹⁰,⁴⁹ P. J. Marshall,⁵⁵ G. Martelli¹⁰,^{73,m} G. Martellotti¹⁰,³⁰ L. Martinazzoli¹⁰,^{43,f} M. Martinelli¹⁰,^{26,f} D. Martinez Santos¹⁰,⁴¹ F. Martinez Vidal¹⁰,⁴² A. Massafferri¹⁰,¹ M. Materok¹⁰,¹⁴ R. Matev¹⁰,⁴³ A. Mathad¹⁰,⁴⁵ V. Matiunin¹⁰,³⁸ C. Matteuzzi¹⁰,^{63,26} K. R. Mattioli¹⁰,¹² A. Mauri¹⁰,⁵⁶ E. Maurice¹⁰,¹² J. Mauricio¹⁰,⁴⁰ M. Mazurek¹⁰,⁴³ M. McCann¹⁰,⁵⁶ L. Mcconnell¹⁰,¹⁸ T. H. McGrath¹⁰,⁵⁷ N. T. McHugh¹⁰,⁵⁴ A. McNab¹⁰,⁵⁷ R. McNulty¹⁰,¹⁸ B. Meadows¹⁰,⁶⁰ G. Meier¹⁰,¹⁵ D. Melnychuk¹⁰,³⁶ M. Merk¹⁰,^{32,75} A. Merli¹⁰,^{25,n} L. Meyer Garcia¹⁰,² D. Miao¹⁰,^{4,6} H. Miao¹⁰,⁶ M. Mikhasenko¹⁰,^{71,u} D. A. Milanes¹⁰,⁷⁰ M. Milovanovic¹⁰,⁴³ M.-N. Minard,^{8,a} A. Minotti¹⁰,^{26,f} E. Minucci¹⁰,⁶³ T. Miralles¹⁰,⁹ S. E. Mitchell¹⁰,⁵³ B. Mitreska¹⁰,¹⁵ D. S. Mitzel¹⁰,¹⁵ A. Modak¹⁰,⁵² A. Mödden¹⁰,¹⁵ R. A. Mohammed¹⁰,⁵⁸ R. D. Moise¹⁰,¹⁴ S. Mokhnenco¹⁰,³⁸ T. Mombächer¹⁰,⁴¹ M. Monk¹⁰,^{51,64} I. A. Monroy¹⁰,⁷⁰ S. Monteil¹⁰,⁹ G. Morello¹⁰,²³ M. J. Morello¹⁰,^{29,d} M. P. Morgenthaler¹⁰,¹⁷ J. Moron¹⁰,³⁴ A. B. Morris¹⁰,⁴³ A. G. Morris¹⁰,¹⁰ R. Mountain¹⁰,⁶³ H. Mu¹⁰,³ E. Muhammad¹⁰,⁵¹ F. Muheim¹⁰,⁵³ M. Mulder¹⁰,⁷⁴ K. Müller¹⁰,⁴⁵ D. Murray¹⁰,⁵⁷ R. Murta¹⁰,⁵⁶ P. Muzzetto¹⁰,^{27,l} P. Naik¹⁰,⁵⁵ T. Nakada¹⁰,⁴⁴ R. Nandakumar¹⁰,⁵² T. Nanut¹⁰,⁴³ I. Nasteva¹⁰,² M. Needham¹⁰,⁵³ N. Neri¹⁰,^{25,n} S. Neubert¹⁰,⁷¹ N. Neufeld¹⁰,⁴³ P. Neustroev,³⁸ R. Newcombe,⁵⁶

- J. Nicolini^{15,11} D. Nicotra⁷⁵ E. M. Niel⁴⁴ S. Nieswand¹⁴ N. Nikitin³⁸ N. S. Nolte⁵⁹ C. Normand^{8,27,l}
 J. Novoa Fernandez⁴¹ G. Nowak⁶⁰ C. Nunez⁷⁸ A. Oblakowska-Mucha³⁴ V. Obraztsov³⁸ T. Oeser¹⁴
 S. Okamura^{21,43,e} R. Oldeman^{27,l} F. Oliva⁵³ M. Olocco¹⁵ C. J. G. Onderwater⁷⁵ R. H. O'Neil⁵³
 J. M. Otalora Goicochea² T. Ovsianikova³⁸ P. Owen⁴⁵ A. Oyanguren⁴² O. Ozcelik⁵³ K. O. Padeken⁷¹
 B. Pagare⁵¹ P. R. Pais⁴³ T. Pajero⁵⁸ A. Palano¹⁹ M. Palutan²³ G. Panshin³⁸ L. Paolucci⁵¹ A. Papanestis⁵²
 M. Pappagallo^{19,k} L. L. Pappalardo^{21,e} C. Pappenheimer⁶⁰ C. Parkes^{57,43} B. Passalacqua^{21,e} G. Passaleva²²
 A. Pastore¹⁹ M. Patel⁵⁶ C. Patrignani^{20,g} C. J. Pawley⁷⁵ A. Pellegrino³² M. Pepe Altarelli²³ S. Perazzini²⁰
 D. Pereima³⁸ A. Pereiro Castro⁴¹ P. Perret⁹ A. Perro⁴³ K. Petridis⁴⁹ A. Petrolini^{24,h} S. Petracci⁵³
 M. Petruzzo²⁵ H. Pham⁶³ A. Philippov³⁸ R. Piandani⁶ L. Pica^{29,d} M. Piccini⁷³ B. Pietrzyk⁸ G. Pietrzyk¹¹
 D. Pinci³⁰ F. Pisani⁴³ M. Pizzichemi^{26,f} V. Placinta³⁷ J. Plews⁴⁸ M. Plo Casasus⁴¹ F. Polci^{13,43}
 M. Poli Lener²³ A. Poluektov¹⁰ N. Polukhina³⁸ I. Polyakov⁴³ E. Polycarpo² S. Ponce⁴³ D. Popov^{6,43}
 S. Poslavskii³⁸ K. Prasanth³⁵ L. Promberger¹⁷ C. Prouve⁴¹ V. Pugatch⁴⁷ V. Puill¹¹ G. Punzi^{29,r} H. R. Qi³
 W. Qian⁶ N. Qin³ S. Qu³ R. Quagliani⁴⁴ B. Rachwal³⁴ J. H. Rademacker⁴⁹ R. Rajagopalan⁶³ M. Rama²⁹
 M. Ramos Pernas⁵¹ M. S. Rangel² F. Ratnikov³⁸ G. Raven³³ M. Rebollo De Miguel⁴² F. Redi⁴³ J. Reich⁴⁹
 F. Reiss⁵⁷ Z. Ren³ P. K. Resmi⁵⁸ R. Ribatti^{29,d} S. Ricciardi⁵² K. Richardson⁵⁹ M. Richardson-Slipper⁵³
 K. Rinnert⁵⁵ P. Robbe¹¹ G. Robertson⁵³ E. Rodrigues^{55,43} E. Rodriguez Fernandez⁴¹ J. A. Rodriguez Lopez⁷⁰
 E. Rodriguez Rodriguez⁴¹ D. L. Rolf⁴³ A. Rollings⁵⁸ P. Roloff⁴³ V. Romanovskiy³⁸ M. Romero Lamas⁴¹
 A. Romero Vidal⁴¹ F. Ronchetti⁴⁴ M. Rotondo²³ M. S. Rudolph⁶³ T. Ruf⁴³ R. A. Ruiz Fernandez⁴¹
 J. Ruiz Vidal⁴² A. Ryzhikov³⁸ J. Ryzka³⁴ J. J. Saborido Silva⁴¹ N. Sagidova³⁸ N. Sahoo⁴⁸ B. Saitta^{27,l}
 M. Salomoni⁴³ C. Sanchez Gras³² I. Sanderswood⁴² R. Santacesaria³⁰ C. Santamarina Rios⁴¹ M. Santimaria²³
 L. Santoro¹ E. Santovetti³¹ D. Saranin³⁸ G. Sarpis⁵³ M. Sarpis⁷¹ A. Sarti³⁰ C. Satriano^{30,v} A. Satta³¹
 M. Saur⁵ D. Savrina³⁸ H. Sazak⁹ L. G. Scantlebury Smead⁵⁸ A. Scarabotto¹³ S. Schael¹⁴ S. Scherl⁵⁵
 A. M. Schertz⁷² M. Schiller⁵⁴ H. Schindler⁴³ M. Schmelling¹⁶ B. Schmidt⁴³ S. Schmitt¹⁴ O. Schneider⁴⁴
 A. Schopper⁴³ M. Schubiger³² N. Schulte¹⁵ S. Schulte⁴⁴ M. H. Schune¹¹ R. Schwemmer⁴³ G. Schwering¹⁴
 B. Sciascia²³ A. Sciuccati⁴³ S. Sellam⁴¹ A. Semennikov³⁸ M. Senghi Soares³³ A. Sergi^{24,h} N. Serra^{45,43}
 L. Sestini²⁸ A. Seuthe¹⁵ Y. Shang⁵ D. M. Shangase⁷⁸ M. Shapkin³⁸ I. Shchemberov³⁸ L. Shchutska⁴⁴
 T. Shears⁵⁵ L. Shekhtman³⁸ Z. Shen⁵ S. Sheng^{4,6} V. Shevchenko³⁸ B. Shi⁶ E. B. Shields^{26,f} Y. Shimizu¹¹
 E. Shmanin³⁸ R. Shorkin³⁸ J. D. Shupperd⁶³ B. G. Siddi^{21,e} R. Silva Coutinho⁶³ G. Simi²⁸ S. Simone^{19,k}
 M. Singla⁶⁴ N. Skidmore⁵⁷ R. Skuza¹⁷ T. Skwarnicki⁶³ M. W. Slater⁴⁸ J. C. Smallwood⁵⁸ J. G. Smeaton⁵⁰
 E. Smith⁵⁹ K. Smith⁶² M. Smith⁵⁶ A. Snoch³² L. Soares Lavra⁵³ M. D. Sokoloff⁶⁰ F. J. P. Soler⁵⁴
 A. Solomin^{38,49} A. Solovev³⁸ I. Solovyev³⁸ R. Song⁶⁴ Y. Song³ F. L. Souza De Almeida²
 B. Souza De Paula² E. Spadaro Norella^{25,n} E. Spedicato²⁰ J. G. Speer¹⁵ E. Spiridenkov³⁸ P. Spradlin⁵⁴
 V. Sriskaran⁴³ F. Stagni⁴³ M. Stahl⁴³ S. Stahl⁴³ S. Stanislaus⁵⁸ E. N. Stein⁴³ O. Steinkamp⁴⁵ O. Stenyakin³⁸
 H. Stevens¹⁵ D. Strekalina³⁸ Y. Su⁶ F. Suljik⁵⁸ J. Sun²⁷ L. Sun⁶⁹ Y. Sun⁶¹ P. N. Swallow⁴⁸
 K. Swientek³⁴ A. Szabelski³⁶ T. Szumlak³⁴ M. Szymanski⁴³ Y. Tan³ S. Taneja⁵⁷ M. D. Tat⁵⁸
 A. Terentev⁴⁵ F. Teubert⁴³ E. Thomas⁴³ D. J. D. Thompson⁴⁸ H. Tilquin⁵⁶ V. Tisserand⁹ S. T'Jampens⁸
 M. Tobin⁴ L. Tomassetti^{21,e} G. Tonani^{25,n} X. Tong⁵ D. Torres Machado¹ L. Toscano¹⁵ D. Y. Tou³
 C. Tripp⁴⁴ G. Tuci¹⁷ N. Tuning³² A. Ukleja³⁶ D. J. Unverzagt¹⁷ E. Ursov³⁸ A. Usachov³³
 A. Ustyuzhanin³⁸ U. Uwer¹⁷ V. Vagnoni²⁰ A. Valassi⁴³ G. Valenti²⁰ N. Valls Canudas³⁹ M. Van Dijk⁴⁴
 H. Van Hecke⁶² E. van Herwijnen⁵⁶ C. B. Van Hulse^{41,w} M. van Veghel³² R. Vazquez Gomez⁴⁰
 P. Vazquez Regueiro⁴¹ C. Vázquez Sierra⁴¹ S. Vecchi²¹ J. J. Velthuis⁴⁹ M. Veltri^{22,x} A. Venkateswaran⁴⁴
 M. Vesterinen⁵¹ D. Vieira⁶⁰ M. Vieites Diaz⁴⁴ X. Vilasis-Cardona³⁹ E. Vilella Figueras⁵⁵ A. Villa²⁰
 P. Vincent¹³ F. C. Volle¹¹ D. vom Bruch¹⁰ V. Vorobyev³⁸ N. Voropaev³⁸ K. Vos⁷⁵ C. Vrahas⁵³ J. Walsh²⁹
 E. J. Walton⁶⁴ G. Wan⁵ C. Wang¹⁷ G. Wang⁷ J. Wang⁵ J. Wang⁴ J. Wang³ J. Wang⁶⁹ M. Wang²⁵
 R. Wang⁴⁹ X. Wang⁶⁷ Y. Wang⁷ Z. Wang⁴⁵ Z. Wang³ Z. Wang⁶ J. A. Ward^{51,64} N. K. Watson⁴⁸
 D. Websdale⁵⁶ Y. Wei⁵ B. D. C. Westhenry⁴⁹ D. J. White⁵⁷ M. Whitehead⁵⁴ A. R. Wiederhold⁵¹
 D. Wiedner¹⁵ G. Wilkinson⁵⁸ M. K. Wilkinson⁶⁰ I. Williams⁵⁰ M. Williams⁵⁹ M. R. J. Williams⁵³
 R. Williams⁵⁰ F. F. Wilson⁵² W. Wislicki³⁶ M. Witek³⁵ L. Witola¹⁷ C. P. Wong⁶² G. Wormser¹¹
 S. A. Wotton⁵⁰ H. Wu⁶³ J. Wu⁷ Y. Wu⁵ K. Wyllie⁴³ S. Xian⁶⁷ Z. Xiang⁴ Y. Xie⁷ A. Xu²⁹ J. Xu⁶

L. Xu¹⁰,³ L. Xu¹⁰,³ M. Xu¹⁰,⁵¹ Q. Xu,⁶ Z. Xu¹⁰,⁹ Z. Xu¹⁰,⁶ Z. Xu¹⁰,⁴ D. Yang¹⁰,³ S. Yang¹⁰,⁶ X. Yang¹⁰,⁵ Y. Yang¹⁰,^{24,h}
 Z. Yang¹⁰,⁵ Z. Yang¹⁰,⁶¹ V. Yeroshenko¹⁰,¹¹ H. Yeung¹⁰,⁵⁷ H. Yin¹⁰,⁷ J. Yu¹⁰,⁶⁶ X. Yuan¹⁰,⁴ E. Zaffaroni¹⁰,⁴⁴
 M. Zavertyaev¹⁰,¹⁶ M. Zdybal¹⁰,³⁵ M. Zeng¹⁰,³ C. Zhang¹⁰,⁵ D. Zhang¹⁰,⁷ J. Zhang¹⁰,⁶ L. Zhang¹⁰,³ S. Zhang¹⁰,⁶⁶
 S. Zhang¹⁰,⁵ Y. Zhang¹⁰,⁵ Y. Zhang,⁵⁸ Y. Zhao¹⁰,¹⁷ A. Zharkova¹⁰,³⁸ A. Zhelezov¹⁰,¹⁷ Y. Zheng¹⁰,⁶ T. Zhou¹⁰,⁵ X. Zhou¹⁰,⁷
 Y. Zhou¹⁰,⁶ V. Zhovkova¹⁰,¹¹ L. Z. Zhu¹⁰,⁶ X. Zhu¹⁰,³ X. Zhu¹⁰,⁷ Z. Zhu¹⁰,⁶ V. Zhukov¹⁰,^{14,38} J. Zhuo¹⁰,⁴² Q. Zou¹⁰,^{4,6}
 S. Zucchelli¹⁰,^{20,g} D. Zuliani¹⁰,²⁸ and G. Zunică¹⁰,⁵⁷

(LHCb Collaboration)

¹Centro Brasileiro de Pesquisas Físicas (CBPF), Rio de Janeiro, Brazil²Universidade Federal do Rio de Janeiro (UFRJ), Rio de Janeiro, Brazil³Center for High Energy Physics, Tsinghua University, Beijing, China⁴Institute Of High Energy Physics (IHEP), Beijing, China⁵School of Physics State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China⁶University of Chinese Academy of Sciences, Beijing, China⁷Institute of Particle Physics, Central China Normal University, Wuhan, Hubei, China⁸Université Savoie Mont Blanc, CNRS, IN2P3-LAPP, Annecy, France⁹Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France¹⁰Aix Marseille Univ, CNRS/IN2P3, CPPM, Marseille, France¹¹Université Paris-Saclay, CNRS/IN2P3, IJCLab, Orsay, France¹²Laboratoire Leprince-Ringuet, CNRS/IN2P3, Ecole Polytechnique, Institut Polytechnique de Paris, Palaiseau, France¹³LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France¹⁴I. Physikalisches Institut, RWTH Aachen University, Aachen, Germany¹⁵Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany¹⁶Max-Planck-Institut für Kernphysik (MPIK), Heidelberg, Germany¹⁷Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany¹⁸School of Physics, University College Dublin, Dublin, Ireland¹⁹INFN Sezione di Bari, Bari, Italy²⁰INFN Sezione di Bologna, Bologna, Italy²¹INFN Sezione di Ferrara, Ferrara, Italy²²INFN Sezione di Firenze, Firenze, Italy²³INFN Laboratori Nazionali di Frascati, Frascati, Italy²⁴INFN Sezione di Genova, Genova, Italy²⁵INFN Sezione di Milano, Milano, Italy²⁶INFN Sezione di Milano-Bicocca, Milano, Italy²⁷INFN Sezione di Cagliari, Monserrato, Italy²⁸Università degli Studi di Padova, Università e INFN, Padova, Padova, Italy²⁹INFN Sezione di Pisa, Pisa, Italy³⁰INFN Sezione di Roma La Sapienza, Roma, Italy³¹INFN Sezione di Roma Tor Vergata, Roma, Italy³²Nikhef National Institute for Subatomic Physics, Amsterdam, Netherlands³³Nikhef National Institute for Subatomic Physics and VU University Amsterdam, Amsterdam, Netherlands³⁴AGH - University of Science and Technology, Faculty of Physics and Applied Computer Science, Kraków, Poland³⁵Henryk Niewodniczanski Institute of Nuclear Physics Polish Academy of Sciences, Kraków, Poland³⁶National Center for Nuclear Research (NCBJ), Warsaw, Poland³⁷Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest-Magurele, Romania³⁸Affiliated with an institute covered by a cooperation agreement with CERN³⁹DS4DS, La Salle, Universitat Ramon Llull, Barcelona, Spain⁴⁰ICCUB, Universitat de Barcelona, Barcelona, Spain⁴¹Instituto Galego de Física de Altas Energías (IGFAE), Universidade de Santiago de Compostela, Santiago de Compostela, Spain⁴²Instituto de Física Corpuscular, Centro Mixto Universidad de Valencia—CSIC, Valencia, Spain⁴³European Organization for Nuclear Research (CERN), Geneva, Switzerland⁴⁴Institute of Physics, Ecole Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland⁴⁵Physik-Institut, Universität Zürich, Zürich, Switzerland⁴⁶NSC Kharkiv Institute of Physics and Technology (NSC KIPT), Kharkiv, Ukraine⁴⁷Institute for Nuclear Research of the National Academy of Sciences (KINR), Kyiv, Ukraine

- ⁴⁸*University of Birmingham, Birmingham, United Kingdom*
- ⁴⁹*H.H. Wills Physics Laboratory, University of Bristol, Bristol, United Kingdom*
- ⁵⁰*Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*
- ⁵¹*Department of Physics, University of Warwick, Coventry, United Kingdom*
- ⁵²*STFC Rutherford Appleton Laboratory, Didcot, United Kingdom*
- ⁵³*School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom*
- ⁵⁴*School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom*
- ⁵⁵*Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*
- ⁵⁶*Imperial College London, London, United Kingdom*
- ⁵⁷*Department of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*
- ⁵⁸*Department of Physics, University of Oxford, Oxford, United Kingdom*
- ⁵⁹*Massachusetts Institute of Technology, Cambridge, Massachusetts, USA*
- ⁶⁰*University of Cincinnati, Cincinnati, Ohio, USA*
- ⁶¹*University of Maryland, College Park, Maryland, USA*
- ⁶²*Los Alamos National Laboratory (LANL), Los Alamos, New Mexico, USA*
- ⁶³*Syracuse University, Syracuse, New York, USA*
- ⁶⁴*School of Physics and Astronomy, Monash University, Melbourne, Australia*
- (associated with *Department of Physics, University of Warwick, Coventry, United Kingdom*)
- ⁶⁵*Pontifícia Universidade Católica do Rio de Janeiro (PUC-Rio), Rio de Janeiro, Brazil*
- (associated with *Universidade Federal do Rio de Janeiro (UFRJ), Rio de Janeiro, Brazil*)
- ⁶⁶*School of Physics and Electronics, Hunan University, Changsha City, China*
- (associated with *Institute of Particle Physics, Central China Normal University, Wuhan, Hubei, China*)
- ⁶⁷*Guangdong Provincial Key Laboratory of Nuclear Science, Guangdong-Hong Kong Joint Laboratory of Quantum Matter, Institute of Quantum Matter, South China Normal University, Guangzhou, China*
- (associated with *Center for High Energy Physics, Tsinghua University, Beijing, China*)
- ⁶⁸*Lanzhou University, Lanzhou, China*
- (associated with *Institute Of High Energy Physics (IHEP), Beijing, China*)
- ⁶⁹*School of Physics and Technology, Wuhan University, Wuhan, China*
- (associated with *Center for High Energy Physics, Tsinghua University, Beijing, China*)
- ⁷⁰*Departamento de Fisica, Universidad Nacional de Colombia, Bogota, Colombia*
- (associated with *LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France*)
- ⁷¹*Universität Bonn - Helmholtz-Institut für Strahlen und Kernphysik, Bonn, Germany*
- (associated with *Physikalischес Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany*)
- ⁷²*Eotvos Lorand University, Budapest, Hungary*
- (associated with *European Organization for Nuclear Research (CERN), Geneva, Switzerland*)
- ⁷³*INFN Sezione di Perugia, Perugia, Italy*
- (associated with *INFN Sezione di Ferrara, Ferrara, Italy*)
- ⁷⁴*Van Swinderen Institute, University of Groningen, Groningen, Netherlands*
- (associated with *Nikhef National Institute for Subatomic Physics, Amsterdam, Netherlands*)
- ⁷⁵*Universiteit Maastricht, Maastricht, Netherlands*
- (associated with *Nikhef National Institute for Subatomic Physics, Amsterdam, Netherlands*)
- ⁷⁶*Tadeusz Kościuszko Cracow University of Technology, Cracow, Poland*
- (associated with *Henryk Niewodniczanski Institute of Nuclear Physics Polish Academy of Sciences, Kraków, Poland*)
- ⁷⁷*Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden*
- (associated with *School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom*)
- ⁷⁸*University of Michigan, Ann Arbor, Michigan, USA*
- (associated with *Syracuse University, Syracuse, New York, USA*)

^aDeceased.^bAlso at Università di Roma Tor Vergata, Roma, Italy.^cAlso at Università di Firenze, Firenze, Italy.^dAlso at Scuola Normale Superiore, Pisa, Italy.^eAlso at Università di Ferrara, Ferrara, Italy.^fAlso at Università di Milano Bicocca, Milano, Italy.^gAlso at Università di Bologna, Bologna, Italy.^hAlso at Università di Genova, Genova, Italy.ⁱAlso at Universidade da Coruña, Coruña, Spain.^jAlso at Universidad Nacional Autónoma de Honduras, Tegucigalpa, Honduras.^kAlso at Università di Bari, Bari, Italy.^lAlso at Università di Cagliari, Cagliari, Italy.

^mAlso at Università di Perugia, Perugia, Italy.

ⁿAlso at Università degli Studi di Milano, Milano, Italy.

^oAlso at Universidade Federal do Triângulo Mineiro (UFTM), Uberaba-MG, Brazil.

^pAlso at Universidade de Brasília, Brasília, Brazil.

^qAlso at Hangzhou Institute for Advanced Study, UCAS, Hangzhou, China.

^rAlso at Università di Pisa, Pisa, Italy.

^sAlso at Central South U., Changsha, China.

^tAlso at Università di Padova, Padova, Italy.

^uAlso at Excellence Cluster ORIGINS, Munich, Germany.

^vAlso at Università della Basilicata, Potenza, Italy.

^wAlso at Universidad de Alcalá, Alcalá de Henares, Spain.

^xAlso at Università di Urbino, Urbino, Italy.