

Erratum

Erratum to “Variational Mode Decomposition of Seismic Signals for Detection of Moving Elephants”

D. S. Parihar¹, Graduate Student Member, IEEE,
Ripul Ghosh², Member, IEEE,
Aparna Akula³, Senior Member, IEEE, Satish Kumar⁴,
and H. K. Sardana⁵

In the above article [1], row 11 paragraph 1 in Section IV-B, “Spectral-Cepstral (SC)” should be read as “spectral centroid.”

In row 11, paragraph 2 in Section IV-B, “the SC feature in Fig. 4(c)” should be read as “The spectral centroid feature in Fig. 4(c).”

REFERENCES

- [1] D. S. Parihar, R. Ghosh, A. Akula, S. Kumar, and H. K. Sardana, “Variational mode decomposition of seismic signals for detection of moving elephants,” *IEEE Trans. Instrum. Meas.*, vol. 71, pp. 1–8, 2022, doi: [10.1109/TIM.2022.3178465](https://doi.org/10.1109/TIM.2022.3178465).

Manuscript received June 14, 2022; accepted June 14, 2022. Date of current version June 27, 2022. (Corresponding author: Ripul Ghosh.)

D. S. Parihar, Ripul Ghosh, Aparna Akula, and Satish Kumar are with the Centre of Excellence for Intelligent Sensors and Systems (CoE-iSenS), Council of Scientific and Industrial Research (CSIR)-Central Scientific Instruments Organization, Chandigarh 160030, India, and also with the Academy of Scientific and Innovative Research (AcSIR), Ghaziabad 201002, India (e-mail: ripul.ghosh@csio.res.in).

H. K. Sardana is with AcSIR, Ghaziabad 201002, India, and also with CSIR-Central Scientific Instruments Organization, Chandigarh 160030, India. Digital Object Identifier 10.1109/TIM.2022.3183925