## Reference

- [1] Artstein, Z. and Vitale, R. (1975) A strong law of large numbers for random compact sets. *Ann. Prob.* 3, 879-882.
- [2] Bagnoli, C., and Smith, H. C. (1998) The theory of fuzzy logic and its application to real estate valuation, *Journal of Real Estate Research*, 16(2), 169-199.
- [3] Baldwin, J., Lawry, J., and Martin, T. (1998) The application of generalized fuzzy rules to machine learning and automated knowledge discovery. *Inter. J. Uncertainty, Fuzziness and Knowledge-Based Systems*, 6(5), 459-487.
- [4] Baraldi, A. and Blonda, P. (1999) A survey of fuzzy clustering algorithms for pattern recognition. Part I and Part II. *IEEE Trans. Syst., Man, Cybern. Part B: CYBERN.* 29, 6, 778-785 and 786-801.
- [5] Billingsley, P (1968) Convergence of Probability Measures. J. Wiley, New York.
- [6] Calvo, T. and Mesiar, R. (2001) Generalized Median. *Fuzzy Sets* and Systems, 124, 59-61.
- [7] Carrano A. L., Taylor, J. B., Young, R E., Lemaster R. L. and Saloni, D. E. (2004) Fuzzy knowledge-based modeling and statistical regression in abrasive wood machining, *Forest Products Journal*, 54(5), 66-72.
- [8] Casalino, G., Memola, F. and Minutolo, C. (2004) A model for evaluation of laser welding efficiency and quality using an artificial neural network and fuzzy logic, *Proceedings of the Institution of Mechanical Engineers*, 218(6), 641.
- [9] Chen, S. and Wu, B. (2003) On optimal forecasting with soft computation for nonlinear time series. *Fuzzy Optimization and Decision Making*. 3, 215-228.
- [10] Chen, S. M. and Hwang, J. R. (2000) Temperature prediction using fuzzy time series. *IEEE Transactions on Systems, Man, and Cybernetics*, Vol. 30, No. 2, 263-275.

- [11] Chiang, D., Chow, L. and Wang, Y. (2000) Mining time series data by a fuzzy linguistic summary system. *Fuzzy Sets and Systems*, 112, 419-432.
- [12] Choquet, G. (1953/54) Theory of Capacities. *Ann. Inst. Fourier*. 5, 131-259
- [13] Cressie, N. (1979) A central limit theorem for random sets. Z. Wahr. Verw. Gebiet. 49, 37-47.
- [14] Cressie, N. and Laslett, G.M. (1987) Random set theory and problems of modeling. *SIAM Review*, 29, 557-574.
- [15] Dembo, A. and Zeitouni, O. (1998) Large Deviations Techniques and Applications. Springer-Verlag, New York.
- [16] Dempster, A, P. (1967) Upper and lower probabilities induced by a multivalued mapping. *Ann. Math. Statist.* 38, 325-339.
- [17] Diamond, P. and Kloden, P.(1994) *Metric Spaces of Fuzzy Sets*. World Scientific, Singapore.
- [18] Dorsey, D. W., and Coovert, M. D. (2003) Mathematical modeling of decision making: A soft and fuzzy approach to capturing hard decisions, *Human Factors*, 45(1), 117.
- [19] Dozzi, M., Merzbadi, E. and Schmidt, V. (2001) Limit theorems for sums of random fuzzy sets. J. Math. Anal. and Appl. 259, 554-565.
- [20] Dubois, D. and H. Prade (1991) Fuzzy sets in approximate reasoning, Part I: Inference with possibility distributions. *Fuzzy Sets and Systems*, 40, 143-202.
- [21] Dupuis, P. and Ellis, R. (1997) *A Weak Convergence Approach* to the Theory of Large Deviations. J. Wiley, New York.
- [22] Esogbue, A. O., Song, Q. (2003) On optimal defuzzification and learning algorithms: theory and applications, *Fuzzy Optimization and Decision Making*, 2(4), 283.
- [23] Feng, D, and Nguyen (2004) On statistical inference with random sets. *Soft methodology and Random Information systems* (M. Lopez *et al*, Eds.) 77-84. Springer-Verlag, New York.
- [24] Feng, D.J. and Fenf, D. (2004) On a statistical framework for estimation from random set observations. J. Theoretical Prob. 17, 85-110.
- [25] Frechet, M. (1948) éléments aléatoires de nature quelenique, dans un espace distancié. *Ann. H. Paircaré, IV*, 215-310.

- [26] Fuller, R. and Keresztvalvi, T. (1990) On generalizations of Nguyen's theorem. *Fuzzy Stes and Systems*. 4, 371-374.
- [27] Galvo, T., and Mesiar, R. (2001) Generalized Medians, *Fuzzy Sets and Systems*, 124, 59-64.
- [28] Gill, R. D., Van der Laan, M. J. and Robin, J. M. (1997) Coarsening at random characterizations, conjectures, counter examples. *Lectures Notes in Statistics*. 123, 255-294. Springer-Verlag, New York.
- [29] Goodman, I, R. (1982) Fuzzy sets as equivalence classes of random sets. *Fuzzy Sets and Possibility Theory*. (R. Yager, Ed.), Pergamon, 327-343.
- [30] Grabisch, M., Nguyen, H. and Walker, E. (1995) Fundamentals of Uncertainty Calculi with Applications to Fuzzy Inference. Kluwer Academic, Dordrecht.
- [31] Guariso, G., Rizzoli, A., and Werthner, H., Identification of model structure via qualitive simulation, *IEEE Trans. on Systems, Man, and cybernetics,* Vol. 22, No. 5, 1075-1086, 1992.
- [32] Hajek, K. (1981) *Sampling from a finite population*. Marcell-Dekker, N.Y.
- [33] Hartigan . J. A. (1987) Estimation of a convex density contour in two dimensions. *J. Amer. Statist. Assoc.* 82, 267-270,
- [34] Heithan, D.F. and Rubin, D. B. (1991) Probability and coarse data. *Ann. Statis.* 19, 2244-2253.
- [35] Foundations On Fuzzy Set Theory. Boston: Kluwr Academic.
- [36] Huarng K. (2001) Heuristic models of fuzzy time series for forecasting. *Fuzzy Sets and Systems*, 123, 369-386.
- [37] Huber, P. and Strassen, V. (1973) Minimax tests and the Neyman-pearson leman for capacities. *Ann. Statist.* 1,251-263.
- [38] Huber, P.J. (1973) The use of Choquet capacities in statistics. Bull. Inst. Intern. Statist (JLV, Book 4), 181-188.
- [39] Kao, C., and Chyu, C. L. (2003) Least-squares estimates in fuzzy regression analysis, *European Journal of Operational Research*, 148(2), 426.
- [40] Klein, E. and Thompson, A.C. (1984) Theory of Correspondences (including Applications to Mathematical Economics) John Wiley, New York.
- [41] Korner, R. (1997) On the Variance of Fuzzy Random Variables. *Fuzzy Sets and Systems*, Vol. 92, p83-93.

- [42] Kreinovich, V. Nguyen, H. and Wu, B. (1999) Justification of heuristic methods in data processing using fuzzy theory, with applications to detection of business cycles from fuzzy data. *East-West Journal of Mathematics*. 1(2), 147-157.
- [43] Kumar, K. and Wu, B. (2001) Detection of change points in time series analysis with fuzzy statistics. *International Journal of Systems Science*. **32**(9), 1185-1192.
- [44] Li, B. and Wang, T. (2005) On consistency of estimators based on random set observations. *J. Information Sciences* .To appear.
- [45] Li, S, Ogura, Y. and Kreinovich, V. (2002) *Limit Theorems and Application of Set-valued and Fuzzy Set-valued Random Variables*. Kluwer Academic, Dardrecht.
- [46] Lingras, P., and West, C. (2004) Interval Set Clustering of Web Users with Rough K-Means, *Journal of Intelligent Information Systems*, 23(1), 5.
- [47] Liu, W. Y., and Song, N. (2001) The fuzzy association degree in semantic data models, *Fuzzy Sets and Systems*, 117, 203-208.
- [48] Manski, C. (1990) The use of intention data to predict behavior: A Best Case Analysis. *Journal of the American Statistical Association*, 85, 934-940.
- [49] Manton, K. Woodbury, M. and Tolley, H. (1994) *Statistical Applications Using Fuzzy Set.* John Willy & Sons, Inc., New York.
- [50] Marinacci, M. and Montrucchio, L. (2004) *Uncertainty in Economics Theory* (I. Gilboa, Ed), Routledge, New York. 46-107.
- [51] Matheran, G. (1975) *Random sets and Integral geometry*, J. Wiley. New York.
- [52] Meyerowitz, A., Richman, F. and Walker, E. A. (1994) Calculating maximum entropy densities for belief functions. *Intern. J. Uncertainty, Fuzziness and Knowledge-Based Systems* 2(4), 377-389.
- [53] Molchanov, I. (1993) Limit Theorems for Unions of Random Closed Sets. Lecture Notes in Mathematics. 1561. Springer-Verlag, New York.
- [54] Molchanov, I. (2005) *Theory of Random Sets*. Springer-Verlag, Berlin.
- [55] Mosteller, F. and Youtz, C. (1990) Quantifying probabilistic expressions. *Statis. Sci.* 5, 2-34.

- [56] Nelsen, R. B. (1999) An Introduction to Copulas. Lecture Notes in Statistics, 139, Springer-Verlag, New York.
- [57] Nguyen, H and Wu, B. (2000) *Fuzzy Mathematics and Statistical Applications*. Hua-Tai Book Company, Taipei
- [58] Nguyen, H, Wang, T. and Wu, B. (2004) On probabilistic methods in fuzzy theory. *International Journal of Intelligent Systems*. 19, 99-109.
- [59] Nguyen, H. and Kreinovich, V. (1999) How to divide a territory ? A new simple differential formalism for optimization of set functions. *J. Intelligent Systems.* 14, 223-251.
- [60] Nguyen, H. and Wu, B. (1999) Fuzzy/Probability ~ Fractal/Smooth. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*. 7(4), 363-370.
- [61] Nguyen, H. T (2006) *An introduction to Random sets*. Chapman and Hall/CRC. To appear.
- [62] Nguyen, H. T. and Walker E. A. (2005) *A First Course in Fuzzy Logic* (Third Edition), Chapman and Hall/CRC. Boca Raton, Florida.
- [63] Nguyen, H. T. Prasad, N. R., Walker C. and Walker E. (2003) *A First Course in Fuzzy and Neural Control*. Chapman and Hall/CRC. Boca Raton, Florida.
- [64] Nguyen, H., Wu, B. and Kreinovich, V. (2000) On combining statistical and fuzzy techniques: detection of business cycles from uncertain data. in *Trends in Information Technology*, 1, 69-74.
- [65] Noberg, T. (1984) Convergence and existence of random set distributions with applications. *Israel J. Math.* 77, 241-264.
- [66] Noberg, T. (1992) On the existence of ordered couplings of random set, with applications. *Israel J. Math.* 77, No. 3, 241-264.
- [67] Orlowski, S. A. (1991) *Calculus of Decomposible Properties, Fuzzy Sets and Decisions*. Allertion Press.
- [68] Park, Y. M., U. C. Moon, and K. Y. Lee (1995) A selforganizing fuzzy logic controller for dynamic systems using fuzzy auto-regressive moving average (FARMA) model. *IEEE Transactions on Fuzzy Systems*, Vol. 3, No. 1, 75-82.
- [69] Peters, G. (2001) A linear forecasting model and its application to economic data, *Journal of Forecasting*, 20(5), 315.

- [70] Polonick, W. (1995) Density estimation under qualitative assumptions in higher dimensions. J. Mult. Anal. 55, 61-81.
- [71] Ross,T. (1995) *Fuzzy Logic with Engineering Applications*. McGraw-Hill, Inc., New York.
- [72] Rubin, D. B. (1976) Inference and missing data. *Biometrika*. 63, 581-592.
- [73] Ruspini, E. (1991) Approximate reasoning: past, present, future. *Information Sciences*, 57, 297-317.
- [74] Saaty, T. L. (1977) A scaling method for priorities in hierarchical structures. J. Math. Psychology. 15, 234-281.
- [75] Saaty, T. L. (1994) Fundamentals of Decision Making and Priority Theory with the analytic Hierarchy Process. PWS publications.
- [76] Sabinetti, G. and Wets, R. (1986) On the convergence in distribution of Measurable multifunctions (random sets), normal integrands., Statistic processes and stochastic inference. *Math. Oper. Research.* 11, 385-419.
- [77] Salinetti, G. and Wets, R. (1981) On the convergence of closed-valued measurable mutifunctions. *Trans. Amer. Math, Soc.* (1), 275-289.
- [78] Sanchez J.D, and Gomez A.T. (2004) Estimating a fuzzy term structure of interest rates using fuzzy regression techniques, *European Journal of Operational Research*, 154 (3), 804-818.
- [79] Sanchez J. D., and Gomez A.T. (2003) Estimating a term structure of interest rates for fuzzy financial pricing by using fuzzy regression methods, *Fuzzy Sets and Systems*, 139 (2), 313-331.
- [80] Sato, M. and Sato, Y. (1994) On a multicriteria fuzzy clustering method for 3-way data. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*. 2, 127-142.
- [81] Schreiber, T. (2000) Statistical inference from set-valued observations. *Prob. Math. Statist.* 20, 223-235.
- [82] Schweizer, B. and Sklar, A. (1983) *Probabilistic Metric Spaces*. North-Holland, Armstersdam.
- [83] Shapley, L. S. (1971) Cores of convex games. *Intern. J. Game Theory*, 1, 11-26.

- [84] Singpurwalla, N.D. and Booker, J.M. (2004) Membership functions and probability measures of fuzzy sets. J. Amer. Statist, Assoc. 99, 867-889.
- [85] Song, Q. and B. S. Chissom (1993b) Fuzzy time series and its models. *Fuzzy Sets and Systems*, 54, 269-277.
- [86] Song, Q. and B. S. Chissom (1994) Forecasting enrollments with fuzzy time series—Part II. *Fuzzy Sets and Systems*, 62, 1-8.
- [87] Stojakovic, M. (1994) Fuzzy Random Variables, Expectation, and Martingales . *Journal of Mathematical Analysis and Applications*, Vol. 184, p594-606.
- [88] Sugeno, M. and K. Tanaka (1991) Successive identification of a fuzzy model and its applications to prediction of a complex system, *Fuzzy Sets and Systems*, 42, 315-334.
- [89] Sullivan, J., and Woodall, W. H. (1994) Comparison of fuzzy forecasting and Markov modeling, *Fuzzy Sets and Systems*, 64, p279-293.
- [90] Swapan, R., and Ray, K. (1997) Reasoning with vague default. *Fuzzy Sets and Systems*, 91, p327–338.
- [91] Syau Y. R., Hsieh, H. T., and Lee, E. S. (2001) Fuzzy Numbers in the Credit Rating of Enterprise Financial Condition, *Review of Quantitative Finance and Accounting*, 17(4), 351
- [92] Tanaka, H., and Ishibuchi, H. (1993) Architecture of neural networks with interval weights and its application to fuzzy regression analysis. *Fuzzy Sets and Systems*, 57, 27-39.
- [93] Tseng F. M., Tzeng G. H., and Yu H. C. (1999) Fuzzy seasonal time series for forecasting the production value of the mechanical industry in Taiwan. *Technological Forecasting and Social Change*, 60 (3), 263-273.
- [94] Tseng F.M., Tzeng G. H., Yu H. C., and Yuan, J. C. (2001) Fuzzy ARIMA model for forecasting the foreign exchange market, *Fuzzy Sets and Systems*, 118, 9-19.
- [95] Tseng, T. and C. Klein (1992) A new algorithm for fuzzy multicriteria decision making. *International Journal of Approximate Reasoning*, 6, 45-66.
- [96] Turnquist, M. A., and Nozick, L. K. (2004) A nonlinear optimization model of time and resource allocation decisions in projects with uncertainty, *Engineering Management Journal*, 16(1), 40.

- [97] Wallster, T. S. (1986) Measuring the vague meaning of probability terms. *J. Exp. Psychology.* 115, 348-365.
- [98] Walters, P. (1982) *An Introduction to Ergodic Theory*. Springer-Verlag, New York.
- [99] Wang H. F., and Tsaur, R. C. (2000) Resolution of fuzzy regression model, *European Journal of Operational Research*, 126(3), 637.
- [100] Wang, C.H. (2004) Predicting tourism demand using fuzzy time series and hybrid grey theory. *Tourism Management*, 25(3), 367-374
- [101] Wang, Z. and G. J. Klir (1992) *Fuzzy Measure Theory*. New York: Plenum Press.
- [102] Watanabe, N. and Imaizumi, T. (1993) A fuzzy statistical test of fuzzy hypotheses. *Fuzzy Sets and Systems*, 53, 167-178.
- [103] Wei C.P., Liu O. R., and Hu J.H. (2002) Fuzzy Statistics Estimation in Supporting Multidatabase Query Optimization, *Electronic Commerce Research*, 2(3),2 87. 287
- [104] Wen, F., Chen, L and Wu, B. (2000) Spatial time series analysis in 1997-1998 Eastern Asia financial crisis. *Asia Pacific Management Review.* **5**, 331-345.
- [105] Wong, Z. and G.J. Klir (1992) *Fuzzy Measure Theory*. New York: Plenum Press.
- [106] Wu, B. (1995) Fuzzy statistical analysis: a new research method on the sampling survey. *Research Letters of National Chengchi University.*, 2, 65-80.
- [107] Wu, B. and Hsu, Yu-Yun. (2004) A New approach of bivariate fuzzy time series: with applications to the stock index forecasting. *International Journal of Uncertainty, Fuzziness and Knowl*edge-based Systems. 11(6), 671-690.
- [108] Wu, B. and Hung, S. (1999) A fuzzy identification procedure for nonlinear time series: with example on ARCH and bilinear models. *Fuzzy Set and System*. 108, 275-287.
- [109] Wu, B. and Chen, M. (1999) Use of fuzzy statistical technique in change periods detection of nonlinear time series. *Applied Mathematics and Computation*, 99,
- [110] Wu, B. and Sun, C. (1996) Fuzzy statistics and computation on the lexical semantics. *Language, Information and Computation* (*PACLIC 11*), 337-346. *Seoul, Korea.*

- [111] Wu, B. and Sun, C. (2001) Interval-valued statistics, fuzzy logic, and their use in computational semantics. *Journal of Intelligent and Fuzzy Systems.* **11**,1-7.
- [112] Wu, B. and Tseng, N. (2002) A new approach to fuzzy regression models with application to business cycle analysis. *Fuzzy Sets and System.* 130, 33-42.
- [113] Wu, B. and Hwang, Z. (1995) Testing for the stability of Taiwan's short run money demand function: the application of fuzzy time series. *Annual Conference Proceedings of Taiwan Economic Association.* 169-190.
- [114] Wu, B. and Yang, W. (1997) Application of fuzzy statistics in the sampling survey. *Development and Application for the Quantity Methods of Social Science*. 289-316, Academic Sinica, Taiwan.
- [115] Xu, B., Dale, D. S., Huang, Y., and Watson, M. D. (2002) Cotton color classification by fuzzy logic, *Textile Research Journal*, 72(6), 504-509.
- [116] Yoshinari, Y., W. Pedrycz, and K. Hirota (1993) Construction of fuzzy models through clustering techniques. *Fuzzy Sets and Systems*, 54, 157-165.
- [117] Zadeh, L. A. (1965) Fuzzy Sets. Information and Control, 8, 338-353.
- [118] Zadeh, L. A. (1968) Probability measures of fuzzy events. J. *Math. Anal and Appl*, 23, 421-427.
- [119] Zadeh, L. A. (1971) Quantitative fuzzy semantics. *Information Sciences*, 3, 159-176.
- [120] Zadeh, L. A. (1975) The Concept of linguistic variable and its application to approximate reasoning, parts I, II. *Information Sciences*, 8, 119-249; 8, 301-35.
- [121] Zadeh, L. A. (2002) Toward a perception-based probabilities. J. Statist. Planning and Inference. 105, 233-264.
- [122] Zimmermann, H. J. (1991) *Fuzzy Set Theory and Its Applications*. Boston: Kluwer Academic.

# Index

—A aggregation operators, 78 AHP, 28 Archimedian, 23 Average accuracy of forecasting 161, 182 —B— Banach space, 72 Belief function 163, 164, 165 Boolean algebra, 34 Borel sets, 23, 52, 80, 87, 88 —C capacity functional, 8, 11, 50, 52, 88 capacity functionals, 12, 35, 38, 67, 79, 93, 97, 103, 114 Choquet capacities, 88 Choquet integral, 73, 74, 75, 76, 77, 78, 79, 87 Choquet's Theorem, 89, 102, 108 coarse data, 1, 3, 9, 10, 13, 41, 46, 47, 49, 50, 51, 68, 75, 79, 87 coarsen, 2, 10, 11, 38, 41, 47, 49, 50, 52, 53, 79 coarsening scheme, 10, 11, 47, 49, 53 convex, 23, 29, 39, 48, 56 Core(T), 54, 55, , 64, 68 Cramer transform, 64, 65

## —D—

degree of belief, 145, 163, 165, 166 defuzzification procedure, 32, 34, designed methodology, 33, 34 Distance for discrete fuzzy sample, 132 Distance of interval fuzzy samples, 132 —E empirical functional, 68 existence theorem, 34 —F— Forecasting, 145, 147, 153, 160, 176, 178, 180 Fuzzy Markov relation matrix, 151 Fuzzy Markov Relation Matrix, 151 Fuzzy rule base, 161 Fuzzy time series, 148, 149 Fuzzy Time Series 150, 153, 160, 162, 171, 179, 180, 181 FVAR(1), 155 fuzzy analysis, 30 Fuzzy belonging for interval data, 134 fuzzy data, 3, 13, 15, 18, 20, 31, 42, 46, 50, 67 Fuzzy equality for discrete data, 133 Fuzzy equality for interval data, 134

Fuzzy index for equality of discrete data, 134 fuzzy interval, 38, 39 fuzzy logic, 1, 19, 26, 27, 30 fuzzy measure, 17, 79 Fuzzy Number, 38 fuzzy proportion, 46 fuzzy relation, 27, 28, 46, 78 Fuzzy sample mean, 113, 114 Fuzzy sample median, 115, 116, 124 Fuzzy sample mode, 118 Fuzzy sample Mode, 117 fuzzy statistic, 1, 2, 46 fuzzy subset, 15, 18, 23, 30, 32, 38, 39 Fuzzy -test of homogeneity, 140 —G— Gaussian type membership function, 34 Glivenko-Cantelli theorem, 51 —H— Hausdorff metric, 40, 41, 69, 84, 85 hypothesis testing, 129, 130, 133, 137, 138, 139 —I idempotent, 23 Incomplete data, 46 integrated process for multivariate fuzzy time series modeling, 162 —K kernel method, 28 Kleene algebra, 20

#### —L—

Laplace transform, 64, 66, 67 Lebesgue measure, 29, 65, 80, 84 Lebesque-Stietltje's theorem, 73 —M— Markov fuzzy relation, 145 multivariate fuzzy autoregressive process 160mbmbmb Multivariate fuzzy time series forecasting 160, 162 Maximum Likelihood Estimators, 29 meaning representation, 9, 10, 11, 12, 15, 18 Mobius inverse, 56, 60 moment generating function, 64 —N— Neyman-Pearson lemma, 81 nilpotent, 24 normal fuzzy set, 39 —P point process, 1, 6 probability measure, 5, 18, 36, 42, 51, , 60, 68, 74, 79, 90, 105, 107 —R random element, 3, 5, 7, 37, 39, 42, 71,87 random interval, 37 random set, 1, 17, 35, 36, 41, 46, 48, 52, 55, 58, 67, 89, 102, 108 \_\_\_\_\_\_

sampling surveys, 35, 37, 45, 46

Shapley Theorem, 60 Sklar's theorem, 21 soft-computing, 110, 120 Stieltjes measure, 29 Stone-Weierstrass Theorem, 33 —T t-norm, 21, , 25, 31, 34

#### —U—